



**IEEE Standard for
Information technology—
Telecommunications and information
exchange between systems—
Local and metropolitan area networks—
Specific requirements**

**Part 11: Wireless LAN Medium Access Control (MAC)
and Physical Layer (PHY) Specifications**

**Amendment 6: Wireless Access in Vehicular
Environments**

IEEE Computer Society

Sponsored by the
LAN/MAN Standards Committee

IEEE
3 Park Avenue
New York, NY 10016-5997, USA

15 July 2010

IEEE Std 802.11p™-2010

(Amendment to IEEE Std 802.11™-2007
as amended by IEEE Std 802.11k™-2008,
IEEE Std 802.11r™-2008,
IEEE Std 802.11y™-2008,
IEEE Std 802.11n™-2009, and
IEEE Std 802.11w™-2009)

802.11p™

IEEE Std 802.11p™-2010
(Amendment to IEEE Std 802.11™-2007
as amended by IEEE Std 802.11k™-2008,
IEEE Std 802.11r™-2008,
IEEE Std 802.11y™-2008,
IEEE Std 802.11n™-2009, and
IEEE Std 802.11w™-2009)

**IEEE Standard for
Information technology—
Telecommunications and information
exchange between systems—
Local and metropolitan area networks—
Specific requirements**

**Part 11: Wireless LAN Medium Access Control (MAC)
and Physical Layer (PHY) Specifications**

**Amendment 6: Wireless Access in Vehicular
Environments**

Sponsor

**LAN/MAN Standards Committee
of the
IEEE Computer Society**

Approved 17 June 2010

IEEE SA-Standards Board

Abstract: This amendment specifies the extensions to IEEE Std 802.11 for wireless local area networks (WLANs) providing wireless communications while in a vehicular environment.

Keywords: 5.9 GHz, wireless access in vehicular environments

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2010 by the Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 15 July 2010. Printed in the United States of America.

IEEE and 802 are registered trademarks in the U.S. Patent & Trademark Office, owned by the Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-0-7381-6324-6 STD96080
Print: ISBN 978-0-7381-6350-5 STDPD96080

IEEE prohibits discrimination, harassment and bullying. For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>. No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. The IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this, or any other IEEE Standard document.

The IEEE does not warrant or represent the accuracy or content of the material contained herein, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained herein is free from patent infringement. IEEE Standards documents are supplied "AS IS."

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation, or every ten years for stabilization. When a document is more than five years old and has not been reaffirmed, or more than ten years old and has not been stabilized, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

In publishing and making this document available, the IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is the IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing this, and any other IEEE Standards document, should rely upon his or her independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretations is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration. A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal interpretation of the IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position, explanation, or interpretation of the IEEE.

Comments for revision of IEEE Standards are welcome from any interested party, regardless of membership affiliation with IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Recommendations to change the status of a stabilized standard should include a rationale as to why a revision or withdrawal is required. Comments and recommendations on standards, and requests for interpretations should be addressed to:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854
USA

Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Introduction

This introduction is not part of IEEE Std 802.11p-2010, IEEE Standard for Information technology—Telecommunications and information exchange between systems—Local and metropolitan networks—Specific requirements—Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications—Amendment 6: Wireless Access in Vehicular Environments.

IEEE 802.11™ devices may be used in environments where the physical layer properties are rapidly changing and where very short-duration communications exchanges are required. The purpose of this standard is to provide the minimum set of specifications required to ensure interoperability between wireless devices attempting to communicate in potentially rapidly changing communications environments and in situations where transactions must be completed in time frames much shorter than the minimum possible with infrastructure or ad hoc IEEE 802.11 networks. In particular, time frames that are shorter than the amount of time required to perform standard authentication and association to join a BSS are accommodated in this amendment.

This specification accomplishes the following:

- Describes the functions and services required by stations to operate in a rapidly varying environment and to exchange messages without joining a BSS
- Defines the signaling techniques and interface functions used by stations communicating outside of the context of a BSS that are controlled by the IEEE 802.11 MAC

This amendment to IEEE Std 802.11-2007 is based on extensive testing and analyses of wireless communications in a mobile environment. The results of these efforts are documented in ASTM E2213-03, Standard Specification for Telecommunications and Information Exchange Between Roadside and Vehicle Systems—5.9 GHz Band Wireless Access in Vehicular Environments (WAVE)/Dedicated Short Range Communications (DSRC) Medium Access Control (MAC) and Physical Layer (PHY) Specifications.^a This amendment to IEEE Std 802.11-2007 is technically compatible with ASTM E2213-03.

Notice to users

Laws and regulations

Users of these documents should consult all applicable laws and regulations. Compliance with the provisions of this standard does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

^aASTM publications are available from the American Society for Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959, USA (<http://www.astm.org/>).

Updating of IEEE documents

Users of IEEE standards should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Standards Association website at <http://ieeexplore.ieee.org/xpl/standards.jsp>, or contact the IEEE at the address listed previously.

For more information about the IEEE Standards Association or the IEEE standards development process, visit the IEEE-SA website at <http://standards.ieee.org>.

Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/updates/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Interpretations

Current interpretations can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/interp/index.html>.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. A patent holder or patent applicant has filed a statement of assurance that it will grant licenses under these rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses. Other Essential Patent Claims may exist for which a statement of assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this amendment was sent to sponsor ballot, the IEEE 802.11 Working Group had the following officers:

Bruce P. Kraemer, *Working Group Chair and Chair, Task Group n*
Jon Walter Rosdahl, *Vice Chair and Treasurer*
Adrian P. Stephens, *Vice Chair*
Stephen McCann, *Secretary and Chair, Publicity Standing Committee and Task Group u*
Terry L. Cole, *Technical Editor and Assigned Number Authority*
Teik-Kheong Tan, *Chair, Wireless Next Generation Standing Committee*
David Bagby, *Chair, Architecture Standing Committee*
Andrew Myles, *Chair, JTC1 Ad hoc*
Richard H. Kennedy, *Chair, Regulatory Ad hoc and TVWS Study Group*
Michael Montemurro, *Chair, QoS MAN Study Group*
Matthew Gast, *Chair, Task Group mb*
Lee R. Armstrong, *Chair, Task Group p*
Donald E. Eastlake III, *Chair, Task Group s*
Dorothy V. Stanley, *Chair, Task Group v and IETF Ad hoc Committee*
Jesse R. Walker, *Chair, Task Group w*
Menzo M. Wentink, *Chair, Task Group z*
Ganesh Venkatesan, *Chair, Task Group aa*
Osama S. Aboul-Magd, *Chair, Task Group ac*
Eldad Perahia, *Chair, Task Group ad*
Darwin Engwer, *Co-Chair, IMT-Advanced Ad hoc Committee*

When this amendment was sent to sponsor ballot, Task Group p had the following officers:

Lee R. Armstrong, *Chair*
Susan Dickey and Filip Weytjens, *Secretaries*
Wayne K. Fisher, *Editor*

When this amendment was sent to sponsor ballot, the IEEE 802.11 Working Group had the following membership:

Osama S. Aboul-Magd	Joseph Brennan	Rolf J. de Vegt
Santosh P. Abraham	Walter Buga	Theodorus Denteneer
Tomoko Adachi	G. Bumiller	Jeremy deVries
Carlos H. Aldana	Nancy Cam-Winget	Susan Dickey
Gary Anwyl	Necati Canpolat	John Dorsey
Lee R. Armstrong	Javier Cardona	Roger P. Durand
Alex Ashley	Philippe Chambelin	Srinivasa Duvvuri
Malik Audeh	Douglas S. Chan	Donald E. Eastlake III
Geert A. Awater	Clint F. Chaplin	Peter Ecclesine
David Bagby	Jiunn-Tsair Chen	Stephen P. Emeott
Michael Bahr	Lidong Chen	Marc Emmelmann
Fan Bai	Minho Cheong	Darwin Engwer
Gabor Bajko	Woong Cho	Vinko Erceg
Raja Banerjee	Jee-Yon Choi	Stefan Fechtel
Kaberi Banerjee	Nakjung Choi	Matthew J. Fischer
John R. Barr	Liwen Chu	Wayne K. Fisher
Gal Basson	Terry L. Cole	Wen Gao
Tuncer Baykas	Charles I. Cook	Matthew Gast
John L. Benko	Carlos Cordeiro	James P. K. Gilb
Mathilde Benveniste	Xavier Perez Costa	Jeffrey Gilbert
Daniel Borges	David E. Cypher	Reinhard Gloger
Anthony Braskich	Marc De Courville	Michelle Gong

David Goodall	Hui-Ling Lou	Kazuyuki Sakoda
Sudheer A. Grandhi	Bradley Lynch	Hemanth Sampath
Mark Grodzinsky	Jakub Majkowski	Donald Schultz
Jianlin Guo	Alastair Malarky	Jean Schwoerer
Mark Hamilton	Jouni K. Malinen	Yongho Seok
Christopher J. Hansen	Alexander Maltsev	Huairong Shao
Hiroshi Harada	Hiroshi Mano	Stephen J. Shellhammer
Dan N. Harkins	Bill Marshall	Ian Sherlock
Brian D. Hart	Roman M. Maslennikov	Kai Shi
Chris Hartman	Stephen McCann	Francois Simon
Amer A. Hassan	Justin P. McNew	Graham Kenneth Smith
Vegard Hassel	Sven Mesecke	Matt Smith
Robert F. Heile	R. R. Miller	Kapil Sood
Guido R. Hiertz	Michael Montemurro	Vinay Sridhara
Garth D. Hillman	Rajendra T. Moorti	Robert Stacey
Seungeun Hong	Hitoshi Morioka	Dorothy V. Stanley
Naoki Honma	Yuichi Morioka	Adrian P. Stephens
Wendong Hu	Daniel Camps Mur	David S. Stephenson
Robert Y. Huang	Peter Murray	Carl R. Stevenson
Tian-Wei Huang	Andrew Myles	John Stine
David Hunter	Yukimasa Nagai	Guenaël T. Strutt
Akio Iso	Kengo Nagata	Chin-Sean Sum
Wynona Jacobs	Hiroki Nakano	Arash Tabibiazar
Hongseok Jeon	Sai Shankar Nandagopalan	Eiji Takagi
Yeonkwon Jeong	Chiu Ngo	Mineo Takai
Lusheng Ji	Paul Nikolich	Yasushi Takatori
Daniel Jiang	Eero Nikula	Teik-Kheong Tan
Sungeun Jin	Richard H. Noens	Allan Thomson
Vince Jones	Jisung Oh	Jerry Thrasher
Padam Kafle	Jong-Ee Oh	Eric Tokubo
Carl W. Kain	Youko Omori	Ichihiko Toyoda
Naveen K. Kakani	Satoshi Oyama	Jason Trachewsky
Shuzo Kato	Richard H. Paine	Solomon B. Trainin
Douglas Kavner	Arul Durai Murugan Palanivelu	Jean Tsao
Richard H. Kennedy	Changmin Park	Masahiro Umehira
John Kenney	Minyoung Park	Richard D. J. Van Nee
Stuart J. Kerry	Vijaykumar Patel	Allert Van Zelst
Joonsuk Kim	Bemini Hennadige Peiris	Prabodh Varshney
Kyeongpyo Kim	Eldad Perahia	Ganesh Venkatesan
Yongsun Kim	James E. Petranovich	Dalton T. Victor
Youngsoo Kim	Albert Petrick	George A. Vlantis
Yunjoo Kim	John Petro	Jesse R. Walker
Jarkko Kneckt	Vishakan Ponnampalam	Chao-Chun Wang
Mark M. Kobayashi	James D. Portaro	Junyi Wang
Fumihide Kojima	Henry S. Ptasinski	Qi Wang
Tom Kolze	Rene Purnadi	Craig D. Warren
Bruce P. Kraemer	Ivan Pustogarov	Fujio Watanabe
Thomas M. Kurihara	Emily H. Qi	Menzo M. Wentink
Joseph Kwak	Huyu Qu	Frank Whetten
Hyoungjin Kwon	Jim E. Raab	James Worsham
Ismail Lakkis	Mohammad Rahman	Harry R. Worstell
Paul Lambert	Vinuth Rai	Fonchi Wu
Zhou Lan	Ali Raissinia	Takeshi Yamamoto
Jeremy A. Landt	Harish Ramamurthy	James Yee
Joseph P. Lauer	Stephen G. Rayment	Peter Yee
Wooyong Lee	Ivan Reede	Su Khiong Yong
Yuro Lee	Alex Reznik	Seiji Yoshida
Sheung Li	Randal Roebuck	Christopher Young
Hang Liu	Jon Walter Rosdahl	Artur Zaks
Pei Liu	Richard Roy	Hongyuan Zhang
Peter Loc	Alexander Safonov	Shiwei Zhao
		Chunhui Zhu

Major contributions were received from the following individuals:

Guillermo Acosta	John Kenney	Vinuth Rai
Lee R. Armstrong	Keiichiro Koga	Ed Ring
Broady Cash	Thomas Kurihara	Randal Roebuck
Ken Cook	Jeremy Landt	Jon Walter Rosdahl
Susan Dickey	Sheung Li	Richard Roy
Peter Ecclesine	Jason Liu	Francois Simon
Wayne K. Fisher	Alastair Malarky	Robert Soranno
Tim Godfrey	Justin McNew	Lothar Stibor
Mary Ann Ingram	Andrew Myles	George Vlantis
Daniel Jiang	Rick Noens	Bryan Wells
Carl Kain	Satoshi Oyama	Filip Weytjens
Doug Kavner		Jeffrey Zhu

The following members of the balloting committee voted on this amendment. Balloters may have voted for approval, disapproval, or abstention.

Thomas Alexander	C. Guy	Elvis Maculuba
Richard Alfvén	Gloria Gwynne	Faramarz Maghsoodlou
Butch Anton	Marco Hernandez	Alastair Malarky
Danilo Antonelli	Guido Hiertz	Jouni Malinen
Lee R. Armstrong	Oliver Hoffmann	Mark Maloney
David Bagby	Chun-Yen Hsu	Jeffery Masters
Gabor Bajko	Wendong Hu	Stephen McCann
Raja Banerjea	David Hunter	Michael McInnis
Leslie Baxter	Sergiu Iordanescu	Justin McNew
Harry Bims	Akio Iso	Steven Methley
Gennaro Boggia	Atsushi Ito	Gary Michel
William Byrd	Raj Jain	R. Miller
Peter J. Calderon	Carl Kain	Michael Montemurro
Juan Carreon	Tal Kaitz	Rick Murphy
Douglas Chan	Naveen Kakani	Peter Murray
Clint Chaplin	Shinkyō Kaku	Michael S. Newman
Yung-Mu Chen	Masahiko Kaneko	John Notor
Keith Chow	Chol Kang	Satoshi Obara
Charles Cook	Piotr Karocki	Satoshi Oyama
Todor Cooklev	Assaf Kasher	Eldad Perahia
Wael Diab	Ruediger Kays	James Petranovich
Thomas Dineen	John Kenney	Subburajan Ponnuswamy
Carlo Donati	Stuart J. Kerry	Venkatesha Prasad
Sourav Dutta	Max Kicherer	Michael Probasco
Peter Ecclesine	Yongbum Kim	Ivan Reede
Richard Eckard	Yongho Kim	Maximilian Riegel
Wayne K. Fisher	Brian Kopp	Robert Robinson
C. Fitzgerald	Bruce P. Kraemer	Randal Roebuck
Andre Fournier	Thomas M. Kurihara	Jon Walter Rosdahl
Avraham Freedman	Joseph Kwak	Richard Roy
Matthew Gast	Jeremy Landt	Randall Safer
Devon Gayle	Charles Lennon	John Santhoff
Pieter-Paul Giesberts	Daniel Levesque	Anil Sanwalka
Reinhard Gloger	Zexian Li	John Sargent
Joel Goergen	Jan-Ray Liao	Shigenobu Sasaki
David Goodall	Arthur Light	Peter Saunderson
Sudheer Grandhi	Daniel Lubar	Bartien Sayogo
Ron Greenthaler	William Lumpkins	Josh Schilling
Randall Groves	G. Luri	

Yongho Seok
Ian Sherlock
Gil Shultz
Kapil Sood
Amjad Soomro
Manikantan Srinivasan
Dorothy V. Stanley
Kenneth Stanwood
Thomas Starai
Adrian P. Stephens

Walter Struppler
Mark Sturza
Jun Ichi Takada
Allan Thomson
Solomon B. Trainin
Mark-Rene Uchida
Masahiro Umehira
Dmitri Varsanofiev
Prabodh Varshney

George A. Vlantis
Stanley Wang
Fujio Watanabe
Menzo M. Wentink
Ludwig Winkel
M. Karen Woolf
James Worsham
Harry R. Worstell
Oren Yuen
Paolo Zangheri

When the IEEE-SA Standards Board approved this amendment on 17 June 2010, it had the following membership:

Robert M. Grow, *Chair*
Richard H. Hulett, *Vice Chair*
Steve M. Mills, *Past Chair*
Judith Gorman, *Secretary*

Karen Bartleson
Victor Berman
Ted Burse
Clint Chaplin
Andy Drozd
Alexander Gelman
Jim Hughes

Young Kyun Kim
Joseph L. Koepfinger*
John Kulick
David J. Law
Hung Ling
Oleg Logvinov
Ted Olsen

Ronald C. Petersen
Thomas Prevost
Jon Walter Rosdahl
Sam Sciacca
Mike Seavey
Curtis Siller
Don Wright

*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Satish Aggarwal, *NRC Representative*
Richard DeBlasio, *DOE Representative*
Michael Janezic, *NIST Representative*

Lisa Perry
IEEE Standards Program Manager, Document Development

Michael D. Kipness
IEEE Standards Program Manager, Technical Program Development

Contents

1.	Overview.....	2
1.2	Purpose.....	2
2.	Normative references.....	2
4.	Abbreviations and acronyms.....	2
5.	General Description.....	2
5.2	Components of the IEEE 802.11 architecture.....	2
5.2.6	QoS BSS: The QoS network.....	2
5.2.10	STA transmission of data frames outside the context of a BSS.....	2
5.3	Logical service interfaces.....	3
5.3.1	SS.....	3
7.	Frame formats.....	3
7.1	MAC frame formats.....	3
7.1.3	Frame fields.....	3
7.1.3.1	Frame Control field.....	3
7.1.3.3	Address fields.....	4
7.1.3.5	QoS Control field.....	4
7.2	Format of individual frame types.....	5
7.2.2	Data frames.....	5
7.2.3	Management frames.....	5
7.2.3.14	Timing Advertisement frame format.....	5
7.3	Management frame body components.....	6
7.3.1	Fields that are not information elements.....	6
7.3.1.10	Timestamp field.....	6
7.3.1.31	Organization Identifier field.....	6
7.3.2	Information elements.....	7
7.3.2.26	Vendor Specific information element.....	7
7.3.2.29	EDCA Parameter Set element.....	7
7.3.2.61	Time Advertisement information element.....	8
7.4	Action frame format details.....	9
7.4.5	Vendor-specific action details.....	9
9.	MAC sublayer functional description.....	10
9.1	MAC architecture.....	10
9.1.1	DCF.....	10
9.1.3	Hybrid coordination function (HCF).....	10
9.1.3.1	HCF contention-based channel access (EDCA).....	10
9.2	DCF.....	10
9.2.3	IFS.....	10
9.2.3.4	AIFS.....	10
9.6	Multirate support.....	11
9.6.0a	Overview.....	11

9.9	HCF.....	11
9.9.1	HCF contention-based channel access (EDCA).....	11
9.9.1.2	EDCA TXOPs.....	11
9.9.1.3	Obtaining an EDCA TXOP.....	11
10.	Layer management.....	11
10.3	MLME SAP interface.....	11
10.3.9	Reset.....	11
10.3.9.1	MLME-RESET.request.....	11
10.3.29	Vendor-specific action.....	12
10.3.29.1	MLME-VSPECIFIC.request.....	12
10.3.29.2	MLME-VSPECIFIC.confirm.....	13
10.3.29.3	MLME-VSPECIFIC.indication.....	13
10.3.45	Get TSF timer.....	13
10.3.45.1	MLME-GETTSFTIME.request.....	14
10.3.45.2	MLME-GETTSFTIME.confirm.....	14
10.3.46	Timing Advertisement.....	15
10.3.46.1	MLME-TIMING_ADVERTISEMENT.request.....	15
10.3.46.2	MLME-TIMING_ADVERTISEMENT.confirm.....	16
10.3.46.3	MLME-TIMING_ADVERTISEMENT.indication.....	17
11.	MLME.....	18
11.1	Synchronization.....	18
11.1.1	Basic approach.....	18
11.3	STA authentication and association.....	18
11.19	STAs communicating data frames outside the context of a BSS.....	19
11.20	Timing Advertisement.....	19
11.20.1	Introduction.....	19
11.20.2	Timing Advertisement Frame Procedures.....	19
17.	Orthogonal frequency division multiplexing (OFDM) PHY specification for the 5 GHz band.....	20
17.3	OFDM PLCP sublayer.....	20
17.3.10	PMD receiver specifications.....	20
17.3.10.2	Adjacent channel rejection.....	20
17.3.10.3	Nonadjacent channel rejection.....	20
17.4	OFDM PLME.....	21
17.4.1	PLME_SAP sublayer management primitives.....	21
	Annex A (normative) Protocol Implementation Conformance Statement (PICS) proforma.....	22
A.4	PICS proforma—IEEE Std 802.11-2007.....	22
A.4.3	IUT Configuration.....	22
A.4.4.1	MAC protocol capabilities.....	22
A.4.4.2	MAC frames.....	23
A.4.4.4	MAC addressing function.....	24
A.4.8	OFDM PHY functions.....	24
A.4.15	QoS enhanced distributed channel access (EDCA).....	25
	Annex D (normative) ASN.1 encoding of the MAC and PHY MIB.....	26

Annex I (normative) Regulatory classes.....	29
I.1 External regulatory references	29
I.2 Radio performance specifications.....	30
I.2.1 Transmit and receive in-band and out-of-band spurious emissions	30
I.2.2 Transmit power levels	30
I.2.3 Transmit spectrum mask	31
Annex J (normative) Country information element and regulatory classes	33
J.1 Country information and regulatory classes	33
J.2 Band-specific operating requirements	34
J.2.2 5.9 GHz band in the United States (5.850–5.925 GHz).....	34
J.2.3 5.9 GHz band in Europe (5.855–5.925 GHz).....	34
Annex P (informative) Bibliography	35

List of Figures

Figure 7-75—Vendor Specific information element format	7
Figure 7-95o27a—Time Advertisement element format.....	8
Figure 7-101—Vendor Specific Action frame format.....	9
Figure I.2—Transmit spectrum mask and application.....	32

List of Tables

Table 7-1—Valid type and subtype combinations	4
Table 7-2—To/From DS combinations in data frames	4
Table 7-19b—Timing Advertisement frame body	6
Table 7-26—Element IDs	7
Table 7-37a—Default EDCA parameter set for STA operation if dot11OCBEnabled is true.....	8
Table 7-43q—Encoding of the Timing Capabilities field	9
Table 17-13a—Optional enhanced receiver performance requirements	20
Table 17-14—MIB attribute default values/ranges	21
Table I.1—Regulatory requirement list	29
Table I.2—Emissions limits sets	29
Table I.3—Behavior limits sets	29
Table I.4—Transmit power level by regulatory domain	30
Table I.5a—Maximum STA transmit power classification for the 5.85–5.925 GHz band in the United States.....	31
Table I.8—Spectrum mask data for 10 MHz channel spacing in the 5.85–5.925 GHz band in the United States.....	32
Table J.1—Regulatory classes in the United States	33
Table J.2—Regulatory classes in Europe	34

**IEEE Standard for
Information technology—
Telecommunications and information
exchange between systems—
Local and metropolitan area networks—
Specific requirements**

**Part 11: Wireless LAN Medium Access Control (MAC)
and Physical Layer (PHY) Specifications**

**Amendment 6: Wireless Access in Vehicular
Environments**

(This amendment is based on IEEE Std 802.11™-2007 as amended by IEEE Std 802.11k™-2008, IEEE Std 802.11r™-2008, IEEE Std 802.11y™-2008, IEEE Std 802.11n™-2009, and IEEE Std 802.11w™-2009.)

***IMPORTANT NOTICE:** This standard is not intended to ensure safety, security, health, or environmental protection. Implementers of the standard are responsible for determining appropriate safety, security, environmental, and health practices or regulatory requirements.*

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

NOTE—The editing instructions contained in this amendment define how to merge the material contained herein into the existing base standard and its amendments to form the comprehensive standard.¹

The editing instructions are shown in ***bold italic***. Four editing instructions are used: change, delete, insert, and replace. ***Change*** is used to make corrections in existing text or tables. The editing instruction specifies the location of the change and describes what is being changed by using ~~strike through~~ (to remove old material) and underscore (to add new material). ***Delete*** removes existing material. ***Insert*** adds new material without disturbing the existing material. Insertions may require renumbering. If so, renumbering instructions are given in the editing instructions. ***Replace*** is used to make changes in figures or equations by removing the existing figure or equation and replacing it with a new one. Editing instructions, change markings, and this NOTE will not be carried over into future editions because the changes will be incorporated into the base standard.

¹Notes in text, tables, and figures are given for information only and do not contain requirements needed to implement the standard.

1. Overview

1.2 Purpose

Insert a new list item after the first dashed list item:

- Describes the functions and services that allow an IEEE 802.11™-compliant device to communicate directly with another such device outside of an independent or infrastructure network.

2. Normative references

Insert the following reference in alphanumeric order in Clause 2:

ITU-R Recommendation TF.460-4(2002), Standard-frequency and time-signal emissions.

4. Abbreviations and acronyms

Insert the following new abbreviations and acronyms in alphabetical order:

GPS Global Positioning System
UTC Coordinated Universal Time

5. General description

5.2 Components of the IEEE 802.11 architecture

5.2.6 QoS BSS: The QoS network

Change the second paragraph in 5.2.6 as follows:

The enhancements that distinguish QoS STAs from non-QoS STAs and QoS APs from non-QoS APs are collectively termed the *QoS facility*. The quantity of certain, QoS-specific, mechanisms may vary among QoS implementations, as well as between QoS STAs and QoS APs, over ranges specified in subsequent clauses. All service primitives, frame formats, coordination function and frame exchange rules, and management interface functions except for the Block Acknowledgment (Block Ack) function, direct-link setup (DLS), and automatic power-save delivery (APSD) are part of the core QoS facilities. A QoS STA or QoS AP must implement those core QoS facilities necessary for its QoS functions to interoperate with other QoS STAs in the BSS. Functions such as the Block Ack, DLS, and APSD are separate from the core QoS facilities; and the presence of these functions is indicated by STAs separately from the core QoS facilities. A comprehensive statement on mandatory and optional functionalities is available in Annex A.

Insert the following new subclause (5.2.10) after the last subclause in 5.2, renumbering as necessary:

5.2.10 STA transmission of data frames outside the context of a BSS

In addition to defining procedures for STA communication within a BSS, this standard also allows a STA that is not a member of a BSS to transmit data frames. Such data frames are defined as being transmitted