



*NSF International Standard /
American National Standard*

NSF/ANSI 50 - 2010

**Equipment for Swimming Pools, Spas,
Hot Tubs and Other Recreational
Water Facilities**



NSF International, an independent, not-for-profit, non-governmental organization, is dedicated to being the leading global provider of public health and safety-based risk management solutions while serving the interests of all stakeholders.

*This Standard is subject to revision.
Contact NSF to confirm this revision is current.*

Users of this Standard may request clarifications and interpretations, or propose revisions by contacting:

Chair, Joint Committee on Swimming Pool and Spa Equipment
c/o NSF International
789 Dixboro Road, P.O. Box 130140
Ann Arbor, Michigan 48113-0140 USA
Phone: (734) 769-8010 Telex: 753215 NSF INTL
FAX: (734) 769-0109
E-mail: info@nsf.org
Web: <http://www.nsf.org>

NSF International Standard/
American National Standard

Equipment for Swimming Pools,
Spas, Hot Tubs and other
Recreational Water Facilities—

Evaluation criteria for materials, components,
products, equipment and systems for use at
recreational water facilities

Standard Developer

NSF International

Designated as an ANSI Standard

August 10, 2010

American National Standards Institute

Recommended for Adoption by
The NSF Joint Committee on Swimming Pool and Spa Equipment
The NSF Council of Public Health Consultants

Adopted by
The NSF International
May 1977

Revised May 1979
Revised June 1984
Revised November 1985
Revised May 1992
Revised July 1996
Revised January 2000
Revised May 2001
Revised March 2004
Revised October 2005
Revised April 2007
Revised October 2007
Revised February 2009
Revised May 2009
Revised August 2010

Published by
NSF International
P. O. Box 130140, Ann Arbor, Michigan 48113-0140, USA

For ordering copies or for making inquiries with regard to this Standard, please reference the designation “NSF/ANSI 50 – 2010.”

Copyright 2010 NSF International
Previous editions © 2009, 2008, 2007, 2005, 2004, 2001, 2000, 1996, 1992, 1985, 1984, 1979

Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from NSF International.

Printed in the United States of America.

Disclaimers¹

NSF, in performing its functions in accordance with its objectives, does not assume or undertake to discharge any responsibility of the manufacturer or any other party. The opinions and findings of NSF represent its professional judgment. NSF shall not be responsible to anyone for the use of or reliance upon this Standard by anyone. NSF shall not incur any obligation or liability for damages, including consequential damages, arising out of or in connection with the use, interpretation of, or reliance upon this Standard.

NSF Standards provide basic criteria to promote sanitation and protection of the public health.

Participation in NSF Standards development activities by regulatory agency representatives (federal, local, state) shall not constitute their agency's endorsement of NSF or any of its Standards.

Preference is given to the use of performance criteria measurable by examination or testing in NSF Standards development when such performance criteria may reasonably be used in lieu of design, materials, or construction criteria.

The illustrations, if provided, are intended to assist in understanding their adjacent standard requirements. However, the illustrations may not include **all** requirements for a specific product or unit, nor do they show the only method of fabricating such arrangements. Such partial drawings shall not be used to justify improper or incomplete design and construction.

Unless otherwise referenced, the annexes are not considered an integral part of NSF Standards. The annexes provided as general guidelines to the manufacturer, regulatory agency, user, or certifying organization.

¹ The information contained in this Disclaimer is not part of this American National Standard (ANS) and has not been processed in accordance with ANSI's requirements for an ANS. Therefore, this Disclaimer may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to the Standard.

This page is intentionally left blank.

Contents

1	General	1
1.1	Scope	1
1.2	Variations in design and operation.....	1
1.3	Alternate materials	1
1.4	Standard review	1
1.5	Normative references.....	1
2	Definitions.....	3
3	Materials	11
3.1	General	11
3.2	Material formulation.....	11
3.3	Corrosion resistance	11
3.4	Dissimilar metals	12
3.5	Insulating fittings	12
3.6	Piping materials.....	12
4	Design and construction	12
4.1	Mechanical parts	12
4.2	Electrical components.....	13
5	Filters	13
5.1	General	13
5.2	Diatomite and other precoat media-type filters	15
	Table 5.1 – Maximum design filtration rates for precoat media-type filters	17
5.3	Sand-type filters and alternate sand-type media	17
	Table 5.2 – Maximum difference in media surface elevations on a sand type filter	18
	Table 5.3 – Design filtration rates for sand type filters.....	19
5.4	Cartridge-type and high-permeability-type filters	20
	Table 5.4 – Maximum design filtration rates for cartridge-type filters	21
6	Centrifugal pumps	21
6.1	General	21
6.2	Hydrostatic pressure test	22
6.3	Strainers	22
6.4	Drain plugs.....	22
6.5	Shaft seals	22
6.6	Pump performance curve.....	22
6.7	Operation and installation instructions.....	23
6.8	Self-priming pumps	23
6.9	Data plates(s).....	23
6.10	Motors.....	23
7	Multiport valves.....	24
7.1	General	24
7.2	Positive indexing	24
7.3	Design pressure	25
7.4	Hydrostatic pressure	25
7.5	Valve leakage.....	25
7.6	Head loss curve	25
7.7	Waste port seal	25
7.8	Identification	25

8	Recessed automatic surface skimmers.....	26
8.1	Housing	26
8.2	Weir	26
8.3	Strainer basket.....	26
8.4	Equalizer line (public pools).....	27
8.5	Cover and mounting ring.....	27
8.6	Trimmer valves.....	28
8.7	Vacuum cleaner connections.....	28
8.8	Operation and installation instructions.....	29
8.9	Data plates(s).....	29
9	Mechanical chemical feeding equipment	29
9.1	General	29
9.2	Erosion resistance.....	29
9.3	Chemical resistance.....	30
9.4	Output rate	30
9.5	Hydrostatic pressure	30
9.6	Life test.....	30
9.7	Shielding	31
9.8	Motors	31
9.9	Suction lift.....	31
9.10	Protection against overdosing	31
9.11	Operation and installation instructions	31
9.12	Data plates(s)	31
10	Flow-through chemical feeding equipment.....	32
10.1	General.....	32
10.2	Chemical resistance	32
10.3	Hydrostatic pressure.....	32
10.4	Motors.....	32
10.5	Output rate.....	32
10.6	Protection against overdosing	33
10.7	Flow-indicating device	33
10.8	Operation and installation instructions	33
10.9	Data plates(s)	33
11	General requirements for process equipment.....	34
11.1	Scope.....	34
11.2	Cleanability	34
11.3	Design pressure (pressure vessels).....	34
11.4	Flow meter	34
11.5	Performance indication.....	34
11.6	Operation and installation instructions	34
11.7	Disinfection efficacy.....	35
11.8	Valve and component identification.....	35
12	Ozone process equipment.....	35
12.1	General	35
12.2	Injection methods	35
12.3	Life test	35
12.4	Chemical resistant materials	35
12.5	Air preparation	35
12.6	Data plates(s)	36

12.7	Operation and installation instructions	36
12.8	Head loss.....	36
13	Ultraviolet light process equipment.....	36
13.1	General.....	36
13.2	Operating temperatures.....	36
13.3	Operational protection	36
13.4	Life Test.....	37
13.5	Cleaning.....	37
13.6	Ultraviolet lamps	37
13.7	Chemical resistant materials	37
13.8	Data plates(s)	37
13.9	Head loss.....	38
13.10	Hydrostatic Pressure Requirements.....	38
13.11	UV Cryptosporidium Inactivation and dose determination	38
14	In-line electrolytic chlorinator or brominator process equipment.....	39
14.1	General.....	39
14.2	Operating temperatures and pressures.....	39
14.3	Operational protection	39
14.4	Chemical-resistant materials	40
14.5	Output rate.....	40
14.6	Pressure requirements	40
14.7	Life test	40
14.8	Salt level	40
14.9	Data plates(s)	40
14.10	Head loss.....	40
15	Brine (batch) type electrolytic chlorine or bromine generators.....	41
15.1	General.....	41
15.2	Operating conditions.....	41
15.3	Injection methods	41
15.4	Operational protection	41
15.5	Chemical-resistant materials	41
15.6	Output rate.....	41
15.7	Life test	42
15.8	Data plates(s)	42
16	Copper/silver and copper ion generators.....	42
16.1	General.....	42
16.2	Operating temperatures and pressures.....	42
16.3	Warning devices	43
16.4	Chemical-resistant materials	43
16.5	Output rate.....	43
16.6	Life test	43
16.7	Uniformity of output	43
16.8	Test kit	43
16.9	Operation and installation instructions	43
16.10	Data plates(s)	44
16.11	Head loss.....	44
17	Automated Controllers.....	44
17.1	Scope.....	44
17.2	Chemical resistant materials	45

17.3	Monitor display	45
17.4	Life test	45
17.5	Performance	45
	Table 17.1 – Operation range for automated controllers (as applicable)	45
17.6	Failure sensing and signaling devices	46
17.7	Operational Protection	46
17.8	Operation and installation instructions	46
17.9	Data plates.....	47
18	Water Quality Testing Devices	47
18.1	General	47
18.2	Testing.....	47
18.3	Operation and use instructions.....	48
18.4	WQTD Marking/Identification.....	49
Annex A	A1
A.1	Purpose	A1
A.2	Formulation review.....	A1
A.3	Exposure testing	A1
Annex B	B1
B.1	Hydrostatic pressure test (pressure service filters).....	B1
B.2	Vacuum test (vacuum service filters).....	B2
B.3	Head loss test	B3
B.4	Filter media cleanability test.....	B4
B.5	Turbidity reduction test.....	B6
B.6	Precoat media-type filters – turbidity limits, precoat operation	B7
B.7	Cellulose media longevity test	B8
	Table B.1 – Challenge water.....	B9
Annex C	C1
C.1	Performance curve verification	C1
C.2	Hydrostatic pressure test	C3
C.3	Self-priming capability	C3
	Figure C1 – Apparatus for self-priming	C5
Annex D	D1
D.1	Hydrostatic pressure test	D1
D.2	Differential pressure/leakage test	D2
D.3	Head loss curve test.....	D3
D.4	Waste port leakage test	D5
Annex E	E1
E.1	Negative pressure test	E1
E.2	Weir opening	E1
E.3	Equalizer leakage test.....	E2
E.4	Flow to pump test – equalizer performance.....	E3
E.5	Skimmer covers UV exposure (polymer covers only) and structural integrity.....	E4
Annex F	F1
F.1	Hydrostatic pressure test	F1
F.2	Erosion resistance (slurry and dry chemical feeders only)	F2
F.3	Chemical resistance.....	F3

F.4 Life test.....	F4
F.5 Uniformity of output test	F5
F.6 Suction lift test.....	F6
Annex G	G1
G.1 Chemical resistance test.....	G1
G.2 Hydrostatic pressure test	G2
G.3 Uniformity of output test	G3
Annex H	H1
H.1 Disinfection efficacy of supplemental disinfection equipment.....	H1
H.2 Ozone level test	H4
Table H.1 – Disinfection efficacy sampling sequence	H6
Annex I	I1
I.1 Introduction	I1
I.2 Pool water balance.....	I1
I.3 Testing frequencies.....	I1
I.4 In-line electrolytic and brine-type chlorine generators	I1
I.5 Ozone process equipment	I3
I.6 Copper/silver and copper ion generators.....	I4
I.7 Ultraviolet light process equipment.....	I4
Annex J	J1
Annex K	K1
K.1 Recommended installation.....	K1
K.2 Operation and maintenance.....	K2
Annex L	L1
L.1 Recommended installation.....	L1
L.2 Operation and maintenance.....	L2
Annex M	M1
M.1 Chemical resistance.....	M1
M.2 Performance	M2
Annex N	N1
N.1 Test method for WQTDs	N1
N.2 Stock Solution Preparation	N2
N.3 pH Test.....	N2
N.4 Test Procedure-Free Chlorine	N4
N.5 Test Procedure-Combined Chlorine	N4
N.6 Accuracy Testing.....	N5
N.7 Repeatability or Precision Testing	N6
N.8 Shelf Life Testing	N6