



ANSI C136.10-2010

American National
Standard for Roadway
and Area Lighting
Equipment-Locking-Type
Photocontrol Devices and
Mating Receptacles -
Physical and Electrical
Interchangeability and
Testing





ANSI C136.10-2010

**American National Standard
for Roadway and Area Lighting
Equipment—Locking-Type
Photocontrol Devices and
Mating Receptacles—
Physical and Electrical
Interchangeability and Testing**



ANSI C136.10-2010
Revision of ANSI C136.10-2006

American National Standard

**for Roadway and Area Lighting Equipment—
Locking-Type Photocontrol Devices and
Mating Receptacles—Physical and Electrical
Interchangeability and Testing**

Secretariat:

National Electrical Manufacturers Association

Approved August 2, 2010

American National Standards Institute, Inc.

NOTICE AND DISCLAIMER

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among every person participating in the development of this document.

ANSI standards and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus standards development process. This process brings together volunteers and/or seeks out the views of persons who have an interest in the topic covered by this publication. While NEMA administers the process to promote fairness in the development of consensus, it does not write the document and it does not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgments contained in its standards and guideline publications.

NEMA disclaims liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. NEMA disclaims and makes no guaranty or warranty, express or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. NEMA does not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guide.

In publishing and making this document available, NEMA is not undertaking to render professional or other services for or on behalf of any person or entity, nor is NEMA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

NEMA has no power, nor does it undertake to police or enforce compliance with the contents of this document. NEMA does not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health or safety-related information in this document shall not be attributable to NEMA and is solely the responsibility of the certifier or maker of the statement.

AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

Caution Notice: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published by

**National Electrical Manufacturers Association
1300 North 17th Street, Rosslyn, VA 22209**

© Copyright 2010 by National Electrical Manufacturers Association
All rights reserved including translation into other languages, reserved under the Universal Copyright Convention, the Berne Convention for the Protection of Literary and Artistic Works, and the International and Pan American Copyright Conventions.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Printed in the United States of America

CONTENTS

1	Scope	1
2	References	1
2.1	Normative References	1
2.2	Informative References	1
3	Definitions	1
4	Mechanical Requirements	4
4.1	Plug Type	4
4.2	Receptacle Type	4
4.3	Sealing	4
4.4	Receptacle Dimensions	5
4.5	Receptacle Mounting	5
4.5.1	Orientation	5
4.5.2	Horizontal Mounting	5
4.6	Receptacle Marking	5
4.7	Shorting Cap	5
4.8	Non-Shorting Cap	5
4.9	Enclosure	5
5	Electrical Requirements	5
5.1	Photocontrol	5
5.2	Receptacle and Plug	6
5.3	Receptacle Heat-Cycle Test	6
6	Environmental Requirements	6
6.1	Ambient Temperature Range	6
6.2	Plug-Receptacle Interface Temperature	6
6.3	Environmental Tests	6
7	Dielectric Performance Requirements	6
7.1	Grounding	6
7.2	Dielectric Withstand	6
7.3	Surges	7
7.3.1	Photocontrol	7
7.3.2	Shorting and Non-Shorting Cap	7
8	Marking, Materials, and Finishes	7
8.1	Marking	7
8.2	Low Temperature Impact	7
8.3	Atmospheric Conditions	7
8.4	Temperature Rise	7
8.5	Flammability	7
9	Ratings	8
9.1	Load Ratings	8
9.2	Surge Protection Rating	8
10	Operating Requirements	8
10.1	Photocontrol Calibration	8
10.2	Light Levels	8
10.2.1	Measurement Procedure	8
10.2.2	Rate of Change of Illumination Levels	8
10.2.3	Light Level Test Equipment	9
10.3	Specifications	9
11	Qualification Test Procedures	9
11.1	Receptacle Heating Test	9
11.1.1	Setup	9
11.1.2	Conditioning	9
11.1.3	Procedure	9
11.1.4	Pass/Fail Criteria	9

11.2	Humidity Test	10
11.3	Rain Test	10
11.4	Surge Test	10
11.4.1	Standard Surge	10
11.4.2	Test Equipment Calibration	10
11.4.3	Test Procedure (Standard Surge, 6,000 Volts)	10
11.4.4	Test Procedure (Low Voltage)	10
11.4.5	Test Procedure (High-Level Surge, 10,000 Volts)	11
11.5	Continuous Current Load Test	11
11.6	Load Test	11
11.6.1	Load Test Supply	11
11.6.2	Test Cycle	11
11.6.3	Incandescent Lamp Load	11
11.6.4	Capacitor Load	11
11.6.5	Incandescent Lamp Load Test	11
11.6.6	Capacitor Load Test	11

This page intentionally left blank.

For Roadway and Area Lighting Equipment—Locking-Type Photocontrol Devices and Mating Receptacles—Physical and Electrical Interchangeability and Testing

1 Scope

This standard covers the following roadway and area lighting equipment, which may be physically and electrically interchanged to operate within established values:

- a) Locking type photocontrol, herein referred to as “photocontrol.”
- b) Locking type mating receptacle, herein referred to as “receptacle.”
- c) Shorting and non-shorting caps.

2 References

2.1 Normative References

This standard incorporates by reference provisions from other publications. These normative references are cited at the appropriate places in the text, and the publications are listed below. For undated references, the latest edition of the publication referred to applies (including amendments).

ANSI C136.2-2004 *American National Standard for Roadway and Area Lighting Equipment—Luminaire Voltage Classification*

ANSI/IEEE C62.41 *IEEE Recommended Practice on Surge Voltages in Low-Voltage AC Power Circuits*

ANSI/UL 773-2002 *Plug-In Locking Type Photocontrols for Use with Area Lighting*

IESNA LM-48-01 *Guide for Testing the Calibration of Locking-Type Photoelectric Control Devices*

Journal of the Illuminating Engineering Society, Vol. 21, No. 2, Summer 1992, pp 54-56

UL 94-1996 *Tests for Flammability of Plastic Materials for Parts in Devices and Appliances*

2.2 Informative References

This standard is to be used in conjunction with the following publication. The latest edition of the publication applies (including amendments).

IESNA DG-13-1998 *Selection of Photocontrols for Outdoor Lighting Applications*

3 Definitions

3.1 fail-off photocontrol: A photocontrol designed such that the load remains off when the most likely failure occurs.

3.2 fail-on photocontrol: A photocontrol designed such that the load remains on when the most likely failure occurs.

3.3 fast acting photocontrol: Turn-off and/or turn-on response time is between 0.5 and 5.0 seconds.