

IEEE Recommended Practice for Determining the Peak Spatial-Average Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques

IEEE Standards Coordinating Committee 39

Sponsored by the
IEEE International Committee on Electromagnetic Safety

IEEE Recommended Practice for Determining the Peak Spatial-Average Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques

Sponsor

IEEE International Committee on Electromagnetic Safety

Approved 14 June 2013

IEEE-SA Standards Board

Abstract: Protocols and test procedures are specified for the measurement of the peak spatial-average SAR induced inside a simplified model of the head of users of certain handheld radio transceivers. These transceivers are intended to be used for personal wireless communications services, operate in the 300 MHz to 6 GHz frequency range, and are intended to be operated while held against the ear. The results obtained by following the protocols specified in this recommended practice represent a conservative estimate of the peak spatial-average SAR induced in the head of a significant majority of persons, subject to measurement and other uncertainties that are defined in this recommended practice. The results are representative of those expected during conditions of intended use of a handheld wireless device. It is not the intent of this recommended practice to provide a result representative of the absolute maximum SAR value possible under every conceivable combination of head size, head shape, handset orientation, and spacing relative to the head. The measurement of SAR induced in the external tissues of the head, e.g., the external ear (pinna), is not addressed in this document. This recommended practice also does not address the body SAR measurements typically required for wireless handsets. The following items are described in detail: measurement concepts, measurement techniques, instruments, calibration techniques, simulated-tissue (phantom) models, including homogeneous anatomically equivalent models of the human head and simple phantoms for validation of the SAR measurement system, and the limitations of these systems when used for measuring the spatial-peak mass-averaged SAR. Procedures for calibrating electric field (E-field) probes used for SAR measurements and assessing the SAR measurement and system uncertainties are provided in the annexes. This recommended practice is intended primarily for use by engineers and other specialists who are familiar with electromagnetic (EM) theory and SAR measurement techniques; it does not recommend specific SAR limit values since these are found in other documents. The benefits to the users include standardized and accepted protocols, validation techniques, and means for estimating the overall measurement uncertainty in order to produce valid and repeatable data.

Keywords: handheld wireless transceivers, IEEE 1528™, miniature E-field probes, non-ionizing radiation, RF dosimetry, RF/microwave exposure assessment, RF/microwave hazard assessment, SAR measurement systems, SAR measurement uncertainty, specific absorption rate (SAR) measurements, wireless handsets

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2013 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 6 September 2013. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

Bluetooth is a registered trademark of the Bluetooth Special Interest Group.

GSM is registered and owned by the GSMA.

LTE is a trademark of the European Telecommunications Standards Institute.

Triton is a trademark of The Dow Chemical Company or an affiliated company of Dow.

TWEEN is a registered trademark of ICI Americas Inc.

UMTS is a trademark of the European Telecommunications Standards Institute.

Wi-Fi is a trademark of the Wi-Fi Alliance.

WiMAX is a trademark of the WiMAX Forum.

PDF: ISBN 978-0-7381-8526-2 STD98305
Print: ISBN 978-0-7381-8527-9 STDPD98305

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Notice and Disclaimer of Liability Concerning the Use of IEEE Documents: IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon any IEEE Standard document.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained in its standards is free from patent infringement. IEEE Standards documents are supplied "AS IS."

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

Translations: The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official Statements: A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on Standards: Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important to ensure that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. Any person who would like to participate in evaluating comments or revisions to an IEEE standard is welcome to join the relevant IEEE working group at <http://standards.ieee.org/develop/wg/>.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854
USA

Photocopies: Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Notice to users

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

Updating of IEEE documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at <http://standards.ieee.org/index.html> or contact the IEEE at the address listed previously. For more information about the IEEE Standards Association or the IEEE standards development process, visit IEEE-SA Website at <http://standards.ieee.org/index.html>.

Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this IEEE recommended practice was completed, SAR Evaluation—Measurement Techniques had the following membership:

Mark Douglas, *Chair*
Wolfgang Kainz, *Vice Chair*

Daoud Attayi
Quirino Balzano
Howard Bassen
Brian Beard
Giorgi Bit-Babik
Ralf Bodemann
David Case
Kwok Chan
Isaac Chang
Justin Chao
Ji Chen
Hyung-Do Choi
C-K Chou
Andreas Christ
Chris Davis
Benoit Derat
Qi Dianyuan
Antonio Faraone
John Forrester
Kenneth Foster
Mauro Francavilla
Sami Gabriel
Josette Gallant
Li Guoqing
Abdelhamid Hadjem
Lira Hamada
Tim Harrington
Steve Hauswirth

Don Heirman
Keiichi Hibi
Kenneth Joyner
Haeyoung Jun
Abe Katsumi
Jon Kenny
Jafar Keshvari
Mikhail Kozlov
Niels Kuster
Ae-kyoung Lee
Stephen Liu
Benjamin Loader
Lin Lu
Jérôme Luc
Luis Magaña
Dirk Manteuffel
Antonio Marini de Almeida
Robert McIntosh
Matthias Meier
Vikass Monebhurrun
Joe Morrissey (deceased)
Hughes Nappert
Maryna Nesterova
Stuart Nicol
Kai Niskala
Teruo Onishi
D. S. Park

Kyle Park
Jack Parmentier
Chris Penney
Ron Petersen
Stéphane Picard
Ramadan Plicanic
Marcel Poirier
Katja Pokovič
Alexander Prokop
Stéphane Proulx
John Roman
Andrea Schiavoni
Geoff Schulteis
Alpesh Shah
Hugh Shapter
Tanabe Shinji
Winfried Simon
Björn Thors
Christer Törnevik
Anssi Toropainen
Daniele Trincherò
Martin Vogel
Ying Wang
Soichi Watanabe
Conrad Whelan
Joe Wiart
Tilmann Wittig
Qiubo Ye

The following members of the individual balloting committee voted on this recommended practice. Balloters may have voted for approval, disapproval, or abstention.

Arthur Astrin
H. Stephen Berger
Giorgi Bit-Babik
Ralf Bodemann
Mark Bushnell
William Byrd
David Case
Johan A. Catrysse
Kwok Chan
C-K Chou
Keith Chow
Andreas Christ
Ray Davis
Benoit Derat
Carlo Donati
Randall Dotson
Mark Douglas
Donald Dunn
Sourav Dutta
Kenneth Foster

Mauro Francavilla
Sami Gabriel
Josette Gallant
Mariana Goldhamer
Randall C. Groves
Lira Hamada
Edward Hare
Werner Hoelzl
Kenneth Joyner
Haeyoung Jun
Wolfgang Kainz
Efthymios Karabetsos
Jafar Keshvari
Joseph L. Koepfinger
Mikhail Kozlov
Jim Kulchisky
Niels Kuster
Ae-kyoung Lee
Stephen Liu

Benjamin Loader
William Lumpkins
Greg Luri
Matthias Meier
Maryna Nesterova
Michael S. Newman
Kai Niskala
John Osepchuk
Ronald Petersen
Katja Pokovic
Brad Roberts
Michael Roberts
Bartien Sayogo
Gil Shultz
Walter Struppler
Shinji Tanabe
Anssi Toropainen
John Vergis
Ying Wang
Soichi Watanabe

When the IEEE-SA Standards Board approved this recommended practice on 14 June 2013, it had the following membership:

John Kulick, *Chair*
David J. Law, *Vice Chair*
Richard H. Hulett, *Past Chair*
Konstantinos Karachalios, *Secretary*

Masayuki Ariyoshi
Peter Balma
Farooq Bari
Ted Burse
Wael William Diab
Stephen Dukes
Jean-Philippe Faure
Alexander Gelman

Mark Halpin
Gary Hoffman
Paul Houzé
Jim Hughes
Michael Janezic
Joseph L. Koepfinger*
Oleg Logvinov

Ron Petersen
Gary Robinson
Jon Walter Rosdahl
Adrian Stephens
Peter Sutherland
Yatin Trivedi
Phil Winston
Yu Yuan

*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Richard DeBlasio, *DOE Representative*
Michael Janezic, *NIST Representative*

Don Messina
IEEE Standards Program Manager, Document Development

Joan Woolery
IEEE Standards Program Manager, Technical Program Development

Introduction

This introduction is not part of IEEE Std 1528-2013, IEEE Recommended Practice for Determining the Peak Spatial-Average Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques.

In June 1995, the IEEE Standards Board approved the establishment of Standards Coordinating Committee 34 (SCC34) as a collaborating effort with the Electromagnetic Energy Association.^a Prior to 1995, assessment of exposure to various products was based on the procedures found in IEEE Std C95.3TM-1991 [B100] that addresses exposure assessment in general but does not provide detailed procedures that could be applied to specific products.^b In accordance with policies of the IEEE, SCC34 standards were issued and developed as IEEE standards, as well as being submitted to ANSI for recognition.

Subcommittee 2 (SC2) of SCC34 was established in February 1997 to develop standard protocols for evaluating certain wireless devices, such as handheld radio transceivers, wireless LANs, and similar devices, to meet specific SAR measurement criteria. The first version of IEEE Std 1528 was released in December 2003; an amendment was issued in 2005.

In March 2005, the integration of IEEE SCC34 into the IEEE International Committee on Electromagnetic Safety (ICES) was approved. Specifically, two former Standards Coordinating Committees, IEEE SCC28 and SCC34 were combined into a single Type 2 Standards Coordinating Committee (SCC39), called ICES. IEEE SCC34 is now ICES Technical Committee 34 (TC34), and it consists of two subcommittees: Subcommittee 1 (SC1) for measurement techniques, and Subcommittee 2 (SC2) for numerical techniques. Due to the joint meetings and common interests of the two Subcommittees, they share the same membership.

The scope of ICES TC34 is “The development of product performance standards relative to the safe use of electromagnetic energy for specific products that emit EM energy at frequencies between 0 and 300 GHz, i.e., the frequency range covered by the basic restrictions and maximum permissible exposure (MPE) values developed by the IEEE International Committee on Electromagnetic Safety (ICES).” ICES TC34 is responsible for this recommended practice. Although the scope of ICES TC34 covers a variety of devices, this recommended practice is devoted exclusively to handsets used for personal wireless communication services.

Standards developed by ICES TC34 are expressed in terms of easily measured parameters, e.g., output power, current, voltage, which are related to the basic restrictions and MPE values found in the latest revisions of standards such as IEEE Std C95.1TM and IEEE Std C95.6TM [B101].^c Included in the scope are standards, guides, and recommended practices that describe measurement and computational protocols for evaluating the basic restrictions and derived limits found in the IEEE C95TM standards and in other relevant national and international standards and guidelines.

The SAR determined by following the procedures specified in this recommended practice is subject to measurement uncertainty and other uncertainties that are discussed in this document. This recommended practice does not address the measurement of SAR induced in the external tissues of the head, e.g., the external ear (pinna) and other parts of the body.

The purpose of this recommended practice is to provide a protocol for the measurement of the peak spatial-average SAR in an anatomically equivalent model of the human head of users of wireless handsets intended to be operated while held next to the ear. It provides the users with standardized and accepted protocols, measurement and validation techniques, and the means for estimating the overall measurement uncertainty in order to produce valid and repeatable data. Specific SAR limit values are not included since these are

^a The Electromagnetic Energy Association was dissolved in 2000.

^b The numbers in brackets correspond to those of the bibliography in Annex K.

^c Information on references can be found in Clause 2.

found in other documents, e.g., the latest published versions of IEEE Std C95.1 and the International Commission on Non-Ionizing Radiation Protection (ICNIRP) Guidelines.^d

This revision extends the frequency range of IEEE Std 1528-2003 from 300 MHz to 3000 MHz to 300 MHz to 6000 MHz. Recently, there has been an increase in the development of personal wireless communication services in the 3 GHz to 6 GHz frequency range. Some of the technologies can be implemented in handsets and therefore SAR measurement protocols are needed to evaluate SAR according to exposure limits defined in international standards. IEEE Std C95.1-2005 states that for frequencies in the range 100 kHz to 6 GHz the evaluation of SAR may be used to demonstrate compliance with its specifications. SAR is the basic restriction for frequencies up to 3 GHz, and a transition frequency range of 3 GHz to 6 GHz allows compliance with the standard by evaluation of either incident power density or local SAR. Therefore, 6 GHz is the upper end of the frequency spectrum for which SAR evaluation is needed. While basic restrictions on SAR in the ICNIRP Guidelines go up to 10 GHz, the recommended practice in this revised IEEE standard was limited to an upper end frequency of 6 GHz since current wireless handsets operate below this frequency value.

An existing IEC standard has a scope that covers SAR measurements of devices held to the ear in the 300 MHz to 3000 MHz frequency range [IEC 62209-1, Human exposure to radio frequency fields from handheld and body-mounted wireless communication devices—Human models, instrumentation, and procedures—Part 1: Procedure to determine the specific absorption rate (SAR) for handheld devices used in close proximity to the ear (frequency range of 300 MHz to 3 GHz), published in 2005]. That standard was developed by the IEC, Technical Committee 106, Project Team 62209 (IEC TC106 PT62209). IEC TC106 PT 62209 has published a standard for devices near the body (not at the side of the head) in the 30 MHz to 6000 MHz range [IEC 62209-2, Human Exposure to Radio Frequency Fields from Handheld and Body-Mounted Wireless Communication Devices—Human models, Instrumentation, and Procedures—Part 2: Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz), published in 2010]. The scope of this recommended practice is therefore a complement to IEC standards with a unique scope. ICES TC34 and IEC TC106 PT62209 have several common members and have held concurrent meetings. Both groups collaborate through a Category D Liaison to develop their respective standards and ensure that they are harmonized.

^d It is beyond the scope of this recommended practice to define what constitutes a hazardous radio frequency EM field. For commonly used basic restrictions and maximum permissible exposure values, refer to the latest versions of IEEE Std C95.1, the ICNIRP Guidelines, or other national requirements. It should be noted that limits given in these documents are under review and are subject to change as new information becomes available.

Contents

1. Overview	1
1.1 Scope	1
1.2 Purpose	2
1.3 Background.....	2
1.4 Rationale.....	5
2. Normative references.....	10
3. Definitions and special terms	11
3.1 Definitions	11
3.2 Special terms.....	20
4. Electric field probe and readout electronics	21
4.1 Introduction	21
4.2 E-field probe requirements	21
4.3 Characteristics of the probe readout electronics	28
4.4 Probe linearity.....	28
4.5 Offset errors in probe and readout electronics.....	29
4.6 Probe calibration.....	30
5. Phantom models	32
5.1 Introduction	32
5.2 Phantom head models: requirements.....	32
5.3 Tissue and tissue-equivalent liquid properties.....	36
5.4 Phantom models	38
6. SAR measurement protocols	43
6.1 Introduction	43
6.2 Setup protocol.....	44
6.3 Operational configuration of wireless devices under test	44
6.4 Device test positions relative to the head.....	53
6.5 Scanning, interpolation, and extrapolation methods.....	57
6.6 Practices and procedures for SAR evaluation.....	61
6.7 Fast SAR testing.....	66
6.8 SAR test reduction.....	69
7. Documenting SAR evaluations	73
7.1 Data reporting for full SAR testing.....	73
7.2 Fast SAR reporting	77
7.3 SAR test reduction reporting	80
7.4 SAR measurement uncertainty considerations	80
8. SAR measurement system verification.....	85
8.1 Introduction	85
8.2 System check.....	86
8.3 System validation	89
8.4 Fast SAR method validation and system check.....	94
8.5 Interlaboratory comparison.....	96

Annex A (normative) Calibration and characterization of dosimetric probes	98
Annex B (informative) Dielectric property measurements.....	113
Annex C (informative) Example recipes for phantom head tissue-equivalent liquids	121
Annex D (informative) Phantom details.....	124
Annex E (normative) SAR measurement uncertainty evaluation.....	139
Annex F (informative) SAR measurement uncertainty background information.....	176
Annex G (informative) SAR system validation sources.....	189
Annex H (informative) Measurement uncertainty of specific fast SAR systems and fast SAR examples .	192
Annex I (informative) SAR test reduction supporting information.....	207
Annex J (informative) General test procedure for head SAR.....	217
Annex K (informative) Bibliography	220

IEEE Recommended Practice for Determining the Peak Spatial-Average Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques

IMPORTANT NOTICE: IEEE Standards documents are not intended to ensure safety, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

1. Overview

1.1 Scope

To specify protocols for the measurement of the peak spatial-average SAR in a simplified model of the head of users of handheld radio transceivers used for personal wireless communications services and intended to be operated while held next to the ear. It applies to contemporary and future devices with the same operational characteristics as contemporary devices that operate in the 300 MHz to 6 GHz frequency range and provides a conservative estimate¹ of the peak spatial-average SAR representative of that which

¹ As used in this recommended practice, *conservative* means that the measured value will not be less than the expected value during normal use by a majority of users—it does not mean that the measured value will not be less than the absolute maximum SAR value that could possibly occur under every conceivable combination of head size, head shape, handset orientation, and spacing relative to the head.

would be expected to occur in the heads of a significant majority of persons during normal use² of these devices, but which may not be the absolute maximum value that could possibly occur under every conceivable combination of head size, head shape, handset orientation, and spacing relative to the head.

1.2 Purpose

The purpose of this recommended practice is to provide a protocol for the measurement of the peak spatial-average SAR in an anatomical model of the human head of users of wireless handsets intended to be operated while held next to the ear. It provides the users with standardized and accepted protocols, measurement and validation techniques, and the means for estimating the overall uncertainty in order to produce valid and repeatable data. Specific SAR limit values are not included since these are found in other documents, e.g., the latest published versions of IEEE Std C95.1™ and the International Commission on Non-Ionizing Radiation Protection (ICNIRP) Guidelines.³

1.3 Background

Various national regulatory agencies, for example the Federal Communications Commission (FCC) in the US, require the peak spatial-average SAR of wireless handsets to be evaluated to ensure compliance with their rules (CFR Title 47 [B41] and guidelines of the FCC [B67], [B68]).⁴ The SAR values adopted by different countries are usually based on standards such as IEEE Std C95.1 or guidelines such as those developed by ICNIRP (see Clause 2).

The SAR in a biological body exposed to a radio frequency (RF) field depends on a number of factors, including tissue geometry and dielectric properties and the orientation of the body relative to the source (Chou et al. [B31]). Since the RF energy induced in the body is scattered and absorbed at various tissue interfaces, the internal field and hence the SAR distribution is non-uniform. Energy coupling is complicated even further by source geometry and mutual coupling when the exposure is in the near field (Stuchly et al. [B190]), e.g., exposure conditions associated with handheld radio transceivers (Balzano et al. [B6]). Kuster and Balzano [B128] have shown that the peak spatial-average SAR values associated with the use of wireless handsets are mainly a function of the device geometry and square of the magnitude of the RF current density distribution on the device and the geometric position of the device relative to the head. Evaluating the SAR distributions associated with such devices is a complex task, usually accomplished by measurement techniques or numerical modeling. One means to evaluate compliance with specific SAR requirements is by measurement of the electric field (E-field) strength in a tissue-equivalent liquid using anthropomorphic models of the human head.

The current state-of-the-art regarding SAR assessment utilizes anthropomorphic-shaped phantoms made of a low-permittivity, low-loss plastic or fiberglass shell filled with homogeneous tissue-equivalent liquid. The phantom size and shape and the dielectric properties of the tissue-equivalent liquid used to represent average “head” tissue are chosen so that the measured SAR values are conservative, i.e., consistently exhibit a slight overestimation compared with heterogeneous anatomical head models.

The SAR in the tissue-equivalent liquid can be determined by the rate of temperature increase or by E-field measurements, according to Equation (1) or Equation (2):

² The difference between *normal use* and *intended use* is described in the NOTE of the definition of **intended use** in Clause 3.

³ Information on references can be found in Clause 2.

⁴ The numbers in brackets correspond to those of the bibliography in Annex K.