

PD ISO/TS 15638-16:2013



BSI Standards Publication

Intelligent transport systems — Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV)

Part 16: Vehicle speed monitoring (VSM)

bsi.

...making excellence a habit.™

National foreword

This Published Document is the UK implementation of ISO/TS 15638-16:2013.

The UK participation in its preparation was entrusted to Technical Committee EPL/278, Intelligent transport systems.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2013. Published by BSI Standards Limited 2013

ISBN 978 0 580 80630 8

ICS 03.220.20; 35.240.60

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 September 2013.

Amendments issued since publication

Date	Text affected
------	---------------

**Intelligent transport systems —
Framework for collaborative Telematics
Applications for Regulated commercial
freight Vehicles (TARV) —**

Part 16:
Vehicle speed monitoring (VSM)

*Systèmes intelligents de transport — Cadre pour applications
télématiques collaboratives pour véhicules de fret commercial
réglementé (TARV) —*

Partie 16





COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

1	Scope	1
2	Conformance	1
3	Normative references	2
4	Terms and definitions	2
5	Symbols (and abbreviated terms).....	7
6	General overview and framework requirements	9
7	Requirements for services using generic vehicle data	10
8	Application services that require data in addition to basic vehicle data	10
8.1	General	10
8.2	Quality of service requirements.....	10
8.3	Test requirements	10
8.4	Marking, labelling and packaging.....	10
9	Common features of regulated TARV application services.....	11
9.1	General	11
9.2	Common role of the jurisdiction, approval authority, service provider and user.	12
9.3	Common characteristics for instantiations of regulated application services.....	12
9.4	Common sequence of operations for regulated application services.....	12
9.5	Quality of service.....	12
9.6	Information security	12
9.7	Data naming content and quality.....	12
9.8	Software engineering quality systems.....	12
9.9	Quality monitoring station.....	12
9.10	Audits.....	12
9.11	Data access control policy	12
9.12	Approval of IVSs and service providers	13
10	TARV Vehicle speed monitoring (VSM).....	13
10.1	TARV VSM service description and scope	13
10.1.1	TARV VSM use case.....	13
10.1.2	Description of TARV VSM regulated application service.....	13
10.1.3	Description of TARV 'vehicle speed monitoring' (TARV VSM) application service	14
10.2	Concept of operations for TARV VSM.....	14
10.2.1	General	14
10.2.2	Statement of the goals and objectives of the TARV VSM system.....	16
10.2.3	Strategies, tactics, policies, and constraints affecting the TARV VSM system.....	16
10.2.4	Organisations, activities, and interactions among participants and stakeholders for TARV VSM	17
10.2.5	Clear statement of responsibilities and authorities delegated for TARV VSM	18
10.2.6	Equipment required for TARV VSM	19
10.2.7	Operational processes for the TARV VSM system	20
10.2.8	Role of the jurisdiction for TARV VSM	21
10.2.9	Role of the TARV VSM prime service provider	21
10.2.10	Role of the TARV VSM application service provider	21
10.2.11	Role of the TARV VSM user.....	21
10.2.12	Generic characteristics for all instantiations of the TARV VSM application service	21
10.3	Sequence of operations for TARV VSM	22
10.3.1	General	22
10.4	TARV VSM service elements.....	23

10.4.1	TARV VSM service element (SE) 1: Establish ‘Vehicle speed monitoring’ regulations, requirements, and approval arrangements.....	23
10.4.2	TARV VSM SE2: Request system approval	24
10.4.3	TARV VSM SE3: User (operator) contracts with prime service provider.....	24
10.4.4	TARV VSM SE4: User (operator) equips vehicle with a device to read the driver licence (DLR)	24
10.4.5	TARV VSM SE5: User contracts with application service provider.....	24
10.4.6	TARV VSM SE6: application service provider uploads software into the TARV equipped vehicles of the operator	24
10.4.7	TARV VSM SE7: The driver obtains an electronic drivers licence device (eDL).....	24
10.4.8	TARV VSM SE8: Driver use of vehicle routines.....	24
10.4.9	TARV VSM SE9: Time series recording of vehicle speed	25
10.4.10	TARV VSM SE10: Map matched recording of vehicle speed infringement (VSMI)	26
10.4.11	TARV VSM SE11: ‘Interrogated’ request for vehicle speed monitoring data	27
10.4.12	TARV VSM SE12: End of session.....	27
10.5	Generic TARV VDSM data naming, content and quality.....	27
10.6	TARV VSM application service specific provisions for quality of service	31
10.7	TARV VSM application service specific provisions for test requirements.....	31
10.8	TARV VSM application specific rules for the approval of IVSs and ‘Service Providers’	31
11	Declaration of patents and intellectual property	31
Annex A (informative) Independent testing of the protocols defined in this Part of ISO 15638		32
A.1	Objectives	32
A.2	TEST SCRIPT SERVICE: VSM VEHICLE SPEED MONITORING	34
CTP 8.1.1	Instigated Vehicle Speed Monitoring using 2G.....	36
CTP 8.1.2	Interrogated Vehicle Speed Monitoring using 2G.....	38
CTP 8.1.3	Interrogated Vehicle Speed Monitoring using 5.9GHz and responding using 2G or 3G	40
CTP 8.2.1	Instigated Vehicle Speed Monitoring using 3G.....	42
CTP 8.2.2	Interrogated at 5.9 GHz and send of Vehicle Speed Monitoring using 3G.....	44
CTP 8.3.1	Instigated Vehicle Speed Monitoring using 802.11p (WAVE) 5.9 GHz.....	46
CTP 8.3.2	Interrogated Vehicle Speed Monitoring using 802.11p (WAVE) 5.9 GHz.....	48

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

The committee responsible for this document is ISO/TC 204, *Intelligent transport systems*

ISO 15638 consists of the following parts, under the general title *Intelligent transport systems — Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV)*:

- *Part 1 Framework and architecture*
- *Part 2: Common platform parameters using CALM*
- *Part 3: Operating requirements, 'Approval Authority' procedures, and enforcement provisions for the providers of regulated services*
- *Part 5: Generic vehicle information*
- *Part 6: Regulated applications* [Technical Specification]
- *Part 7: Other applications*
- *Part 8: Vehicle access monitoring (VAM)* [Technical Specification]
- *Part 9: Remote electronic tachograph monitoring (RTM)* [Technical Specification]
- *Part 10: Emergency messaging system/eCall (EMS)* [Technical Specification]
- *Part 11: Driver work records (work and rest hours compliance) (DWR)* [Technical Specification]
- *Part 12: Vehicle mass monitoring (VMM)* [Technical Specification]
- *Part 14: Vehicle access control (VAC)* [Technical Specification]
- *Part 15: Vehicle location monitoring (VLM)* [Technical Specification]

- *Part 16: Vehicle speed monitoring (VSM)* [Technical Specification]
- *Part 17: Consignment and location monitoring (CLM)* [Technical Specification]
- *Part 18: ADR (Dangerous Goods) transport monitoring (ADR)* [Technical Specification]
- *Part 19: Vehicle parking facilities (VPF)* [Technical Specification]
- The following parts are under preparation:
- *Part 4: System security requirements* [Technical Specification]
- *Part 13: 'Mass' information for jurisdictional control and enforcement*

Introduction

Many ITS technologies have been embraced by commercial transport *operators* (4.35) and freight owners, in the areas of fleet management, safety and security. *Telematics* (4.46) applications have also been developed for governmental use. Such regulatory services in use or being considered vary from *jurisdiction* (4.29) to *jurisdiction*, but include electronic on-board recorders, digital *tachograph* (4.45), on-board *mass* (4.33) monitoring, '*mass*' *data for regulatory control and management* (4.34), vehicle *access* (4.1) *methods*, hazardous goods tracking and e-call. Additional applications with a regulatory impact being developed include, fatigue management, speed monitoring and heavy vehicle penalties imposed based on location, distance and time.

In such an emerging environment of regulatory and *commercial applications* (4.14), it is timely to consider an overall *architecture* (4.10) (business and functional) that could support these functions from a single platform within a commercial freight vehicle that operate within such regulations. International Standards will allow for a speedy development and *specification* (4.44) of new applications that build upon the functionality of a generic specification platform. A suite of standards documents is required to describe and define the *framework* (4.22) and requirements so that the on board equipment and back office systems can be commercially designed in an open market to meet common requirements of *jurisdictions* (4.29).

This suite of standards addresses and defines the *framework* (4.22) for a range of cooperative *telematics* (4.46) applications for *regulated vehicles* (4.39) (such as *access methods* (4.2), driver *fatigue* management, speed monitoring, on-board *mass* (4.33) monitoring, *mass*' *data for regulatory control and management* (4.34). The overall scope includes the concept of operation, legal and regulatory issues, and the generic cooperative provision of services to *regulated vehicles* (4.39), using an on-board ITS platform. The *framework* is based on a (multiple) *service provider* (4.42) oriented approach with provisions for the *approval* (4.7) and *auditing* (4.11) of *service providers*.

This suite of standards documents will:

- provide the basis for future development of cooperative ITS *telematics* (4.46) applications for *regulated vehicles* (4.39). Many elements to accomplish this are already available. Existing relevant standards will be referenced, and the *specifications* (4.44) will use existing standards (such as *CALM*) wherever practicable.
- allow for a powerful platform for highly cost-effective delivery of a range of *telematics* applications for *regulated vehicles* (4.39) .
- a business *architecture* (4.10) based on a (multiple) *service provider* (4.42) oriented approach
- address legal and regulatory aspects for the *approval* (4.7) and *auditing* (4.11) of *service providers*.

This suite of standards deliverables is timely as many governments (Europe, North America, Asia and Australia/New Zealand) are considering the use of *telematics* (4.46) for a range of regulatory purposes. Ensuring that a single in-vehicle platform can deliver a range of services to both government and industry through open standards and competitive markets is a strategic objective.

This part of the ISO 15638 family of standards documents provides *specifications* (4.44) for Vehicle speed monitoring.

NOTE: The definition of what comprises a 'regulated' vehicle is regarded as an issue for national decision, and may vary from *jurisdiction* (4.29) to *jurisdiction*. This suite of standards documents does not impose any requirements on nations in respect of how they define a *regulated vehicle* (4.39).

NOTE: The definition of what comprises a 'regulated' service is regarded as an issue for national decision, and may vary from *jurisdiction* (4.29) to *jurisdiction*. This suite of standards documents does not impose any requirements on nations in respect of which services for *regulated vehicles* (4.39) *jurisdictions* will require, or support as an option, but will provide standardised sets of requirements descriptions for identified services to enable consistent and cost efficient implementations where implemented.

Intelligent transport systems — Framework for collaborative Telematics Applications for Regulated commercial freight Vehicles (TARV) —

Part 16: Vehicle speed monitoring (VSM)

1 Scope

This part of ISO 15638 addresses the provision of ‘*Vehicle speed monitoring*’ and specifies the form and content of such data required to support such systems, and *access methods* (4.2) to that data.

This part of ISO 15638 provides *specifications* (4.44) for common communications and data exchange aspects of the *application service* (4.4) Vehicle speed monitoring that a *regulator* (4.40) may elect to require or support as an option, including:

- a) high level definition of the service that a *service provider* (4.42) has to provide, (The service definition describes common service elements; but does not define the detail of how such an *application service* (4.4) is instantiated, nor the acceptable value ranges of the data concepts defined)
- b) means to realise the service
- c) application data, naming content and quality that an *IVS* (4.25) has to deliver.

The definition of what comprises a ‘regulated’ service is regarded as an issue for National decision, and may vary from *jurisdiction* (4.29) to *jurisdiction*. This document does not impose any requirements on nations in respect of which services for *regulated vehicles jurisdictions* will require, or support as an option, but provides standardised sets of requirements descriptions for identified services to enable consistent and cost efficient implementations where instantiated.

ISO 15638 has been developed for use in the context of regulated commercial freight vehicles (hereinafter referred to as ‘regulated vehicles’ (4.39). There is nothing, however, to prevent a jurisdiction extending or adapting the scope to include other types of regulated vehicles, as it deems appropriate.

2 Conformance

Requirements to demonstrate conformance to any of the general provisions or specific *application services* (4.4) described in this part of ISO 15638 shall be within the regulations imposed by the *jurisdiction* (4.29) where they are instantiated. Conformance requirements to meet the provisions of this International Standard are therefore deemed to be under the control of, and to the specification of, the *jurisdiction* where the *application service(s)* are instantiated.

The protocols defined in this Part of ISO 15638 have been independently tested. Annex A (Informative) provides results of these tests. In any conformance assurance process undertaken by candidate systems, where appropriate the results may be used as part of its process of conformance compliance.