

IEEE Standard for Qualification of Class 1E Vented Lead Acid Storage Batteries for Nuclear Power Generating Stations

IEEE Power and Energy Society

Sponsored by the
Stationary Batteries Committee

IEEE Std 535™-2013

(Revision of
IEEE Std 535-2006)

IEEE Standard for Qualification of Class 1E Vented Lead Acid Storage Batteries for Nuclear Power Generating Stations

Sponsor

**Stationary Batteries Committee
of the
IEEE Power and Energy Society**

Approved 31 October 2013

IEEE-SA Standards Board

Abstract: Qualification methods for Class 1E vented lead acid batteries and racks to be used in nuclear power generating stations outside primary containment are described in this standard. Qualifications required by IEEE Std 308™ can be demonstrated by using the procedures in this standard in accordance with IEEE Std 323™. The application of batteries in nuclear power generating stations can be divided into two sections: duty cycles equal to or less than 8 h and duty cycles greater than 8 h. A process to demonstrate qualifications for both applications is provided in this standard.

Keywords: acceptance test, battery capacity, battery maintenance, battery replacement criteria, electrolyte level, equalize charge, float voltage, IEEE 450™, IEEE 535™, performance test, specific gravity, test-discharge rate, vented lead-acid battery

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2013 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 22 November 2013. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-0-7381-8723-5 STD98435
Print: ISBN 978-0-7381-8724-2 STDPD98435

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Standards Documents.”

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at <http://ieeexplore.ieee.org/xpl/standards.jsp> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this IEEE standard was completed, the Nuclear Battery Qualification Working Group had the following membership:

Robert Beavers, *Chair*
Jose Marerro, *Vice Chair*
Tania Martinez-Navedo, *Secretary*

Phyllis Archer
Arc hie Bell
Duane Brock
Thomas Carpenter
Larry Carson
Steve Clark
Hollen Crim

Robert Fletcher
Kyle Floyd
John Gagge Jr.
Wayne Johnson
Jeffrey Lamarca
Larry Meisner

Lily Ramadan
Jan Reber
Prem Sahey
Surrendra Salgia
Robert Schmidt
Chris Searles
Al Williamson

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Satish Aggarwal
Ali Al Awazi
Edward Amato
Phyllis Archer
Curtis Ashton
Gary Balash
Robert Beavers
Thomas Brewington
Daniel Brosnan
Kent Brown
Gustavo Brunello
Nissen Burstein
William Cantor
Paul Cardinal
Thomas Carpenter
Larry Carson
Leonard Casella
Garry Chapman
Troy Chatwin
Mark Clark
Mark Crisler
Matthew Davis
Ray Davis
Peter Demar
John Disosway
Neal Dowling
Wells Fargo
Charles Finin

Stephen Fleger
Robert Fletcher
Kyle Floyd
Robert Francis
John Gagge Jr
David Gilmer
Randall Groves
Ajit Gwal
Aaron Hatok
Hamidreza Heidarisafa
Werner Hoelzl
David Horvath
David Ittner
Wayne Johnson
J Koepfinger
Jim Kulchisky
Chung-Yiu Lam
Jeffrey LaMarca
Michael Lauxman
Greg Luri
Jose Marrero
Michael May
John Mcalhaney Jr
James Mcdowall
Larry Meisner
John Merando
Kimberly Mosley

Haissam Nasrat
Dennis Neitzel
Michael S. Newman
Charles Ngethe
Gary Nissen
Lorraine Padden
Mirko Palazzo
James Parelo
Bansi Patel
Jan Pirrong
John Polenz
Michael Roberts
Prem Sahay
Surendra Salgia
Bartien Sayogo
Glen Schinzel
Robert Schmitt
Christo Searles
Suresh Shrimavle
Gil Shultz
David Smith
Gary Stoedter
Richard Tressler
Lesley Varga
Gerald Vaughn
Stephen Vechy
John Vergis
Kenneth White

When the IEEE-SA Standards Board approved this standard on 31 October 2013, it had the following membership:

John Kulick, *Chair*
David J. Law, *Vice Chair*
Richard H. Hulett, *Past Chair*
Konstantinos Karachalios, *Secretary*

Masayuki Ariyoshi
Peter Balma
Farooq Bari
Ted Burse
Wael William Diab
Stephen Dukes
Jean-Philippe Faure
Alexander Gelman

Mark Halpin
Gary Hoffman
Paul Houzé
Jim Hughes
Michael Janezic
Joseph L. Koepfinger*
Oleg Logvinov

Ron Petersen
Gary Robinson
Jon Walter Rosdahl
Adrian Stephens
Peter Sutherland
Yatin Trivedi
Phil Winston
Yu Yuan

*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Richard DeBlasio, *DOE Representative*
Michael Janezic, *NIST Representative*

Patrick Gibbons
IEEE Standards Program Manager, Document Development

Malia Zaman
IEEE Standards Program Manager, Technical Program Development

Introduction

This introduction is not part of IEEE Std 535™-2013, IEEE Standard for Qualification of Class 1E Vented Lead Acid Storage Batteries for Nuclear Power Generating Stations.

IEEE Std 323™, IEEE Standard for Qualifying Class 1E Equipment for Nuclear Power Generating Stations, was developed to provide guidance for demonstrating and documenting the adequacy of electrical equipment used in all Class 1E and interface systems. This standard, IEEE Std 535, was developed to provide specific methods and type-test procedures for lead storage batteries in adherence to IEEE Std 323. IEEE Std 344™ methodology for seismic qualification is included for testing cells with and without battery racks.

In general, IEEE Std 323 describes the qualification of equipment as requiring aging and irradiation exposure, followed by seismic testing. The qualification effort required in IEEE Std 323 may be reduced if the equipment is in a mild environment. However, since vented lead acid battery cells have a significant aging mechanism in mild environments, aging is required prior to seismic testing. IEEE Std 535 was developed to provide a specific common process for qualification of vented lead acid cells that could be used by battery manufacturers.

IEEE Std 535-1979 was the initial issue of the standard. IEEE Std 535-1986 revised the standard to limit the plate designs to lead calcium-pasted (Fauré) and lead antimony-pasted (Fauré).

IEEE Std 535-2006 was a general revision of IEEE Std 535-1986. This revision updates the standard to address the changes in nuclear plant design and the corresponding impact on battery cells. When IEEE Std 535 was first published, the typical duty cycle was 8 h or less. There was significant utility and telecommunications industry experience to back up the 8-h duty cycle.

This revision of IEEE Std 535 addresses fundamental changes in the duty cycle for the dc system in some of the new plant designs. The new passive design nuclear power plants have duty cycles up to 72 h. Industry experience at this time does not support 72-h duty cycles using the methods outlined in IEEE Std 535-2006. Therefore, this revision provides a methodology that can be used to qualify vented lead acid cells for duty cycles greater than 8 h.

Adherence to this standard may not suffice for assuring public health and safety because it is the integrated performance of electrical systems of the station that limits the consequences of accidents. Each plant has the responsibility to provide assurance that this document, if used, is pertinent to their application and that integrated performance of their station is adequate.

Contents

1. Scope	1
2. Normative references	2
3. Definitions, acronyms, and abbreviations	2
3.1 Definitions	2
3.2 Acronyms and abbreviations	3
4. Qualification requirements	3
5. Principles and methods of qualification	4
5.1 Background	4
5.2 Type testing	4
5.3 Operating experience	4
5.4 Analysis	4
5.5 Extension of qualified life	5
5.6 Combination of qualification methods	5
6. Qualification information	5
7. Qualification by type testing	6
7.1 Test plan	6
7.2 Test sequence	6
7.3 Acceptance criteria	6
8. Type tests and analysis procedures	7
8.1 Background	7
8.2 Radiation	7
8.3 Aging procedure	7
8.4 Seismic qualification procedure	11
9. Documentation	14
9.1 General	14
9.2 Documentation files	14
9.3 Type test data	14
9.4 Operating experience data	15
9.5 Analysis	15
9.6 Other information	15
Annex A (normative) Examples of testing regimens for 24-h and 72-h duty cycles for ten- and 20-year qualification	16

IEEE Standard for Qualification of Class 1E Vented Lead Acid Storage Batteries for Nuclear Power Generating Stations

IMPORTANT NOTICE: IEEE Standards documents are not intended to ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

1. Scope

This standard describes qualification methods for Class 1E vented lead acid batteries and racks to be used in nuclear power generating stations outside primary containment. Qualifications required by IEEE Std 308TM¹ can be demonstrated by using the procedures in this standard in accordance with IEEE Std 323TM. Application of batteries in nuclear power generating stations can be divided into two sections: duty cycles equal to or less than 8 h and duty cycles greater than 8 h. This standard provides a process to demonstrate qualification for both applications.

This standard is based on the user demonstrating that the predominant failure mechanism is positive plate grid corrosion. The following technologies have been demonstrated to meet this criterion for full float service:

- a) Lead-calcium
- b) Lead-antimony
- c) Lead-selenium low antimony

¹ Information on references can be found in Clause 2.

To apply this standard to vented lead-acid technologies other than those listed above, the user is required to demonstrate the following for full float service:

- a) The predominant failure mechanism is positive plate grid corrosion
- b) The accelerated aging factors shall be determined in 8.3.2 e)

Battery sizing, maintenance, capacity testing, installation, charging equipment, and consideration of other type batteries are beyond the scope of this standard.

2. Normative references

The following referenced documents are indispensable for the application of this document (i.e., they must be understood and used, so each referenced document is cited in text and its relationship to this document is explained). For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments or corrigenda) applies.

ANSI/AISC N690™, Specification for the Design, Fabrication and Erection of Steel Safety-Related Structures for Nuclear Facilities—Supplement 1: April 2002.²

IEEE Std 308™, IEEE Standard Criteria for Class 1E Power Systems for Nuclear Power Generating Stations.^{3,4}

IEEE Std 323™, IEEE Standard for Qualifying Class 1E Equipment for Nuclear Power Generating Stations.

IEEE Std 344™, IEEE Recommended Practice for Seismic Qualification of Class 1E Equipment for Nuclear Power Generating Stations.

IEEE Std 450™, IEEE Recommended Practice for Maintenance, Testing, and Replacement of Vented Lead-Acid Batteries for Stationary Applications.

IEEE Std 484™, IEEE Recommended Practice for Installation Design and Installation of Vented Lead-Acid Batteries for Stationary Applications.

IEEE Std 485™, IEEE Recommended Practice for Sizing Lead-Acid Batteries for Stationary Applications.

3. Definitions, acronyms, and abbreviations

3.1 Definitions

For the purposes of this document, the following terms and definitions apply. The *IEEE Standards Dictionary Online* should be consulted for terms not defined in this clause.⁵

² ANSI publications are available from the Sales Department, American National Standards Institute, 25 West 43rd Street, 4th Floor, New York, NY 10036, USA (<http://www.ansi.org/>).

³ The IEEE standards or products referred to in this clause are trademarks of The Institute of Electrical and Electronics Engineers, Inc.

⁴ IEEE publications are available from The Institute of Electrical and Electronics Engineers, 445 Hoes Lane, Piscataway, NJ 08854, USA (<http://standards.ieee.org/>).

⁵ *IEEE Standards Dictionary Online* subscription is available at:
http://www.ieee.org/portal/innovate/products/standard/standards_dictionary.html.