

IEEE Guide for Selecting, Charging, Testing, and Evaluating Lead-Acid Batteries Used in Stand-Alone Photovoltaic (PV) Systems

IEEE Standards Coordinating Committee 21

Sponsored by the
IEEE Standards Coordinating Committee 21 (SCC21) on
Fuel Cells, Photovoltaics, Dispersed Generation, and Energy Storage

IEEE
3 Park Avenue
New York, NY 10016-5997
USA

IEEE Std 1361™-2014
(Revision of
IEEE Std 1361-2003)

IEEE Guide for Selecting, Charging, Testing, and Evaluating Lead-Acid Batteries Used in Stand-Alone Photovoltaic (PV) Systems

Sponsor

**IEEE Standards Coordinating Committee 21 (SCC21) on
Fuel Cells, Photovoltaics, Dispersed Generation, and Energy Storage**

Approved 16 May 2014

IEEE-SA Standards Board

Abstract: This guide is applicable to all stand-alone photovoltaic (PV) systems where PV is the only charging source. Stand-alone PV system parameters and operating conditions are discussed in relation to battery characteristics and expected system performance. Charging parameters for PV systems are suggested to help in the selection of a battery for a specific application. Finally, a performance test to verify the battery selection and system parameters is provided, including discussions on how to interpret test results. Test results only provide information on initial battery performance. No cycle-life predictions are made.

Keywords: IEEE 1361™, lead-acid battery test procedure, lead-acid battery tutorial, photovoltaic (PV) battery characteristics, PV battery selection, PV battery test procedure, PV systems

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2014 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 16 June 2014. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

National Electrical Code and NEC are both registered trademarks of the National Fire Protection Association, Inc.

PDF: ISBN 978-0-7381-9172-0 STD98694
Print: ISBN 978-0-7381-9173-7 STDPD98694

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Standards Documents.”

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at <http://ieeexplore.ieee.org/xpl/standards.jsp> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this IEEE guide was completed, the Storage Systems Working Group had the following membership:

Peter McNutt, Chair
Robert Rallo, Vice Chair

Curtis Ashton
Thomas Basso
Jay Chamberlin

Thomas Hund
Haissam Nasrat
Michael Nispel

Kenneth Sanders
Stephen L. Vechy
John Wiles

The following members of the individual balloting committee voted on this guide. Balloters may have voted for approval, disapproval, or abstention.

William Ackerman
Satish Aggarwal
Samuel Aguirre
Stan Arnot
Curtis Ashton
Gary Balash
Thomas Barnes
Robert Beavers
Wallace Binder
Chris Brooks
Gustavo Brunello
William Cantor
Jay Chamberlin
Keith Chow
Mark Clark
Michael Coddington
Garth Corey
Matthew Davis
Peter Demar
Gary Donner
Neal Dowling
Gary Engmann
Charles Finin
Rostyslaw Fostiak

John Gagge, Jr.
Jalal Gohari
Stephen Grier
Randall Groves
Ajit Gwal
Donald Hall
Steven Hensley
Lee Herron
Werner Hoelzl
David Ittner
Richard Jackson
Stanley Klein
Joseph L. Koepfinger
Jim Kulchisky
Thomas Ladson
Chung-Yiu Lam
Greg Luri
Edward McCall
Peter McNutt
John Merando
Jose Morales
Kimberly Mosley
Jerry Murphy
Haissam Nasrat
Dennis Neitzel

Michael Newman
David Nichols
Michael Nispel
Bansi Patel
Robert Rallo
Charles Rogers
Randall Safier
Kenneth Sanders
Steven Sano
Bartien Sayogo
Robert Seitz
Gil Shultz
Herbert Sinnock
Jerry Smith
John Spare
Gary Stoedter
Kevin Thundiyl
Joe Uchiyama
Eric Udren
John Vergis
Jane Verner
Kenneth White
John Wiles
Jian Yu

When the IEEE-SA Standards Board approved this guide on 16 May 2014, it had the following membership:

John Kulick, Chair
Jon Walter Rosdahl, Vice Chair
Richard H. Hulett, Past Chair
Konstantinos Karachalios, Secretary

Peter Balma
Farooq Bari
Ted Burse
Clint Chaplin
Stephen Dukes
Jean-Philippe Faure
Gary Hoffman

Michael Janezic
Jeffrey Katz
Joseph L. Koepfinger*
David J. Law
Hung Ling
Oleg Logvinov
Ted Olsen
Glenn Parsons

Ron Petersen
Adrian Stephens
Peter Sutherland
Yatin Trivedi
Phil Winston
Don Wright
Yu Yuan

*Member Emeritus

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Richard DeBlasio, *DOE Representative*
Michael Janezic, *NIST Representative*

Julie Alessi
IEEE-SA Content Publishing

Matthew J. Ceglia
IEEE-SA Technical Community Programs

Introduction

This introduction is not part of IEEE Std 1361™-2014, IEEE Guide for Selecting, Charging, Testing, and Evaluating Lead-Acid Batteries Used in Stand-Alone Photovoltaic (PV) Systems.

The PV system designer depends on the capacity of a storage battery for reliable extended operation of the system load during hours of darkness and below average solar resource. Photovoltaic systems can subject batteries to harsh operational environments with minimal control of recharge profiles. The economics of photovoltaic modules limit the ability to charge the battery at more traditional motive power deep-cycle charge rates and times. Typical charge rates for small stand-alone PV systems are less than 6.5 amperes (A) and may be less than 2.0 A per 100 Ah of battery capacity. Relatively low rates, coupled with the unpredictability of the solar resource, result in limited recharge capabilities.

Stand-alone PV systems are typically utilized in remote locations with minimal power resources, which limits the amount of initial battery boost charging possible. In daily operation, the limited available PV charging source combined with relatively low charge regulation voltages may be insufficient to provide a full charge to the battery. In an effort to identify appropriate stand-alone PV system parameters together with appropriate battery technology, a repeatable test procedure is provided to verify PV system parameters based on laboratory battery performance testing. This test procedure is designed to be characteristic of the low charge/discharge rates, shallow cycle operation, and various charging methods used in PV systems.

This guide contains relevant information on PV system design considerations as related to lead-acid batteries and a recommended test plan for evaluating battery performance in a particular system design. Specific lead-acid battery topics include the following:

- PV battery selection,
- PV battery characteristics, and
- PV battery testing and evaluation.

The recommended test plan for evaluating PV batteries includes the following:

- Limitations and expectations,
- System parameter selection,
- PV battery cycle test, and
- Interpretation of test results.

This guide may be used separately, or in combination with IEEE Std 937™, IEEE Std 1013™, and IEEE Std 1562™. Together, these documents will provide the user with a general guide to sizing, designing, placing in service, maintaining, and testing lead-acid storage batteries for PV systems.

Contents

1. Overview	1
1.1 Scope	1
1.2 Purpose	2
2. Normative references.....	2
3. Definitions	2
4. Safety.....	3
4.1 Arc hazard	4
4.2 Hydrogen venting	4
4.3 Spill containment.....	5
5. Lead-acid battery selection and use.....	5
5.1 Battery characteristics.....	5
5.2 Selection criteria	5
5.3 PV system parameters.....	6
6. Recommended test plan.....	6
6.1 Objectives	6
6.2 Parameter selection.....	7
6.3 PV battery test procedure.....	7
6.4 Evaluation of test results.....	13
Annex A (informative) Lead-acid battery technologies	14
A.1 Battery applications	14
A.2 Vented lead-acid batteries.....	14
A.3 VRLA batteries.....	15
A.4 Battery selection	16
A.5 Self-discharge	16
A.6 Temperature effects	17
A.7 Electrolyte management	17
A.8 Cycle-life	18
A.9 Battery coulombic or amp-hour (Ah) recharge efficiency.....	18
A.10 Charge acceptance	19
A.11 Sulfation.....	19
A.12 Hydration	20
A.13 Mossing	20
A.14 Battery mounting orientation	20
A.15 Life-cycle considerations.....	20
A.16 Battery thermal runaway.....	20
Annex B (informative) PV system operational parameters	22
B.1 Battery charging.....	22
B.2 Battery equalization	22
B.3 PV array-to-load ratio	23
B.4 Charge controllers.....	23
B.5 Regulation voltage (V_r) set point.....	23
B.6 Maximum system voltage	24
B.7 Ground faults	25
B.8 Depth of discharge	25

B.9 Temperature effects	25
B.10 Autonomy	26
B.11 Geographical site location.....	26
B.12 Photovoltaic battery end-of-life	26
Annex C (informative) Bibliography.....	27

IEEE Guide for Selecting, Charging, Testing, and Evaluating Lead-Acid Batteries Used in Stand-Alone Photovoltaic (PV) Systems

IMPORTANT NOTICE: IEEE Standards documents are not intended to ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

1. Overview

This guide was written to provide a relevant photovoltaic (PV) battery test procedure that can be used to evaluate battery performance and identify appropriate PV battery charging requirements. Use of this document by funding organizations, battery manufacturers, PV system integrators, and consumers should provide the means for improved battery selection and its subsequent charging specifications. It is intended that this document provide a means to identify more cost effective and reliable PV batteries.

1.1 Scope

This guide contains a tutorial on lead-acid battery technology, battery charging characteristics, and a laboratory test procedure to evaluate charge parameters and battery performance. The information on lead-acid battery designs and environmental characteristics is provided to help the PV system designer make appropriate battery decisions. Photovoltaic system parameters and operating conditions are discussed. Charging parameters related to PV systems are also suggested to help in the selection of appropriate test set points. Finally, a performance test to verify the battery’s operating set points and performance is provided, including discussions on how to interpret test results.

This guide is applicable to all stand-alone PV systems where PV is the only charging source. This guide does not include PV hybrid systems.