

IEEE Guide for Tank Rupture Mitigation of Liquid-Immersed Power Transformers and Reactors

IEEE Power and Energy Society

Sponsored by the
Transformers Committee

IEEE Guide for Tank Rupture Mitigation of Liquid-Immersed Power Transformers and Reactors

Sponsor

Transformers Committee
of the
IEEE Power and Energy Society

Approved 30 June 2016

IEEE-SA Standards Board

Abstract: Measures that may be taken to help mitigate tank rupture of energized liquid-immersed power transformers and reactors due to internal electrical faults are described in this guide. The release of insulating fluid or insulating fluid mist due to failure of the following components are not covered in this guide: load tap changer compartments, bushings and their turrets, conservator tank, piping, valves, pumps, and radiators.

Keywords: IEEE C57.156™, mitigation, tank

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2016 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 21 December 2016. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-2425-7 STD21182
Print: ISBN 978-1-5044-2426-4 STDPD21182

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards are documents developed through scientific, academic, and industry-based technical working groups. Volunteers in IEEE working groups are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Xplore at <http://ieeexplore.ieee.org/> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this guide was submitted to the IEEE-SA Standards Board for approval, the Transformer Tank Rupture Prevention and Mitigation Working Group had the following membership:

Peter Zhao, *Chair*
Robert Thompson, *Vice Chair*

Omar Ahmed	Marc Foata	David Murray
Javier Arteaga	Shawn Galbraith	Van Nhi Nguyen
Roberto Asano	Saurabh Ghosh	Dan Perco
Enrique Betancourt	Jorge Gonzalez	Guillaume Perigaud
Paramjit Bhatia	de la Vega	Leslie Recksiedler
Samuel Brodeur	Josh Herz	Devki Sharma
Jagdish Burde	Jose Izquierdo	Andre Shor
Arnold Carlos	Wayne Johnson	H. Jin Sim
John Chrobak	Krzysztof Kulasek	Craig Stiegemeier
Donald Chu	Michael Lau	Craig Swinderman
John Crouse	Terence Lee	Roger Verdolin
William Darovny	Thomas Lundquist	Shuzhen Xu
Jean-Bernard Dastous	Robert J. Mayer	Jim Zhang
Keith Ellis	Patrick McShane	Waldemar Ziomek
	Harold Moore	

The following members of the individual balloting committee voted on this guide. Balloters may have voted for approval, disapproval, or abstention.

Omar Ahmed	Said Hachichi	Sujeet Mishra
Roberto Asano	J. Harlow	Charles Morgan
Peter Balma	Roger Hayes	Daniel Mulkey
W. J. (Bill) Bergman	Jeffrey Helzer	Jerry Murphy
Wallace Binder	William Henning	David Murray
W. Boettger	Josh Herz	Ryan Musgrove
Paul Boman	Thomas Holifield	Ali Naderian Jahromi
Samuel Brodeur	Jill Holmes	K. R. M. Nair
Kent Brown	Philip Hopkinson	Arthur Neubauer
William Byrd	Richard Jackson	Michael Newman
Thomas Callsen	Wayne Johnson	Joe Nims
Paul Cardinal	Laszlo Kadar	Tim Olson
Stephen Conrad	Gael Kennedy	Lorraine Padden
Jerry Corkran	Sheldon Kennedy	Mirko Palazzo
John Crouse	Axel Kraemer	Luke Parthemore
William Darovny	Krzysztof Kulasek	Bansi Patel
Alan Darwin	Jim Kulchisky	Brian Penny
Jean-Bernard Dastous	Saumen Kundu	Branimir Petosic
Gary Donner	John Lackey	Christopher Petrola
Jorge Fernandez Daher	Chung-Yiu Lam	Donald Platts
Joseph Foldi	Thomas La Rose	Alvaro Portillo
Marcel Fortin	Michael Lau	Timothy Charles
Shawn Galbraith	Thomas Lundquist	Raymond
Eduardo Garcia	J. Dennis Marlow	Leslie Recksiedler
Frank Gerleve	Lee Matthews	Jean-Christophe Riboud
David Gilmer	Robert J. Mayer	Michael Roberts
Ramsis Girgis	Omar Mazzoni	Thomas Rozek
Jalal Gohari	William McBride	Dinesh Sankarakurup
Edwin Goodwin	Mark McNally	Steven Sano
Randall Groves	Charles McShane	Daniel Sauer

Bartien Sayogo
Devki Sharma
H. Jin Sim
Charles Simmons
Jerry Smith
James Swank
Michael Swearingen

David Tepen
James Thompson
Robert Thompson
Eduardo Tolcachir
Roger Verdolin
John Vergis
Jane Verner

David Wallach
Daniel Ward
Joe Watson
Kenneth White
Kipp Yule
Peter Zhao
Waldemar Ziomek

When the IEEE-SA Standards Board approved this guide on 30 June 2016, it had the following membership:

Jean-Philippe Faure, *Chair*
Ted Burse, *Vice Chair*
John D. Kulick, *Past Chair*
Konstantinos Karachalios, *Secretary*

Chuck Adams
Masayuki Ariyoshi
Stephen Dukes
Jianbin Fan
J. Travis Griffith
Gary Hoffman

Ronald W. Hotchkiss
Michael Janezic
Joseph L. Koepfinger*
Hung Ling
Kevin Lu
Annette D. Reilly
Gary Robinson

Mehmet Ulema
Yingli Wen
Howard Wolfman
Don Wright
Yu Yuan
Daidi Zhong

*Member Emeritus

Introduction

This introduction is not part of IEEE Std C57.156-2016, IEEE Guide for Tank Rupture Mitigation of Liquid-Immersed Power Transformers and Reactors.

This document is intended as a guide for specifying, performing design reviews, and monitoring the manufacturing and shipping processes for the purpose of preventing or mitigating ruptures of the tanks caused by internal electrical faults.

This document serves only as a guide for the end user to understand many of the considerations and actions performed during the design, manufacturing, and shipping of power transformers and reactors that relate to the mitigation of tank ruptures. The use of this guide will provide the user with a better appreciation and understanding of the dynamics of internal faults and technologies and design techniques appropriate to lessen their effects.

Continuous attention, communication, and cooperation should be maintained between all involved parties during the design, manufacture, and installation of power transformers and reactors in order to improve the effective mitigation of tank rupture.

This guide was prepared by the Transformers Committee of the IEEE Power and Energy Society.

Acknowledgments

Grateful acknowledgment is made to Qualitrol, LLC, CIGRE, and Mitsubishi Electric Power Products, Inc. for permission to use source material for the following figures in this guide.

[Figure 1](#) reprinted with permission from Qualitrol, LLC.

[Figure 2](#) reprinted with permission from CIGRE.

[Figure 3](#) reprinted from CIGRE Publication A2_102_22010 (public domain).

[Figure B.1](#) reprinted with permission from Mitsubishi Electric Power Products, Inc.

Contents

1. Overview	10
1.1 Scope	10
1.2 Purpose	10
2. Normative references	10
3. Definitions	10
4. Transformer tank construction	11
4.1 Conventional tank	11
4.2 Tank design considerations for rupture mitigation	12
5. Tank pressure relief devices	13
5.1 General	13
5.2 Rupture disks	13
5.3 Re-sealable pressure relief device (PRD)	13
6. Specification guide for transformer rupture-resistant tanks	15
6.1 Introduction	15
6.2 General requirements	15
6.3 Performance requirements	16
6.4 Proposal information requirements (recommended)	18
6.5 Design detail documentation	19
6.6 Operating and instruction manual documentation	20
7. Acceptance evaluation	20
7.1 General	20
7.2 Design review	20
7.3 Pressure relief device (PRD) evaluation	21
7.4 Visual inspection	21
7.5 Tank pressure/deflection tests and calculations	21
Annex A (informative) Bibliography	22
Annex B (informative) Other items relating to prevention of and responses to arcing rupture	23

IEEE Guide for Tank Rupture Mitigation of Liquid-Immersed Power Transformers and Reactors

1. Overview

1.1 Scope

This guide describes measures that may be taken to help mitigate tank rupture of energized liquid-immersed power transformers and reactors due to internal electrical faults. This guide does not cover the release of insulating fluid or insulating fluid mist due to failure of the following components: load tap changer compartments, bushings and their turrets, conservator tank, piping, valves, pumps, and radiators.

1.2 Purpose

This guide describes the current state of knowledge of the relationship between tank rupture and such variables as arc energy level, hydraulic pressures, and tank pressure withstand. Also described are various measures that transformer users and manufacturers may take in system design, product design, monitoring devices, signaling devices, and insulating fluid choices that can help mitigate tank rupture.

2. Normative references

The following referenced documents are indispensable for the application of this document (i.e., they must be understood and used, so each referenced document is cited in text and its relationship to this document is explained). For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments or corrigenda) applies.

IEEE Std C57.12.10™, IEEE Standard Requirements for Liquid-Immersed Transformers.^{1,2}

3. Definitions

For the purposes of this document, the following terms and definitions apply. The *IEEE Standards Dictionary Online* should be consulted for terms not defined in this clause.³

mitigation: Reduction of issue (tank rupture) and/or of consequences of same.

¹IEEE publications are available from the Institute of Electrical and Electronics Engineers (<http://standards.ieee.org>).

²The IEEE standards or products referred to in this clause are trademarks of the Institute of Electrical and Electronics Engineers, Inc.

³The *IEEE Standards Dictionary Online* is available at: <http://ieeexplore.ieee.org/xpls/dictionary.jsp>.