

IEEE Standard for Ethernet

Amendment 7: Media Access Control Parameters, Physical Layers, and Management Parameters for 2.5 Gb/s and 5 Gb/s Operation, Types 2.5GBASE-T and 5GBASE-T

IEEE Computer Society

Sponsored by the
LAN/MAN Standards Committee

IEEE
3 Park Avenue
New York, NY 10016-5997
USA

IEEE Std 802.3bz™-2016
(Amendment to
IEEE Std 802.3™-2015
as amended by
IEEE Std 802.3bw™-2015,
IEEE Std 802.3by™-2016,
IEEE Std 802.3bq™-2016,
IEEE Std 802.3bp™-2016,
IEEE Std 802.3br™-2016, and
IEEE Std 802.3bn™-2016)

IEEE Std 802.3bz™-2016
(Amendment to
IEEE Std 802.3™-2015
as amended by
IEEE Std 802.3bw™-2015,
IEEE Std 802.3by™-2016,
IEEE Std 802.3bq™-2016,
IEEE Std 802.3bp™-2016,
IEEE Std 802.3br™-2016, and
IEEE Std 802.3bn™-2016)

IEEE Standard for Ethernet

Amendment 7: Media Access Control Parameters, Physical Layers, and Management Parameters for 2.5 Gb/s and 5 Gb/s Operation, Types 2.5GBASE-T and 5GBASE-T

LAN/MAN Standards Committee
of the
IEEE Computer Society

Approved 22 September 2016
IEEE-SA Standards Board

Abstract: Ethernet Media Access Control (MAC) parameters, Physical Layer specifications, and management objects for the transfer of Ethernet format frames at 2.5 Gb/s and 5 Gb/s over balanced twisted-pair transmission media used in structured cabling are defined in this amendment to IEEE Std 802.3-2015.

Keywords: 2.5G/5GBASE-T, amendment, Auto-Negotiation, Ethernet, IEEE 802.3™, IEEE 802.3bz™, Physical Coding Sublayer (PCS), Physical Medium Attachment (PMA) sublayer, structured cabling, XGMII

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2016 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 18 October 2016. Printed in the United States of America.

IEEE and 802 are registered trademarks in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

Print: ISBN 978-1-5044-2370-0 STD21142
PDF: ISBN 978-1-5044-2371-7 STDPD21142

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Standards Documents.”

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at <http://standards.ieee.org> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IOWA's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

The following individuals were officers and members of the IEEE 802.3 Working Group at the beginning of the IEEE P802.3bz Working Group ballot. Individuals may have not voted, voted for approval, disapproval, or abstained on this amendment.

David J. Law, IEEE 802.3 Working Group Chair

Adam Healey, IEEE 802.3 Working Group Vice-Chair

Pete Anslow, IEEE 802.3 Working Group Secretary

Steven B. Carlson, IEEE 802.3 Working Group Executive Secretary

Valerie Maguire, IEEE 802.3 Working Group Treasurer

David Chalupsky, IEEE P802.3bz 2.5G/5GBASE-T Task Force Chair

George Zimmerman, IEEE P802.3bz 2.5G/5GBASE-T Task Force Editor-in-Chief

Eric Baden	Shahar Feldman	Miklos Lukacs
Amrik Bains	German Feyh	Kent Lusted
Thananya Baldwin	Alan Flatman	Jeffery Maki
Denis Beaudoin	Matthias Fritsche	David Malicoat
Christian Beia	Richard Frosch	James Malkemus
Michael Bennett	Andrew Gardner	Yonatan Malkiman
Vipul Bhatt	Ali Ghiasi	Arthur Marris
William Bliss	Joel Goergen	Takeo Masuda
Brad Booth	Steven Gorshe	Kirsten Matheus
Martin Bouda	James Graba	Erdem Matoglu
Ralf-Peter Braun	Robert Grow	Laurence Matola
Theodore Brillhart	Mark Gustlin	Brett McClellan
Paul Brooks	Marek Hajduczenia	Thomas McDermott
Matthew Brown	Bernie Hammond	John McDonough
Jairo Bustos Heredia	Takehiro Hayashi	Richard Mei
Adrian Butter	Yasuo Hidaka	Richard Mellitz
Juan-Carlos Calderon	Brian Holden	Bryan Moffitt
J. Martin Carroll	Rita Horner	Ardeshir Mohammadian
Clark Carty	Bernd Horrmeyer	Leo Montreuil
Craig Chabot	Victor Hou	Paul Mooney
Geoffrey Chacon Simon	Yasuhiro Hyakutake	Dale Murray
Mandeep Chadha	Hideki Isono	Henry Muyschondt
Jacky Chang	Tom Issenhuth	Edward Nakamoto
Xin Chang	Kenneth Jackson	Gary Nicholl
Ahmad Chini	Andrew Jimenez	Paul Nikolich
Keng Hua Chuang	Chad Jones	Kevin Noll
Peter Cibula	Peter Jones	Mark Nowell
Christopher R. Cole	Manabu Kagami	David Ofelt
Shaoan Dai	Upen Kareti	Tom Palkert
John D'Ambrosia	Keisuke Kawahara	Hui Pan
Yair Darshan	Yasuaki Kawatsu	Sesha Panguluri
Piers Dawe	Michael Kelsen	Carlos Pardo
Wael Diab	Yong Kim	Petar Pepeljugoski
Eric DiBiaso	Jonathan King	Gerald Pepper
Daniel Dillow	Scott Kipp	Ruben Perez De Aranda
Chris Diminico	Michael Klempa	Alonso
Thuyen Dinh	Shigeru Kobayashi	Michael Peters
Curtis Donahue	Keisuke Kojima	Rick Pimpinella
Dan Dove	Paul Kolesar	William Powell
Mike Dudek	Tom Kolze	Richard Prodan
Nick Duer	Glen Kramer	Rick Rabinovich
David Dwelley	Hans Lackner	Adee Ran
Frank Effenberger	Jeffrey Lapak	Alon Regev
		Duane Remein
		Victor Renteria

Martin Rossbach
Christopher Roth
Salvatore Rotolo
Vineet Salunke
Sam Sambasivan
Edward Sayre
Dieter Schicketanz
Fred Schindler
Peter Scruton
Hossein Sedarat
Naoshi Serizawa
Megha Shanbhag
Stephen Shellhammer
Ramin Shirani
Tom Skaar
Jeff Slavick
Scott Sommers
Tom Souvignier
Edward Sprague
Peter Stassar

Robert Stone
Junqing Sun
Steve Swanson
Andre Szczepanek
William Szeto
Bharat Tailor
Akio Tajima
Takayuki Tajima
Satoshi Takahashi
Kohichi Tamura
Alexander Tan
Mehmet Tazebay
Brian Teipen
Geoffrey Thompson
Pirooz Tooyserkani
Albert Tretter
Stephen Trowbridge
Yoshihiro Tsukamoto
Mike Tu

Sterling A. Vaden
Stefano Valle
Paul Vanderlaan
Robert Wagner
Roy Wang
Xinyuan Wang
Matthias Wendt
Oded Wertheim
Martin White
Natalie Wienckowski
Ludwig Winkel
Peter Wu
Yu Xu
Jun Yi
Lennart Yseboodt
Ting-Fa Yu
Hayato Yuki
Andrew Zambell
Yan Zhuang
Helge Zinner

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Iwan Adhicandra
Thomas Alexander
Dale Amason
Pete Anslow
Lee Armstrong
Eric Baden
Gennaro Boggia
Christian Boiger
Ralf-Peter Braun
Nancy Bravin
Theodore Brillhart
Jairo Bustos Heredia
William Byrd
Steven B. Carlson
Juan Carreon
Clark Carty
Mandeep Chadha
David Chalupsky
Keith Chow
Peter Cibula
Charles Cook
Rodney Cummings
Shaoan Dai
John D' Ambrosia
Janos Farkas
German Feyh
Matthias Fritsche
Yukihiro Fujimoto
Devon Gayle
Joel Goergen
Zhigang Gong
James Graba
Randall Groves
Marek Hajduczenia
Jerome Henry
Marco Hernandez
David Hess
Werner Hoelzl

Rita Horner
C. Huntley
Noriyuki Ikeuchi
Sergiu Iordanescu
Atsushi Ito
Raj Jain
Peter Jones
Adri Jovin
Piotr Karocki
Stuart Kerry
Yongbum Kim
Scott Kipp
Geoff Ladwig
Mark Laubach
David J. Law
Jon Lewis
Arthur H. Light
William Lo
Michael Lynch
Elvis Maculuba
Valerie Maguire
Arthur Marris
Michael Maytum
Mick McCarthy
Brett McClellan
Thomas McDermott
Richard Mellitz
John Messenger
Bryan Moffitt
Michael Newman
Charles Ngethe
Mark Nowell
Satoshi Obara
Thomas Palkert
Bansi Patel
Arumugam Paventhan
Ruben Perez De Aranda Alonso
Michael Peters

Rick Pimpinella
William Powell
Adee Ran
Alon Regev
Maximilian Riegel
Robert Robinson
Benjamin Rolfe
Frank Schewe
Dieter Schicketanz
Hossein Sedarat
Omer Sella
Takeshi Shimizu
Thomas Starai
Walter Struppler
Mitsutoshi Sugawara
Junqing Sun
Patrik Sundstrom
James Theodoras
Geoffrey Thompson
Michael Thompson
Mark-Rene Uchida
Alexander Umnov
Sterling Vaden
Dmitri Varsanofiev
Prabodh Varshney
George Vlantis
Lisa Ward
Stephen Webb
Hung-Yu Wei
Ludwig Winkel
Peter Wu
Dayin Xu
Jun Xu
Oren Yuen
Zhen Zhou
George Zimmerman

When the IEEE-SA Standards Board approved this standard on 22 September 2016, it had the following membership:

Jean-Philippe Faure, *Chair*
Ted Burse, *Vice Chair*
John D. Kulick, *Past Chair*
Konstantinos Karachalios, *Secretary*

Chuck Adams
Masayuki Ariyoshi
Stephen Dukes
Jianbin Fan
J. Travis Griffith
Gary Hoffman

Ronald W. Hotchkiss
Michael Janezic
Joseph L. Koepfinger*
Hung Ling
Kevin Lu
Annette D. Reilly
Gary Robinson

Mehmet Ulema
Yingli Wen
Howard Wolfman
Don Wright
Yu Yuan
Daidi Zhong

*Member Emeritus

Introduction

This introduction is not part of IEEE Std 802.3bz-2016, IEEE Standard for Ethernet—Amendment 7: Media Access Control Parameters, Physical Layers, and Management Parameters for 2.5 Gb/s and 5 Gb/s Operation, Types 2.5GBASE-T and 5GBASE-T.

IEEE Std 802.3™ was first published in 1985. Since the initial publication, many projects have added functionality or provided maintenance updates to the specifications and text included in the standard. Each IEEE 802.3 project/amendment is identified with a suffix (e.g., IEEE Std 802.3ba™-2010).

The half duplex Media Access Control (MAC) protocol specified in IEEE Std 802.3-1985 is Carrier Sense Multiple Access with Collision Detection (CSMA/CD). This MAC protocol was key to the experimental Ethernet developed at Xerox Palo Alto Research Center, which had a 2.94 Mb/s data rate. Ethernet at 10 Mb/s was jointly released as a public specification by Digital Equipment Corporation (DEC), Intel and Xerox in 1980. Ethernet at 10 Mb/s was approved as an IEEE standard by the IEEE Standards Board in 1983 and subsequently published in 1985 as IEEE Std 802.3-1985. Since 1985, new media options, new speeds of operation, and new capabilities have been added to IEEE Std 802.3. A full duplex MAC protocol was added in 1997.

Some of the major additions to IEEE Std 802.3 are identified in the marketplace with their project number. This is most common for projects adding higher speeds of operation or new protocols. For example, IEEE Std 802.3u™ added 100 Mb/s operation (also called Fast Ethernet), IEEE Std 802.3z added 1000 Mb/s operation (also called Gigabit Ethernet), IEEE Std 802.3ae added 10 Gb/s operation (also called 10 Gigabit Ethernet), IEEE Std 802.3ah™ specified access network Ethernet (also called Ethernet in the First Mile) and IEEE Std 802.3ba added 40 Gb/s operation (also called 40 Gigabit Ethernet) and 100 Gb/s operation (also called 100 Gigabit Ethernet). These major additions are all now included in and are superseded by IEEE Std 802.3-2015 and are not maintained as separate documents.

At the date of IEEE Std 802.3bz-2016 publication, IEEE Std 802.3 is composed of the following documents:

IEEE Std 802.3-2015

Section One—Includes Clause 1 through Clause 20 and Annex A through Annex H and Annex 4A. Section One includes the specifications for 10 Mb/s operation and the MAC, frame formats and service interfaces used for all speeds of operation.

Section Two—Includes Clause 21 through Clause 33 and Annex 22A through Annex 33E. Section Two includes management attributes for multiple protocols and speed of operation as well as specifications for providing power over twisted pair cabling for multiple operational speeds. It also includes general information on 100 Mb/s operation as well as most of the 100 Mb/s Physical Layer specifications.

Section Three—Includes Clause 34 through Clause 43 and Annex 36A through Annex 43C. Section Three includes general information on 1000 Mb/s operation as well as most of the 1000 Mb/s Physical Layer specifications.

Section Four—Includes Clause 44 through Clause 55 and Annex 44A through Annex 55B. Section Four includes general information on 10 Gb/s operation as well as most of the 10 Gb/s Physical Layer specifications.

Section Five—Includes Clause 56 through Clause 77 and Annex 57A through Annex 76A. Clause 56 through Clause 67 and Clause 75 through Clause 77, as well as associated annexes, specify subscriber

access and other Physical Layers and sublayers for operation from 512 kb/s to 10 Gb/s, and defines services and protocol elements that enable the exchange of IEEE Std 802.3 format frames between stations in a subscriber access network. Clause 68 specifies a 10 Gb/s Physical Layer specification. Clause 69 through Clause 74 and associated annexes specify Ethernet operation over electrical backplanes at speeds of 1000 Mb/s and 10 Gb/s.

Section Six—Includes Clause 78 through Clause 95 and Annex 83A through Annex 93C. Clause 78 specifies Energy-Efficient Ethernet. Clause 79 specifies IEEE 802.3 Organizationally Specific Link Layer Discovery Protocol (LLDP) type, length, and value (TLV) information elements. Clause 80 through Clause 95 and associated annexes includes general information on 40 Gb/s and 100 Gb/s operation as well the 40 Gb/s and 100 Gb/s Physical Layer specifications. Clause 90 specifies Ethernet support for time synchronization protocols.

IEEE Std 802.3bw-2015

Amendment 1—This amendment includes changes to IEEE Std 802.3-2015 and adds Clause 96. This amendment adds 100 Mb/s Physical Layer (PHY) specifications and management parameters for operation on a single balanced twisted-pair copper cable.

IEEE Std 802.3by-2016

Amendment 2—This amendment includes changes to IEEE Std 802.3-2015 and adds Clause 105 through Clause 112, Annex 109A, Annex 109B, Annex 110A, Annex 110B, and Annex 110C. This amendment adds MAC parameters, Physical Layers, and management parameters for the transfer of IEEE 802.3 format frames at 25 Gb/s.

IEEE Std 802.3bq-2016

Amendment 3—This amendment includes changes to IEEE Std 802.3-2015 and adds Clause 113 and Annex 113A. This amendment adds new Physical Layers for 25 Gb/s and 40 Gb/s operation over balanced twisted-pair structured cabling systems.

IEEE Std 802.3bp-2016

Amendment 4—This amendment includes changes to IEEE Std 802.3-2015 and adds Clause 97 and Clause 98. This amendment adds point-to-point 1 Gb/s Physical Layer (PHY) specifications and management parameters for operation on a single balanced twisted-pair copper cable in automotive and other applications not utilizing the structured wiring plant.

IEEE Std 802.3br-2016

Amendment 5—This amendment includes changes to IEEE Std 802.3-2015 and adds Clause 99. This amendment adds a MAC Merge sublayer and a MAC Merge Service Interface to support for Interspersing Express Traffic over a single link.

IEEE Std 802.3bn-2016

Amendment 6—This amendment adds the Physical Layer specifications and management parameters for symmetric and/or asymmetric operation of up to 10 Gb/s on point-to-multipoint Radio Frequency (RF) distribution plants comprising either amplified or passive coaxial media. It also extends the operation of Ethernet Passive Optical Networks (EPON) protocols, such as Multipoint Control Protocol (MPCP) and Operation Administration and Management (OAM).

IEEE Std 802.3bz™-2016

This amendment includes changes to IEEE Std 802.3-2015 and adds Clause 125 and Clause 126. This amendment adds new rates of 2.5 Gb/s and 5 Gb/s and new Physical Layers for operation at 2.5 Gb/s and 5 Gb/s over balanced twisted-pair structured cabling systems.

A companion document IEEE Std 802.3.1 describes Ethernet management information base (MIB) modules for use with the Simple Network Management Protocol (SNMP). IEEE Std 802.3.1 is updated to add management capability for enhancements to IEEE Std 802.3 after approval of the enhancements.

IEEE Std 802.3 will continue to evolve. New Ethernet capabilities are anticipated to be added within the next few years as amendments to this standard.

Contents

1. Introduction.....	22
1.1 Overview.....	22
1.1.3 Architectural perspectives.....	22
1.1.3.2 Compatibility interfaces.....	22
1.3 Normative references.....	22
1.4 Definitions.....	22
1.5 Abbreviations.....	24
4. Media Access Control.....	25
4.4 Specific implementations.....	25
4.4.2 MAC parameters.....	25
28. Physical Layer link signaling for Auto-Negotiation on twisted pair.....	26
28.3 State diagrams and variable definitions.....	26
28.3.1 State diagram variables.....	26
30. Management.....	27
30.3 Layer management for DTEs.....	27
30.3.2 PHY device managed object class.....	27
30.3.2.1 PHY device attributes.....	27
30.3.2.1.2 aPhyType.....	27
30.3.2.1.3 aPhyTypeList.....	27
30.5 Layer management for medium attachment units (MAUs).....	27
30.5.1 MAU managed object class.....	27
30.5.1.1 MAU attributes.....	27
30.5.1.1.2 aMAUType.....	27
30.5.1.1.4 aMediaAvailable.....	27
30.5.1.1.24 aLDFastRetrainCount.....	28
30.5.1.1.25 aLPFastRetrainCount.....	28
30.6 Management for link Auto-Negotiation.....	28
30.6.1 Auto-Negotiation managed object class.....	28
30.6.1.1 Auto-Negotiation attributes.....	28
30.6.1.1.5 aAutoNegLocalTechnologyAbility.....	28
45. Management Data Input/Output (MDIO) Interface.....	29
45.1 Overview.....	29
45.2 MDIO Interface Registers.....	29
45.2.1 PMA/PMD registers.....	29
45.2.1.1 PMA/PMD control 1 register (Register 1.0).....	29
45.2.1.1.3 Speed selection (1.0.13, 1.0.6, 1.0.5:2).....	30
45.2.1.4 PMA/PMD speed ability (Register 1.4).....	30
45.2.1.4.aa 5G capable (1.4.14).....	30
45.2.1.4.ab 2.5G capable (1.4.13).....	30
45.2.1.6 PMA/PMD control 2 register (Register 1.7).....	31
45.2.1.7 PMA/PMD status 2 register (Register 1.8).....	31
45.2.1.7.4 Transmit fault (1.8.11).....	31

45.2.1.7.5	Receive fault (1.8.10).....	31
45.2.1.8	PMD transmit disable register (Register 1.9)	32
45.2.1.10	PMA/PMD extended ability register (Register 1.11)	32
45.2.1.10.aaa	2.5G/5G extended abilities (1.11.14).....	32
45.2.1.14c	2.5G/5G PMA/PMD extended ability register (Register 1.21)	32
45.2.1.14c.1	5GBASE-T ability (1.21.1).....	32
45.2.1.14c.2	2.5GBASE-T ability (1.21.0).....	33
45.2.1.62	MultiGBASE-T status (Register 1.129).....	33
45.2.1.62.1	LP information valid (1.129.0)	33
45.2.1.64	MultiGBASE-T TX power backoff and PHY short reach setting (Register 1.131)	33
45.2.1.64.1	MultiGBASE-T TX power backoff settings (1.131.15:10)	33
45.2.1.65	MultiGBASE-T test mode register (Register 1.132)	34
45.2.1.65.1	Test mode control (1.132.15:13).....	34
45.2.1.65.2	Transmitter test frequencies (1.132.12:10)	34
45.2.1.74	RX signal power channel A register (Register 1.141)	34
45.2.1.75	RX signal power channel B register (Register 1.142)	34
45.2.1.76	RX signal power channel C register (Register 1.143)	34
45.2.1.77	RX signal power channel D register (Register 1.144)	35
45.2.1.78	MultiGBASE-T skew delay register (Registers 1.145 and 1.146)	35
45.2.1.79	MultiGBASE-T fast retrain status and control register (Register 1.147)	35
45.2.1.79.1	LP fast retrain count (1.147.15:11)	35
45.2.1.79.2	LD fast retrain count (1.147.10:6)	35
45.2.1.79.5	Fast retrain signal type (1.147.2:1)	36
45.2.1.79.6	Fast retrain enable (1.147.0)	36
45.2.3	PCS registers.....	36
45.2.3.1	PCS control 1 register (Register 3.0)	36
45.2.3.1.2	Loopback (3.0.14).....	36
45.2.3.4	PCS speed ability register (Register 3.4)	37
45.2.3.4.6	2.5G capable (3.4.6).....	37
45.2.3.4.7	5G Capable (3.4.7).....	37
45.2.3.6	PCS control 2 register (Register 3.7)	38
45.2.3.7	PCS status 2 register (Register 3.8)	38
45.2.3.7.1a	5GBASE-T capable (3.8.13).....	38
45.2.3.7.1b	2.5GBASE-T capable (3.8.12).....	38
45.2.3.9a	EEE control and capability 2 register (Register 3.21)	39
45.2.3.9a.2	5GBASE-T EEE supported (3.21.1).....	39
45.2.3.9a.3	2.5GBASE-T EEE supported (3.21.0).....	39
45.2.3.13	BASE-R and MultiGBASE-T PCS status 1 register (Register 3.32)	39
45.2.3.13.1	BASE-R and MultiGBASE-T receive link status (3.32.12)	39
45.2.3.13.4	BASE-R and MultiGBASE-T PCS high BER (3.32.1)	39
45.2.3.13.5	BASE-R and MultiGBASE-T block lock (3.32.0)	40
45.2.3.14	BASE-R and MultiGBASE-T PCS status 2 register (Register 3.33)	40
45.2.3.14.3	BER (3.33.13:8).....	40
45.2.3.14.4	Errored blocks (3.33.7:0)	40
45.2.7	Auto-Negotiation registers.....	41
45.2.7.10	MultiGBASE-T AN control 1 register (Register 7.32).....	41
45.2.7.10.4ca	5GBASE-T capability (7.32.8)	41
45.2.7.10.4cb	2.5GBASE-T capability (7.32.7)	41
45.2.7.10.4cc	5GBASE-T Fast retrain ability (7.32.6).....	42
45.2.7.10.4cd	2.5GBASE-T Fast retrain ability (7.32.5).....	42
45.2.7.11	MultiGBASE-T AN status 1 register (Register 7.33).....	42
45.2.7.11.1	MASTER-SLAVE configuration fault (7.33.15)	42
45.2.7.11.2	MASTER-SLAVE configuration resolution (7.33.14).....	43

45.2.7.11.7ba	Link partner 5GBASE-T capability (7.33.6)	43
45.2.7.11.7bb	Link partner 2.5GBASE-T capability (7.33.5)	43
45.2.7.11.7bc	5GBASE-T Fast retrain ability (7.33.4)	43
45.2.7.11.7bd	2.5GBASE-T Fast retrain ability (7.33.3)	43
45.2.7.13	EEE advertisement 1 (Register 7.60)	43
45.2.7.14	EEE link partner ability 1 (Register 7.61)	44
45.2.7.14aa	EEE advertisement 2 (Register 7.62)	45
45.2.7.14aa.1	5GBASE-T EEE (7.62.1)	45
45.2.7.14aa.2	2.5GBASE-T EEE (7.62.0)	45
45.2.7.14ab	EEE link partner ability 2 (Register 7.63)	45
45.2.7.14a	MultiGBASE-T AN control 2 (Register 7.64)	46
45.2.7.14a.a	2.5GBASE-T THP Bypass Request	46
45.2.7.14a.b	5GBASE-T THP Bypass Request	47
45.2.7.14b	MultiGBASE-T AN status 2 (Register 7.65)	47
45.2.7.14b.a	2.5GBASE-T Link Partner THP Bypass Request	47
45.2.7.14b.b	5GBASE-T Link Partner THP Bypass Request	47
45.5	Protocol implementation conformance statement (PICS) proforma for Clause 45, Management Data Input/Output (MDIO) interface	48
45.5.3	PICS proforma tables for the Management Data Input Output (MDIO) interface	48
45.5.3.2	PMA/PMD MMD options	48
45.5.3.3	PMA/PMD management functions	48
45.5.3.9	Auto-Negotiation management functions	49
46.	Reconciliation Sublayer (RS) and 10 Gigabit Media Independent Interface (XGMII)	50
46.1	Overview	50
46.1.1	Summary of major concepts	50
46.1.2	Application	50
46.1.3	Rate of operation	50
46.3.1.1	TX_CLK (10 Gb/s transmit clock)	51
46.3.2.1	RX_CLK (receive clock)	51
46.5	XGMII electrical characteristics	51
46.6	Protocol implementation conformance statement (PICS) proforma for Clause 46, Reconciliation Sublayer (RS) and 10 Gigabit Media Independent Interface (XGMII)	52
46.6.3	PICS proforma Tables for Reconciliation Sublayer and 10 Gigabit Media Independent Interface	52
46.6.3.1	General	52
46.6.3.6	XGMII signal functional specifications	52
78.	Energy-Efficient Ethernet (EEE)	53
78.1	Overview	53
78.1.4	PHY types optionally supporting EEE	53
78.2	LPI mode timing parameters description	53
78.3	Capabilities Negotiation	53
78.5	Communication link access latency	54
125.	Introduction to 2.5 Gb/s and 5 Gb/s networks	55
125.1	Overview	55
125.1.1	Scope	55
125.1.2	Relationship of 2.5 Gigabit and 5 Gigabit Ethernet to the ISO OSI reference model	55
125.1.3	Nomenclature	55

125.1.4	Physical Layer signaling systems	56
125.2	Summary of 2.5 Gigabit and 5 Gigabit Ethernet sublayers	57
125.2.1	Reconciliation Sublayer (RS) and Media Independent Interface	57
125.2.2	Physical Coding Sublayer (PCS)	57
125.2.3	Physical Medium Attachment sublayer (PMA)	57
125.2.4	Auto-Negotiation, type BASE-T	58
125.2.5	Management interface (MDIO/MDC)	58
125.2.6	Management	58
125.3	Delay Constraints	58
126.	Physical Coding Sublayer (PCS), Physical Medium Attachment (PMA) sublayer, and baseband medium, types 2.5GBASE-T and 5GBASE-T	59
126.1	Overview	59
126.1.1	Nomenclature	59
126.1.2	Relationship of 2.5GBASE-T and 5GBASE-T to other standards	59
126.1.3	Operation of 2.5GBASE-T and 5GBASE-T	60
126.1.3.1	Summary of Physical Coding Sublayer (PCS)	64
126.1.3.2	Summary of Physical Medium Attachment (PMA) sublayer	64
126.1.3.3	Summary of EEE capability	65
126.1.4	Signaling	66
126.1.5	Interfaces	66
126.1.6	Conventions in this clause	67
126.2	2.5GBASE-T and 5GBASE-T service primitives and interfaces	67
126.2.1	Technology Dependent Interface	67
126.2.1.1	PMA_LINK.request	67
126.2.1.1.1	Semantics of the primitive	67
126.2.1.1.2	When generated	68
126.2.1.1.3	Effect of receipt	68
126.2.1.2	PMA_LINK.indication	68
126.2.1.2.1	Semantics of the primitive	68
126.2.1.2.2	When generated	68
126.2.1.2.3	Effect of receipt	68
126.2.2	PMA service interface	68
126.2.2.1	PMA_TXMODE.indication	70
126.2.2.1.1	Semantics of the primitive	70
126.2.2.1.2	When generated	70
126.2.2.1.3	Effect of receipt	70
126.2.2.2	PMA_CONFIG.indication	70
126.2.2.2.1	Semantics of the primitive	70
126.2.2.2.2	When generated	70
126.2.2.2.3	Effect of receipt	71
126.2.2.3	PMA_UNITDATA.request	71
126.2.2.3.1	Semantics of the primitive	71
126.2.2.3.2	When generated	71
126.2.2.3.3	Effect of receipt	71
126.2.2.4	PMA_UNITDATA.indication	71
126.2.2.4.1	Semantics of the primitive	72
126.2.2.4.2	When generated	72
126.2.2.4.3	Effect of receipt	72
126.2.2.5	PMA_SCRSTATUS.request	72
126.2.2.5.1	Semantics of the primitive	72
126.2.2.5.2	When generated	72
126.2.2.5.3	Effect of receipt	72

126.2.2.6	PMA_PCSSTATUS.request	72
126.2.2.6.1	Semantics of the primitive	72
126.2.2.6.2	When generated	73
126.2.2.6.3	Effect of receipt	73
126.2.2.7	PMA_RXSTATUS.indication	73
126.2.2.7.1	Semantics of the primitive	73
126.2.2.7.2	When generated	73
126.2.2.7.3	Effect of receipt	73
126.2.2.8	PMA_REMRXSTATUS.request	73
126.2.2.8.1	Semantics of the primitive	73
126.2.2.8.2	When generated	74
126.2.2.8.3	Effect of receipt	74
126.2.2.9	PMA_ALERTDETECT.indication	74
126.2.2.9.1	Semantics of the primitive	74
126.2.2.9.2	When generated	74
126.2.2.9.3	Effect of receipt	74
126.2.2.10	PCS_RX_LPI_STATUS.request	74
126.2.2.10.1	Semantics of the primitive	74
126.2.2.10.2	When generated	75
126.2.2.10.3	Effect of receipt	75
126.2.2.11	PMA_PCSDATAMODE.indication	75
126.2.2.11.1	Semantics of the primitive	75
126.2.2.11.2	When generated	75
126.2.2.11.3	Effect of receipt	75
126.2.2.12	PMA_FR_ACTIVE.indication	75
126.2.2.12.1	Semantics of the primitive	75
126.2.2.12.2	When generated	76
126.2.2.12.3	Effect of receipt	76
126.3	Physical Coding Sublayer (PCS)	76
126.3.1	PCS service interface (XGMII)	76
126.3.2	PCS functions	76
126.3.2.1	PCS Reset function	77
126.3.2.2	PCS Transmit function	78
126.3.2.2.1	Use of blocks	79
126.3.2.2.2	65B-LDPC transmission code	79
126.3.2.2.3	Notation conventions	79
126.3.2.2.4	Transmission order	79
126.3.2.2.5	Block structure	79
126.3.2.2.6	Control codes	82
126.3.2.2.7	Ordered sets	82
126.3.2.2.8	Idle (/I)	82
126.3.2.2.9	LPI (/LI)	84
126.3.2.2.10	Start (/S)	84
126.3.2.2.11	Terminate (/T)	84
126.3.2.2.12	ordered set (/O)	84
126.3.2.2.13	Error (/E)	85
126.3.2.2.14	Transmit process	85
126.3.2.2.15	PCS Scrambler	85
126.3.2.2.16	LDPC framing and LDPC encoder	85
126.3.2.2.17	Substitution for zero-bit fill	86
126.3.2.2.18	PAM16 bit mapping	86
126.3.2.2.19	EEE capability	87
126.3.2.3	PCS Receive function	88
126.3.2.3.1	Frame and block synchronization	89

126.3.2.3.2	PCS descrambler	90
126.3.2.3.3	Invalid blocks	90
126.3.3	Test-pattern generators	91
126.3.4	PMA training side-stream scrambler polynomials	91
126.3.4.1	Generation of bits San, Sbn, Scn, Sdn	92
126.3.4.2	Generation of 4D symbols TAn, TBn, TCn, TDn	92
126.3.4.3	PMA training mode descrambler polynomials	93
126.3.5	LPI signaling	93
126.3.5.1	LPI Synchronization	94
126.3.5.2	Quiet period signaling	95
126.3.5.3	Refresh period signaling	95
126.3.6	Detailed functions and state diagrams	95
126.3.6.1	State diagram conventions	95
126.3.6.2	State diagram parameters	96
126.3.6.2.1	Constants	96
126.3.6.2.2	Variables	96
126.3.6.2.3	Timers	98
126.3.6.2.4	Functions	99
126.3.6.2.5	Counters	100
126.3.6.3	State diagrams	101
126.3.7	PCS management	101
126.3.7.1	Status	101
126.3.7.2	Counters	102
126.3.7.3	Loopback	109
126.4	Physical Medium Attachment (PMA) sublayer	109
126.4.1	PMA functional specifications	109
126.4.2	PMA functions	110
126.4.2.1	PMA Reset function	110
126.4.2.2	PMA Transmit function	110
126.4.2.2.1	Alert signal	110
126.4.2.2.2	Link failure signal	112
126.4.2.3	PMA transmit disable function	112
126.4.2.3.1	Global PMA transmit disable function	112
126.4.2.3.2	PMA pair by pair transmit disable function	112
126.4.2.3.3	PMA MDIO function mapping	112
126.4.2.4	PMA Receive function	113
126.4.2.5	PHY Control function	114
126.4.2.5.1	Infofield notation	115
126.4.2.5.2	Start of Frame Delimiter	115
126.4.2.5.3	Current transmitter settings	115
126.4.2.5.4	Next transmitter settings	116
126.4.2.5.5	Requested transmitter settings	116
126.4.2.5.6	Message field	116
126.4.2.5.7	SNR_margin	117
126.4.2.5.8	Transition counter	118
126.4.2.5.9	Coefficient exchange handshake	118
126.4.2.5.10	Ability fields	118
126.4.2.5.11	Reserved fields	118
126.4.2.5.12	Vendor-specific field	118
126.4.2.5.13	Coefficient field	119
126.4.2.5.14	CRC16	119
126.4.2.5.15	Startup sequence	119
126.4.2.5.16	Fast retrain function	122
126.4.2.6	Link Monitor function	123

126.4.2.7	Refresh Monitor function.....	123
126.4.2.8	Clock Recovery function.....	123
126.4.3	MDI.....	123
126.4.3.1	MDI signals transmitted by the PHY.....	123
126.4.3.2	Signals received at the MDI.....	125
126.4.4	Automatic MDI/MDI-X configuration.....	125
126.4.5	State variables.....	126
126.4.5.1	State diagram variables.....	126
126.4.5.2	Timers.....	129
126.4.5.3	Functions.....	130
126.4.5.4	Counters.....	130
126.4.6	State diagrams.....	131
126.4.6.1	PHY Control state diagram.....	131
126.4.6.2	Transition counter state diagrams.....	132
126.4.6.3	Link Monitor state diagram.....	134
126.4.6.4	EEE Refresh monitor state diagram.....	135
126.4.6.5	Fast retrain state diagram.....	136
126.5	PMA electrical specifications.....	136
126.5.1	Isolation requirement.....	136
126.5.2	Test modes.....	136
126.5.2.1	Test fixtures.....	139
126.5.3	Transmitter electrical specifications.....	140
126.5.3.1	Maximum output droop.....	140
126.5.3.2	Transmitter nonlinear distortion.....	141
126.5.3.3	Transmitter timing jitter.....	141
126.5.3.4	Transmitter power spectral density (PSD) and power level.....	142
126.5.3.5	Transmit clock frequency.....	143
126.5.4	Receiver electrical specifications.....	143
126.5.4.1	Receiver differential input signals.....	143
126.5.4.2	Receiver frequency tolerance.....	143
126.5.4.3	Rejection of External EM Fields.....	144
126.5.4.4	Alien crosstalk noise rejection.....	144
126.6	Management interfaces.....	145
126.6.1	Support for Auto-Negotiation.....	145
126.6.1.1	2.5GBASE-T and 5GBASE-T use of registers during Auto-Negotiation.....	145
126.6.1.2	2.5GBASE-T and 5GBASE-T Auto-Negotiation page use.....	146
126.6.1.3	Sending Next Pages.....	148
126.6.2	MASTER-SLAVE configuration resolution.....	148
126.7	Link segment characteristics.....	150
126.7.1	Cabling system characteristics.....	151
126.7.2	Link segment transmission parameters.....	151
126.7.2.1	Insertion loss.....	152
126.7.2.2	Differential characteristic impedance.....	152
126.7.2.3	Return loss.....	152
126.7.2.4	Coupling parameters between duplex channels comprising one link segment....	153
126.7.2.4.1	Differential near-end crosstalk.....	153
126.7.2.4.2	Multiple disturber near-end crosstalk (MDNEXT) loss.....	153
126.7.2.4.3	Multiple disturber power sum near-end crosstalk (PSNEXT) loss.....	154
126.7.2.4.4	Attenuation to crosstalk ratio, far-end (ACRF).....	154
126.7.2.4.5	Multiple disturber attenuation to crosstalk ratio, far-end (MDACRF).....	155
126.7.2.4.6	Multiple disturber power sum attenuation to crosstalk ratio, far-end (PS ACRF).....	156
126.7.2.5	Maximum link delay.....	156
126.7.2.6	Link delay skew.....	156

126.7.3	Coupling parameters between link segments.....	156
126.7.3.1	Alien crosstalk limited signal-to-noise ratio criteria.....	156
126.8	MDI specification.....	162
126.8.1	MDI connectors.....	162
126.8.2	MDI electrical specifications.....	163
126.8.2.1	MDI FEXT.....	163
126.8.2.2	MDI return loss.....	163
126.8.2.3	MDI impedance balance.....	163
126.8.2.4	MDI fault tolerance.....	164
126.9	Environmental specifications.....	164
126.9.1	General safety.....	164
126.9.2	Network safety.....	165
126.9.3	Installation and maintenance guidelines.....	165
126.9.4	Telephone voltages.....	165
126.9.5	Electromagnetic compatibility.....	165
126.9.6	Temperature and humidity.....	166
126.10	PHY labeling.....	166
126.11	Delay constraints.....	166
126.12	Protocol implementation conformance statement (PICS) proforma for Clause 126— Physical Coding Sublayer (PCS), Physical Medium Attachment (PMA) sublayer, and baseband medium, types 2.5GBASE-T and 5GBASE-T.....	167
126.12.1	Identification.....	167
126.12.1.1	Implementation identification.....	167
126.12.1.2	Protocol summary.....	167
126.12.2	Major capabilities/options.....	168
126.12.3	Physical Coding Sublayer (PCS).....	168
126.12.3.1	PCS Transmit functions.....	168
126.12.3.2	PCS Receive functions.....	170
126.12.3.3	Other PCS functions.....	170
126.12.4	Physical Medium Attachment (PMA).....	170
126.12.5	PMA Electrical Specifications.....	173
126.12.6	PMA Management Interface.....	175
126.12.7	Characteristics of the link segment.....	176
126.12.8	MDI requirements.....	176
126.12.9	General safety and environmental requirements.....	177
126.12.10	Timing requirements.....	177
Annex 28B (normative)	IEEE 802.3 Selector Base Page definition.....	178
28B.3	Priority resolution.....	178
Annex 28C (normative)	Next Page Message Code field definitions.....	179
28C.11	Message code 9—MultiGBASE-T and 1000BASE-T technology message code.....	179
Annex 28D (normative)	Description of extensions to Clause 28 and associated annexes.....	180
28D.9	Extensions required for Clause 126 (2.5G/5GBASE-T).....	180
Annex 31B (normative)	MAC Control PAUSE operation.....	181
31B.3	Detailed specification of PAUSE operation.....	181
31B.3.7	Timing considerations for PAUSE operation.....	181
31B.4	Protocol implementation conformance statement (PICS) proforma for MAC Control	

PAUSE operation	182
31B.4.3 Major capabilities/options.....	182
31B.4.6 PAUSE command MAC timing considerations	183

IEEE Standard for Ethernet

Amendment 7: Media Access Control Parameters, Physical Layers, and Management Parameters for 2.5 Gb/s and 5 Gb/s Operation

IMPORTANT NOTICE: IEEE Standards documents are not intended to ensure safety, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

This IEEE document is made available for use subject to important notices and legal disclaimers. These notices and disclaimers appear in all publications containing this document and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

NOTE—The editing instructions contained in this amendment define how to merge the material contained therein into the existing base standard and its amendments to form the comprehensive standard.¹

The editing instructions are shown in ***bold italic***. Four editing instructions are used: change, delete, insert, and replace. ***Change*** is used to make corrections in existing text or tables. The editing instruction specifies the location of the change and describes what is being changed by using ~~striketrough~~ (to remove old material) and underscore (to add new material). ***Delete*** removes existing material. ***Insert*** adds new material without disturbing the existing material. Deletions and insertions may require renumbering. If so, renumbering instructions are given in the editing instruction. ***Replace*** is used to make changes in figures or equations by removing the existing figure or equation and replacing it with a new one. Editing instructions, change markings, and this NOTE will not be carried over into future editions because the changes will be incorporated into the base standard.

Cross references that refer to clauses, tables, equations, or figures not covered by this amendment are highlighted in **green**.

¹Notes in text, tables, and figures are given for information only and do not contain requirements needed to implement the standard.