

# IEEE Guide for the Application of Faulted Circuit Indicators on Distribution Circuits

IEEE Power and Energy Society

Sponsored by the  
Insulated Conductors Committee

---

IEEE  
3 Park Avenue  
New York, NY 10016-5997  
USA

**IEEE Std 1610™-2016**  
(Revision of  
IEEE Std 1610-2007)

# **IEEE Guide for the Application of Faulted Circuit Indicators on Distribution Circuits**

Sponsor

**Insulated Conductors Committee  
of the  
IEEE Power and Energy Society**

Approved 7 December 2016

**IEEE-SA Standards Board**

**Abstract:** Information on what a faulted circuit indicator (FCI) is designed to do, along with methods for selecting and applying FCIs for 200 / 600 A distribution circuits are described in this application guide.

**Keywords:** fault circuit indicator, fault indicators, fault sensors, FCIs, IEEE 1610™

---

The Institute of Electrical and Electronics Engineers, Inc.  
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2017 by The Institute of Electrical and Electronics Engineers, Inc.  
All rights reserved. Published 22 May 2017. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-3804-9      STD22455  
Print: ISBN 978-1-5044-3805-6      STDPD22455

*IEEE prohibits discrimination, harassment, and bullying.*

*For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.*

*No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.*

## Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

### Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards are documents developed through scientific, academic, and industry-based technical working groups. Volunteers in IEEE working groups are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

## Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

## Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

## Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board  
445 Hoes Lane  
Piscataway, NJ 08854 USA

## Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

## Copyrights

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

## Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

## Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Xplore at <http://ieeexplore.ieee.org/> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

## Errata

Errata, if any, for all IEEE standards can be accessed on the on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

## Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association

## Participants

At the time this guide was completed, the Faulted Circuit Indicator Working Group had the following membership:

**Francis Angerer, *Chair***  
**Briana Reed-Harmel, *Vice Chair***

John Hans  
Harry Hayes

Bruce Hoepfner  
Edward Jankowich

Faris Jibril  
Eugene Weaver

The following members of the individual balloting committee voted on this guide. Balloters may have voted for approval, disapproval, or abstention.

John Ainscough  
Saleman Alibhay  
Kraig Bader  
Thomas Barnes  
Earle Bascom III  
Martin Baur  
Kenneth Bow  
Robert Christman  
Kurt Clemente  
Gary Donner  
Donald Dunn  
Michael Dyer  
Michael Faulkenberry  
Randall Groves  
Ajit Gwal  
Jeffrey Hartenberger  
Jeffrey Helzer

Lee Herron  
Werner Hoelzl  
Richard Jackson  
Song Jin  
Yuri Khersonsky  
Jim Kulchisky  
Pradeep Kumar  
Chung-Yiu Lam  
Benjamin Lanz  
Michael Lauxman  
William McBride  
John Merando  
Daleep Mohla  
Bruce Muschlitz  
Michael Newman  
Aaron Norris  
Lorraine Padden

Christopher Petrola  
Charles Rogers  
Timothy Royster  
Daniel Sabin  
Steven Sano  
Bartien Sayogo  
Jeremy Smith  
Jerry Smith  
Nijam Uddin  
John Vergis  
Martin Von Herrmann  
Daniel Ward  
Eugene Weaver  
Lee Welch  
Carl Wentzel  
Kenneth White  
Alan Yerges

When the IEEE-SA Standards Board approved this guide on 7 December 2016, it had the following membership:

**Jean-Philippe Faure, *Chair***  
**Ted Burse, *Vice Chair***  
**John D. Kulick, *Past Chair***  
**Konstantinos Karachalios, *Secretary***

Chuck Adams  
Masayuki Ariyoshi  
Stephen Dukes  
Jianbin Fan  
J. Travis Griffith  
Gary Hoffman

Ronald W. Hotchkiss  
Michael Janezic  
Joseph L. Koepfinger\*  
Hung Ling  
Kevin Lu  
Annette D. Reilly  
Gary Robinson

Mehmet Ulema  
Yingli Wen  
Howard Wolfman  
Don Wright  
Yu Yuan  
Daidi Zhong

\*Member Emeritus

## Introduction

This introduction is not part of IEEE Std 1610-2016, IEEE Guide for the Application of Faulted Circuit Indicators on Distribution Circuits.

This guide is intended as a supplement to the training in the use of high voltage electrical equipment, established safe operating procedures, and the manufacturer's instructions for the application of faulted circuit indicators (FCIs). Installers and operators of FCIs require formal training in the use of high voltage electrical equipment. It is the users' responsibility to establish safe operating procedures and to provide training. The manufacturers are required to provide installation and operating instructions for their products.

This application guide is the product of close collaboration between representatives of both users and manufacturers of FCIs.

## Contents

1. Overview.....	9
1.1 Scope.....	9
1.2 Purpose.....	9
2. Definitions, acronyms, and abbreviations .....	9
2.1 Definitions.....	9
2.2 Acronyms and abbreviations .....	11
3. Application of faulted circuit indicators (FCIs).....	11
3.1 Types of FCIs.....	11
3.2 FCI display .....	12
4. Three-phase distribution circuit considerations.....	12
4.1 Introduction .....	12
4.2 Fault types .....	13
4.3 Switching and inrush .....	14
4.4 Cold load pickup.....	15
4.5 Interference/backfeed energy .....	15
4.6 FCI installation guidelines.....	20
Annex A (informative) Application information .....	23
Annex B (informative) Bibliography .....	24

# IEEE Guide for the Application of Faulted Circuit Indicators on Distribution Circuits

## 1. Overview

Faulted circuit indicators (FCIs) used by the electric utility industry are applied to circuits rated 69 kV and below. This guide will describe the application of FCIs to these circuits.

### 1.1 Scope

This application guide provides information on what an FCI is designed to do and describes methods for selecting and applying FCIs for 200 / 600 A circuits rated 69 kV and below.

### 1.2 Purpose

The purpose of this guide is to provide an industry document that is informative for the application and use of FCIs on electric power distribution systems.

## 2. Definitions, acronyms, and abbreviations

### 2.1 Definitions

For the purposes of this document, the following terms and definitions apply. The *IEEE Standards Dictionary Online* should be consulted for terms not defined in this clause.<sup>1</sup>

**automatic reset faulted circuit indicator (FCI):** A type of FCI that resets automatically after an operation. Automatic reset control parameters include voltage, current, and time, and combinations of these three parameters.

**backfeed current:** Current that is present on one or more phases of an electrical distribution circuit while the phase(s) are disconnected at the source.

**backfeed voltage:** Voltage that is present on one or more phases of an electrical distribution circuit while the phase(s) are disconnected at the source.

**bolted fault:** A short-circuit condition that assumes zero impedance at the point of the fault.

---

<sup>1</sup>*IEEE Standards Dictionary Online* is available at: <http://dictionary.ieee.org>.