

IEEE Std 3004.8™ -2016

Recommended Practice
for Motor Protection in
Industrial and Commercial
Power Systems



IEEE Recommended Practice for Motor Protection in Industrial and Commercial Power Systems

Sponsor

Technical Books Coordinating Committee
of the
IEEE Industry Applications Society

Approved 7 December 2016

IEEE-SA Standards Board

Abstract: The protection of motors used in industrial and commercial power systems is covered. It is likely to be of greatest value to the power-oriented engineer with limited experience in the area of protection and control. It can also be an aid to all engineers responsible for the electrical design of industrial and commercial power systems.

Keywords: coordination, IEEE 3004.8, induction motors, inverse-time overcurrent element, motor protection, motor protection relay, negative sequence characteristics, overcurrent protection, permanent magnet motors, relay protection, resistive temperature detector, rotors, rotor thermal protection, stators, stator thermal protection, synchronous motors, temperature detector voting, temperature sensors, thermal model overload protection, unbalanced protection

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2017 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 15 May 2017. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-3608-3 STD22343
Print: ISBN 978-1-5044-3609-0 STDPD22343

IEEE prohibits discrimination, harassment, and bullying.
For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards are documents developed through scientific, academic, and industry-based technical working groups. Volunteers in IEEE working groups are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under US and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every 10 years. When a document is more than 10 years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Xplore at <http://ieeexplore.ieee.org/> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Copyrights and Permissions

Every effort has been made to secure permission to reprint borrowed material contained in this document. If omissions have been made, please bring them to our attention.

Portions of this standard reprinted with permission from IEEE Std 1349™, © 2011 IEEE.

Portions of this standard reprinted with permission from IEEE Std C37.2™, © 2008 IEEE.

Portions of this standard reprinted with permission from IEEE Std C37.96™, © 2012 IEEE.

Portions of this standard reprinted with permission from NEMA MG-1, © 2011.

Portions of this standard reprinted with permission from NEMA MG-10, © 2013.

Figures 2, 3, 4, 5, 11, 17, 18, 43, 44, 45, 46, 47, and 54 courtesy of Schneider Electric.

Figures 7, 8, 19, 20, 38, and 39 courtesy of C&I Engineering.

Figure 9 through Figure 21 courtesy of Basler Electric.

Figure 10 courtesy of EASA.

Figure 12 courtesy of Beckwith Electric.

Figure 14 through Figure 16 and Table 5 courtesy of Padden Engineering, LLC.

Figures 31, 32, 33, and 34 courtesy of GE Bentley-Nevada.

Figures 48, 49, 50, 51, 52, 53, and D.1 courtesy of Rockwell Automation.

Figures C.1, C.2, and C.3 and Table C.1 courtesy of HVPD.

Figures D.2, D.3, and D.4 courtesy of DC Water.

Participants

At the time this IEEE standard was completed, the Protection and Coordination Working Group of the technical Books Coordinating Committee of the Industrial and Commercial Power Systems Department of the Industry Applications Society Working Group had the following membership:

Rasheek Rifaat, *Chair*
Donald McCullough II, *Vice Chair*

Carey Cook	Claudio Mardegan	Louie Powell
Thomas Domitrovich	Chuck Mozina	Daniel Ransom
Robert Hoerauf	Dan Neeser	Marcelo E. Valdes
Ed Larsen	Lorraine Padden	

At the time this IEEE recommended practice was completed, the IEEE 3004.8 Project Working Group had the following membership:

Rasheek Rifaat, *Working Group Committee Chair*
Lorraine K. Padden, *Project Working Group Chair*

Partha Basu	Jim Crook	Byron Hohrein
Thomas Beckwith	Randall Groves	Umar Khan
Sirak Belayneh	Jeffrey Hensley	John Kay
Robert David Bredhold	Chris Heron	Daniel Leland Ransom
James Bryan		Bill Stewart

The following individuals contributed to the development of this recommended practice, but were not working group members at the time this recommended practice was completed:

Smit Bavishi	Duane Leschert	Malcolm Seltzer-Grant
Paul Cardinal	Daniel Neeser	Manish Singh
Jerry Franklin	Timothy O’Hearn	Louis Spence
David Hinchliffe	Pero Ostojic	Mike Thomasson
Mayank Jain	David C. Rains†	Marcelo E. Valdes
Ed Larsen		Sunil Verma

†Posthumous

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Dave Aldrich	William Bush	Carl Fredericks
Mohammed Ashraf Ali	William Byrd	Timothy Gauthier
Thomas Beckwith	Eldridge Byron	J. Travis Griffith
Sirak Belayneh	Paul Cardinal	Jonathan Grooters
Wallace Binder	Sean Carr	Randall Groves
Thomas Bishop	Kurt Clemente	Paul Guidry
Thomas Blair	Stephen Conrad	Ajit Gwal
Dennis Bogh	Glenn Davis	Paul Hamer
Thomas Branch	Davide De Luca	Robert Hanna
Robert David Bredhold	Daniel Doan	Steven Hensley
Frederick Brockhurst	Gary Donner	Chris Heron
Bill Brown	Neal Dowling	Lee Herron
Gustavo Brunello	Keith Flowers	Erling Hesla
James Bryan	Gary Fox	Werner Hoelzl

Robert Hoerauf
Richard Holub
John Houdek
Umar Khan
Yuri Khersonsky
Royce King
Jim Kulchisky
Saumen Kundu
Mikhail Lagoda
Ed Larsen
Frank Hien Lau
Wei-Jen Lee
Duane Leschert
Thaichong Li
Albert Livshitz
John McAlhaney Jr.
William McBride
John Merando
Hugo Monterrubio

Charles Morse
Jerry Murphy
Paul Myers
Dennis Neitzel
Arthur Neubauer
Michael Newman
Joe Nims
T. W. Olsen
Lorraine Padden
Richard Paes
Antony Parsons
Howard Penrose
Iulian Profir
Daniel Leland Ransom
Samala Santosh Reddy
Charles Rogers
Ryandi Ryandi
Bartien Sayogo
Robert Schuerger

Robert Seitz
Nikunj Shah
Michael Simon
Jeremy Smith
Jerry Smith
Gary Smullin
Wayne Stec
David Tepen
Michael Thompson
Wayne Timm
Steven Turner
Marcelo E. Valdes
John Vergis
Peter Walsh
John Wang
Kenneth White
Murty V. V. Yalla
Jian Yu
David Zech

When the IEEE-SA Standards Board approved this standard on 7 December 2016, it had the following membership:

Jean-Philippe Faure, *Chair*
Ted Burse, *Vice Chair*
John D. Kulick, *Past Chair*
Konstantinos Karachalios, *Secretary*

Chuck Adams
Masayuki Ariyoshi
Stephen Dukes
Jianbin Fan
J. Travis Griffith
Gary Hoffman

Ronald W. Hotchkiss
Michael Janezic
Joseph L. Koepfinger*
Hung Ling
Kevin Lu
Annette D. Reilly
Gary Robinson

Mehmet Ulema
Yingli Wen
Howard Wolfman
Don Wright
Yu Yuan
Daidi Zhong

*Member Emeritus

Introduction

This introduction is not part of IEEE Std 3000.8–2016, Recommended Practice for Motor Protection in Industrial and Commercial Power Systems.

IEEE 3000 Standards Collection™

This recommended practice was developed by the Technical Books Coordinating Committee of the Industrial and Commercial Power Systems Department of the Industry Applications Society as part of a project to repackage the popular IEEE Color Books®. The goal of this project is to speed up the revision process, eliminate duplicate material, and facilitate use of modern publishing and distribution technologies.

When this project is completed, the technical material in the 13 IEEE Color Books will be included in a series of new standards—the most significant of which will be a new standard, IEEE Std 3000™, IEEE Recommended Practice for the Engineering of Industrial and Commercial Power Systems. The new standard will cover the fundamentals of planning, design, analysis, construction, installation, startup, operation, and maintenance of electrical systems in industrial and commercial facilities. Approximately 60 additional dot standards, organized into the following categories, will provide in-depth treatment of many of the topics introduced by IEEE Std 3000™:

- Power Systems Design (3001 series)
- Power Systems Analysis (3002 series)
- Power Systems Grounding (3003 series)
- Protection and Coordination (3004 series)
- Emergency, Standby Power, and Energy Management Systems (3005 series)
- Power Systems Reliability (3006 series)
- Power Systems Maintenance, Operations, and Safety (3007 series)

In many cases, the material in a dot standard comes from a particular chapter of a particular IEEE Color Book. In other cases, material from several IEEE Color Books has been combined into a new dot standard.

IEEE Std 3004.8

A general update was made to the material from Chapter 10 of the *IEEE Buff Book*™. Material added or expanded includes details for reduced-voltage motor starting, recommended protection functions using multifunction motor protection relays for contactor controlled fused starters and breaker controlled starters, along with single-line and three-line diagrams, adjustable speed drive applications, dc motor protection, motor bus transfer, partial discharge monitoring, and a detailed example of motor protection using a multifunction motor protection relay.

Contents

1. Scope.....	16
2. Normative references	16
3. Definitions, abbreviations, and acronyms	19
3.1 Definitions	19
3.2 Acronyms and abbreviations	23
4. General discussion	25
4.1 Introduction	25
4.2 Low-voltage systems.....	26
4.3 Medium-voltage systems.....	26
5. Factors to consider in protection of motors.....	26
5.1 Motor characteristics	26
5.2 Motor-starting conditions	28
5.3 Ambient conditions	35
5.4 Driven equipment	35
5.5 Power system quality.....	36
5.6 Motor importance.....	36
5.7 Load side faults for motor controllers.....	36
5.8 Ground faults.....	37
5.9 Maintenance capability and schedule	37
5.10 Service factor.....	38
5.11 Application considerations	38
5.12 Motor and conductor protection	38
5.13 Fixed capacitor applications	40
6. Types of protection	40
6.1 Purpose of motor protection	40
6.2 Abnormal power supply conditions	43
6.3 Phase unbalance protection (Device 46, current) (Device 47, voltage) (Device 60).....	46
6.4 Overcurrent protection (Device 51, inverse time) (Device 50, instantaneous)	49
6.5 Ground fault relay.....	50
6.6 Underexcitation (loss of field) protection (Device 40).....	50
6.7 Overexcitation (volts/hertz) protection (Device 24).....	50
6.8 Bearing protection relay (Device 38).....	50
6.9 Mechanical condition protection relay (Device 39).....	50
6.10 Thermal and electronic overload protection (Device 49).....	50
6.11 Motor bus automatic transfer or reclosing	51
6.12 Multifunction relay (Device 11)	56
7. Low-voltage (LV) motor protection	58
7.1 Introduction	58
7.2 Low-voltage motor overcurrent protection.....	59
7.3 Low-voltage motor ground fault protection.....	63
7.4 Low-voltage motor stator winding overtemperature (Device 49S).....	64
7.5 Low-voltage motor undervoltage protection	66
8. MV motor protection.....	66
8.1 Introduction	66
8.2 MV motor thermal overload protection (Device 49).....	69
8.3 MV motor overcurrent protection.....	71

8.4	Fault protection.....	76
8.5	Monitors	81
8.6	Synchronous motor protection	94
8.7	Starting protection	98
8.8	Rotor winding protection.....	99
8.9	Lightning and surge protection	100
8.10	Protection against overexcitation from shunt capacitance	102
8.11	Protection against failure to rotate	103
9.	Protection for ac ASD applications.....	104
9.1	ASD general information.....	104
9.2	Low voltage ac ASD motor protection.....	111
9.3	MV ac ASD motor protection	112
10.	LV dc motor protection.....	122
10.1	General	122
10.2	Potential failure conditions.....	123
10.3	LV dc motor protection methods.....	123
10.4	Safety interlocks	125
10.5	Ambient environmental protection	125
11.	Motor protection for hazardous (Classified) locations.....	125
11.1	General	125
11.2	Motor protection for Class I, Division 2, and Class I, Zone 2 areas	125
11.3	Motor protection for Class II areas	126
	Annex A (informative) Bibliography.....	127
	Annex B (informative) IEEE device designations.....	132
	Annex C (informative) Motor condition monitors, online.....	139
	Annex D (informative) Motor protection examples	144
	Annex E (informative) Motor open circuit time constant	160

List of Figures

Figure 1—Typical motor-starting and capability curves (specific motor terminal voltage and for cold start)	29
Figure 2—Typical solid-state reduced-voltage motor starter with internal shorting device, schematic	31
Figure 3—Typical solid-state reduced-voltage motor starter with external shorting device controlled by “End of Start” relay, schematic	31
Figure 4—Wye-delta reduced-voltage starter, open transition	33
Figure 5—Wye-delta reduced-voltage starter, closed transition	34
Figure 6—Typical time-current and thermal limit characteristic curves	36
Figure 7—MV induction motor 1-line diagram, typical minimum protection functions with fuses	42
Figure 8—MV induction motor 3-line diagram, typical minimum protection functions with fuses	43
Figure 9—Device 47 VT locations and Device 46 CT location for motor protection	48
Figure 10—Loss-of-phase currents for various transformer and motor winding configurations	48
Figure 11—Thermal overload curves, a) cold and b) warm	51
Figure 12—Multifunction motor bus transfer system, Devices 25, 27, 50, 50BF, 60FL, 81	56
Figure 13—Multifunction motor protection relay, Device 11M	57
Figure 14—Five main areas of LV motor coordination studies (Padden and Pillai [B48])	59
Figure 15—Typical LV starter one-line diagrams for industrial applications using MCCs or combination starters	59
Figure 16—Time-current curve for a 100 hp motor with size 4 contactor, Class 10 overload, and an instantaneous trip circuit breaker with a setting of 12 times full load current	62
Figure 17—Typical PTC characteristics	65
Figure 18—Typical NTC characteristics	65
Figure 19—MV induction motor protection 1-line diagram, Device 11M, critical service protection functions, with breaker	68
Figure 20—MV induction motor protection 3-line diagram, Device 11M, critical service protection functions, with breaker	69
Figure 21—Typical motor curves	70
Figure 22—Typical setting of 50/51 overcurrent motor protection	72
Figure 23—Protection of high-inertia motor	73
Figure 24—Alternate method of protecting a high-inertia motor	74
Figure 25—Protection of high-inertia motor using an impedance relay	75
Figure 26—Schematic of locked rotor protection of Figure 25	75
Figure 27—Conventional phase differential protection using three (3) percentage differential relays	76

Figure 28—Motor differential protection	77
Figure 29—Split-winding motor overcurrent protection used with two windings per phase (one relay shown).....	78
Figure 30—Ground fault overcurrent protection using a zero sequence CT (Dudor and Padden [B12]).....	80
Figure 31—Vibration-monitoring system	86
Figure 32—Typical proximity transducer system: proximitors, cable, and probe.....	88
Figure 33—Typical proximity transducer installations	88
Figure 34—Vibration monitoring system panels.....	89
Figure 35—Machine vibration limits (Resiliently Mounted) per NEMA MG-1-2011, Part 7	92
Figure 36—Shaft vibration limits (relative to bearing housing using non-contact vibration probes): for all hydrodynamic sleeve-bearing motors; with the motor securely fastened to a massive foundation.....	93
Figure 37—Bearing housing vibration limits: for sleeve and antifriction bearing motors; with the motor securely fastened to a massive foundation	94
Figure 38—MV synchronous motor protection 1-line diagram, Device 11M, critical service protection functions, with breaker.....	95
Figure 39—MV synchronous motor protection 3-line diagram, Device 11M, critical service protection functions, with breaker.....	96
Figure 40—Rotor ground protection of wound-rotor motor.....	100
Figure 41—Excess shunt capacitance from utility line, which is likely to overexcite a large high-speed motor	103
Figure 42—Motor speed versus torque for adjustable speed drive power (NEMA 2007 [B42])	106
Figure 43—Typical LV adjustable speed drive.....	106
Figure 44—Typical adjustable speed drive zones of protection	107
Figure 45—Two-contactor bypass system	108
Figure 46—Three-contactor bypass system	108
Figure 47—Typical ASD internal overload protection for self-cooled motors	110
Figure 48—MV typical adjustable speed drive protection	114
Figure 49—Zone 1 protection with a transformer and ground fault protection; and without a transformer..	115
Figure 50—Zone 2 power electronics protection	116
Figure 51—Zone 3 induction and synchronous motor protection with and without differential.....	117
Figure 52—Typical V/Hz excitation curve of an induction motor.....	120
Figure 53—MV multi-motor synchronous transfer system.....	121
Figure 54—LV dc motor protection	124
Figure C.1—Three main types of OLPD sensors used for MV motors.....	140

Figure C.2—HFCT sensor installation—one per phase (permanent and temporary installation).....	141
Figure C.3—Measurement range for a wideband HFCT sensor connected at the switchgear enclosure for XLPE cables	142
Figure D.1—Critical service induction motor example, 1-line diagram.....	145
Figure D.2—MV example time current characteristic curve plot, phase faults	157
Figure D.3—MV example time current characteristic curve plot, ground faults	158
Figure D.4—MV example time current characteristic curve plot, locked rotor function.....	159
Figure E.1—Typical motor equivalent circuit	160

List of Tables

Table 1—Nameplate voltage ratings of standard LV induction motors	26
Table 2—Nameplate voltage ratings of standard MV induction motors	26
Table 3—Typical characteristics and applications of fixed frequency medium ac squirrel-cage induction motors (NEMA MG 10-2013 [B44])	27
Table 4—Comparison of electro-mechanical reduced-voltage starters	30
Table 5—Examples of 600 V conductor insulation types and their maximum short-circuit temperature ^a	39
Table 6—Typical motor protection functions ¹	41
Table 7—Unfiltered housing vibration limits per NEMA MG-1-2011, Part 7	91
Table 8—The equivalent motor insulation surge withstand voltage by present standard test for commercially used motor voltages	101
Table B.1—Relationship between IEEE Std C37.2 device function numbers, NEMA designations, and IEC 61850-7-4 logical nodes	132
Table B.2—Additional protection functions for synchronous motors and field excitation systems ^a	134
Table B.3—Security, communication, and other protection functions ^a	135
Table C.1—OLPD guideline levels for MV motors in the 10 kV to 15 kV voltage class	143
Table D.1—Typical MV motor protection device settings ^a	144
Table D.2—MV motor data sheet ^a	145
Table D.3—Relay Device 11M, CT and VT properties	147
Table D.4—Device 11M protection settings	148
Table D.5—Device 11M input devices and settings	155
Table D.6—Device 11M output signals and settings	156

IEEE Recommended Practice for Motor Protection in Industrial and Commercial Power Systems

1. Scope

This recommended practice covers the protection of motors used in industrial and commercial power systems. It is likely to be of greatest value to the power-oriented engineer with limited experience in the area of protection and control. It can also be an aid to all engineers responsible for the electrical design of industrial and commercial power systems.

2. Normative references

The following referenced documents are indispensable for the application of this document (i.e., they must be understood and used, so each referenced document is cited in text and its relationship to this document is explained). For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments or corrigenda) applies.

API Std 541, Form-Wound Squirrel Cage Induction Motors—500 Horsepower and Larger, 5th Edition.¹

API Std 546, Brushless Synchronous Machines—500 kVA and Larger, 3rd Edition.

API Std 547, General-Purpose Form-Wound Squirrel Cage Induction Motors—250 Horsepower and Larger, 1st Edition.

IEEE Std 43TM, IEEE Recommended Practice for Testing Insulation Resistance of Electric Machinery.^{2,3}

IEEE Std 112TM, IEEE Standard Test Procedure for Polyphase Induction Motors and Generators.

IEEE Std 115TM, IEEE Guide for Test Procedures for Synchronous Machines Part I—Acceptance and Performance Testing Part II—Test Procedures and Parameter Determination for Dynamic Analysis.

IEEE Std 141TM-1993 (Reaff 1999), IEEE Recommended Practice for Electric Power Distribution for Industrial Plants (*IEEE Red Book*TM).

¹API publications are available from the American Petroleum Institute (<http://www.api.org>).

²The IEEE standards or products referred to in this clause are trademarks of The Institute of Electrical and Electronics Engineers, Inc.

³IEEE publications are available from The Institute of Electrical and Electronics Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854, USA (<http://standards.ieee.org>).