

IEEE Standard for Ethernet

Amendment 9: Physical Layer Specifications and Management Parameters for 1000 Mb/s Operation Over Plastic Optical Fiber

IEEE Computer Society

Sponsored by the
LAN/MAN Standards Committee

IEEE
3 Park Avenue
New York, NY 10016-5997
USA

IEEE Std 802.3bv™-2017
(Amendment to
IEEE Std 802.3™-2015
as amended by
IEEE Std 802.3bw™-2015,
IEEE Std 802.3by™-2016,
IEEE Std 802.3bq™-2016,
IEEE Std 802.3bp™-2016,
IEEE Std 802.3br™-2016,
IEEE Std 802.3bn™-2016,
IEEE Std 802.3bz™-2016, and
IEEE Std 802.3bu™-2016)

IEEE Std 802.3bv™-2017

(Amendment to

IEEE Std 802.3™-2015

as amended by

IEEE Std 802.3bw™-2015,

IEEE Std 802.3by™-2016,

IEEE Std 802.3bq™-2016,

IEEE Std 802.3bp™-2016,

IEEE Std 802.3br™-2016,

IEEE Std 802.3bn™-2016,

IEEE Std 802.3bz™-2016, and

IEEE Std 802.3bu™-2016)

IEEE Standard for Ethernet

Amendment 9: Physical Layer Specifications and Management Parameters for 1000 Mb/s Operation Over Plastic Optical Fiber

LAN/MAN Standards Committee
of the
IEEE Computer Society

Approved 14 February 2017

IEEE-SA Standards Board

Abstract: A family of three point-to-point physical layers (PHYs) for 1000 Mb/s operation over duplex plastic optical fiber (POF) and related management parameters are specified by this amendment to IEEE Std 802.3-2015.

Keywords: 1000BASE-H, 1000BASE-RHA, 1000BASE-RHB, 1000BASE-RXC, amendment, BASE-H, EEE, Energy Efficient Ethernet, IEEE 802.3™, IEEE 802.3bv™, PCS, Physical Coding Sublayer, Physical Medium Attachment sublayer, Physical Medium Dependent sublayer, plastic optical fiber, PMA, PMD, POF

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2017 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 14 March 2017. Printed in the United States of America.

IEEE and 802 are registered trademarks in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

Print: ISBN 978-5044-3721-9 STD22413
PDF: ISBN 978-1-5044-3722-6 STDPD22413

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notice” or “Important Notices and Disclaimers Concerning IEEE Standards Documents.”

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at <http://standards.ieee.org> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

The following individuals were officers and members of the IEEE 802.3 Working Group at the beginning of the IEEE P802.3bv Working Group ballot. Individuals may have not voted, voted for approval, disapproval, or abstained on this amendment.

David J. Law, *IEEE 802.3 Working Group Chair*
Adam Healey, *IEEE 802.3 Working Group Vice-Chair*
Pete Anslow, *IEEE 802.3 Working Group Secretary*
Steven B. Carlson, *IEEE 802.3 Working Group Executive Secretary*
Valerie Maguire, *IEEE 802.3 Working Group Treasurer*

Robert M. Grow, *IEEE P802.3bv GEPOF Task Force Chair*
Rubén Pérez-Aranda, *IEEE P802.3bv GEPOF Task Force Editor*

David Abramson	Dan Dove	Michael Klempa
Shadi Abughazaleh	Mike Dudek	Shigeru Kobayashi
Dale Amason	Nick Duer	Keisuke Kojima
J. Michael Andrewartha	Frank Effenberger	Paul Kolesar
Eric Baden	Hesham Elbakoury	Tom Kolze
Amrik Bains	David Estes	Glen Kramer
Thananya Baldwin	John Ewen	Hans Lackner
Denis Beaudoin	Dave Dwelley	Jeffrey Lapak
Christian Beia	Ramin Farjad	Mark Laubach
Michael Bennett	Shahar Feldman	David Lewis
Vipul Bhatt	German Feyh	Jon Lewis
William Bliss	Alan Flatman	William Lo
Brad Booth	Matthias Fritsche	Miklos Lukacs
Martin Bouda	Richard Frosch	Kent Lusted
Ralf-Peter Braun	Andy Gardner	Jeffery Maki
Theodore Brillhart	Ali Ghiasi	David Malicoat
Paul Brooks	Joel Goergen	James Malkemus
Matthew Brown	Steven Gorshe	Yonatan Malkiman
Jairo Bustos Heredia	James Graba	Arthur Marris
Adrian Butter	Mark Gustlin	Takeo Masuda
Juan-Carlos Calderon	Marek Hajduczenia	Kirsten Matheus
J. Martin Carroll	Bernie Hammond	Erdem Matoglu
Clark Carty	Takehiro Hayashi	Laurence Matola
Craig Chabot	Yasuo Hidaka	Brett McClellan
Geoffrey Chacon Simon	Brian Holden	Thomas McDermott
Mandeep Chadha	Rita Horner	John McDonough
David Chalupsky	Bernd Horrmeyer	Richard Mei
Jacky Chang	Victor Hou	Richard Mellitz
Xin Chang	Yasuhiro Hyakutake	Bryan Moffitt
Ahmad Chini	Hideki Isono	Ardeshir Mohammadian
Keng Hua Chuang	Tom Issenhuth	Leo Montreuil
Peter Cibula	Kenneth Jackson	Paul Mooney
Christopher R. Cole	Andrew Jimenez	Dale Murray
Shaoan Dai	Chad Jones	Henry Muysshondt
John D'Ambrosia	Peter Jones	Edward Nakamoto
Yair Darshan	Manabu Kagami	Gary Nicholl
Piers Dawe	Upen Kareti	Paul Nikolich
Wael Diab	Keisuke Kawahara	Kevin Noll
Eric DiBiao	Yasuaki Kawatsu	Mark Nowell
Daniel Dillow	Michael Kelsen	David Ofelt
Chris Diminico	Yong Kim	Tom Palkert
Thuyen Dinh	Jonathan King	Hui Pan
Curtis Donahue	Scott Kipp	Sesha Panguluri
		Carlos Pardo

Petar Pepeljugoski
Gerald Pepper
Michael Peters
Rick Pimpinella
William Powell
Richard Prodan
Rick Rabinovich
Adee Ran
Alon Regev
Duane Remein
Victor Renteria
Martin Rossbach
Christopher Roth
Salvatore Rotolo
Vineet Salunke
Sam Sambasivan
Edward Sayre
Dieter Schicketanz
Fred Schindler
Peter Scruton
Hossein Sedarat
Naoshi Serizawa
Megha Shanbhag
Stephen Shellhammer

Ramin Shirani
Tom Skaar
Jeff Slavick
Scott Sommers
Tom Souvignier
Edward Sprague
Peter Stassar
Robert Stone
Junqing Sun
Steve Swanson
Andre Szczepanek
William Szeto
Bharat Tailor
Akio Tajima
Takayuki Tajima
Satoshi Takahashi
Kohichi Tamura
Alexander Tan
Mehmet Tazebay
Brian Teipen
Geoffrey Thompson
Pirooz Tooyserkani
Albert Tretter

Stephen Trowbridge
Yoshihiro Tsukamoto
Mike Tu
Sterling A. Vaden
Stefano Valle
Paul Vanderlaan
Robert Wagner
Roy Wang
Xinyuan Wang
Matthias Wendt
Oded Wertheim
Martin White
Natalie Wienckowski
Ludwig Winkel
Peter Wu
Yu Xu
Jun Yi
Lennart Yseboodt
Ting-Fa Yu
Hayato Yuki
Andrew Zambell
Yan Zhuang
George Zimmerman
Helge Zinner

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

Thomas Alexander	Manabu Kagami	Carlos Pardo
Richard Alfvén	Piotr Karocki	Bansi Patel
Carol Ansley	Keisuke Kawahara	Arumugam Paventhan
Peter Anslow	Stuart Kerry	Ruben Pérez-Aranda
Butch Anton	Tomohiro Kikuta	Michael Peters
Stefan Aust	Yongbum Kim	Rick Pimpinella
Yoshitada Beppu	Shigeru Kobayashi	Adee Ran
Ralf-Peter Braun	Peter Kroeplin	Alon Regev
Nancy Bravin	Mark Laubach	Maximilian Riegel
Theodore Brillhart	David J. Law	Benjamin Rolfe
Jairo Bustos Heredia	David Lewis	Osman Sakr
William Byrd	Jon Lewis	Frank Schewe
Steven B. Carlson	Arthur H. Light	Dieter Schicketanz
Juan Carreon	Michael Lynch	Thomas Starai
Keith Chow	Elvis Maculuba	Peter Stassar
Charles Cook	Valerie Maguire	Jan Streibel
Matthias Fritsche	Jeffery Maki	Walter Struppler
Yukihiro Fujimoto	Arthur Marris	Mitsutoshi Sugawara
Joel Goergen	Naoki Matsuda	Bo Sun
Volker Goetzfried	Mick McCarthy	Junqing Sun
Randall Groves	Brett McClellan	Satoshi Takahashi
Robert M. Grow	Thomas McDermott	Yoshihiro Tsukamoto
Takehiro Hayashi	Richard Mellitz	Mark-Rene Uchida
Adam Healey	Tremont Miao	Sterling Vaden
Marco Hernandez	Jeffrey Moore	Paul Vanderlaan
Werner Hoelzl	Charles Moorwood	Dmitri Varsanofiev
Koji Horiguchi	Matthew Mora	Prabodh Varshney
Rita Horner	Jose Morales	George Vlantis
Yasuhiro Hyakutake	Henry Muyschondt	Khurram Waheed
Tadahisa Iikubo	Michael Newman	Stephen Webb
Noriyuki Ikeuchi	Nick S. A. Nikjoo	Ludwig Winkel
Masanori Ishikawa	Paul Nikolich	Tomonari Yoshimura
Atsushi Ito	Satoshi Obara	Oren Yuen
Raj Jain	Akimitsu Okita	Hayato Yuki
Michael Johas Teener	Thomas Palkert	Zhen Zhou

When the IEEE-SA Standards Board approved this standard on 14 February 2017, it had the following membership:

Jean-Philippe Faure, *Chair*
Vacant Position, *Vice Chair*
John D. Kulick, *Past Chair*
Konstantinos Karachalios, *Secretary*

Chuck Adams
Masayuki Ariyoshi
Ted Burse
Stephen Dukes
Doug Edwards
J. Travis Griffith
Gary Hoffman
Michael Janezic

Thomas Koshy
Joseph L. Koepfinger*
Kevin Lu
Daleep Mohla
Damir Novosel
Ronald C. Petersen
Annette D. Reilly

Robby Robson
Dorothy Stanley
Adrian Stephens
Mehmet Ulema
Phil Wennblom
Howard Wolfman
Yu Yuan

*Member Emeritus

Introduction

This introduction is not part of IEEE Std 802.3bv-2017, IEEE Standard for Ethernet—Amendment 9: Physical Layer Specifications and Management Parameters for 1000 Mb/s Operation Over Plastic Optical Fiber

IEEE Std 802.3™ was first published in 1985. Since the initial publication, many projects have added functionality or provided maintenance updates to the specifications and text included in the standard. Each IEEE 802.3 project/amendment is identified with a suffix (e.g., IEEE Std 802.3ba™-2010).

The half duplex Media Access Control (MAC) protocol specified in IEEE Std 802.3-1985 is Carrier Sense Multiple Access with Collision Detection (CSMA/CD). This MAC protocol was key to the experimental Ethernet developed at Xerox Palo Alto Research Center, which had a 2.94 Mb/s data rate. Ethernet at 10 Mb/s was jointly released as a public specification by Digital Equipment Corporation (DEC), Intel and Xerox in 1980. Ethernet at 10 Mb/s was approved as an IEEE standard by the IEEE Standards Board in 1983 and subsequently published in 1985 as IEEE Std 802.3-1985. Since 1985, new media options, new speeds of operation, and new capabilities have been added to IEEE Std 802.3. A full duplex MAC protocol was added in 1997.

Some of the major additions to IEEE Std 802.3 are identified in the marketplace with their project number. This is most common for projects adding higher speeds of operation or new protocols. For example, IEEE Std 802.3u™ added 100 Mb/s operation (also called Fast Ethernet), IEEE Std 802.3z added 1000 Mb/s operation (also called Gigabit Ethernet), IEEE Std 802.3ae added 10 Gb/s operation (also called 10 Gigabit Ethernet), IEEE Std 802.3ah™ specified access network Ethernet (also called Ethernet in the First Mile) and IEEE Std 802.3ba added 40 Gb/s operation (also called 40 Gigabit Ethernet) and 100 Gb/s operation (also called 100 Gigabit Ethernet). These major additions are all now included in and are superseded by IEEE Std 802.3-2015 and are not maintained as separate documents.

At the date of IEEE Std 802.3bv-2017 publication, IEEE Std 802.3 is composed of the following documents:

IEEE Std 802.3-2015

Section One—Includes Clause 1 through Clause 20 and Annex A through Annex H and Annex 4A. Section One includes the specifications for 10 Mb/s operation and the MAC, frame formats and service interfaces used for all speeds of operation.

Section Two—Includes Clause 21 through Clause 33 and Annex 22A through Annex 33E. Section Two includes management attributes for multiple protocols and speed of operation as well as specifications for providing power over twisted pair cabling for multiple operational speeds. It also includes general information on 100 Mb/s operation as well as most of the 100 Mb/s Physical Layer specifications.

Section Three—Includes Clause 34 through Clause 43 and Annex 36A through Annex 43C. Section Three includes general information on 1000 Mb/s operation as well as most of the 1000 Mb/s Physical Layer specifications.

Section Four—Includes Clause 44 through Clause 55 and Annex 44A through Annex 55B. Section Four includes general information on 10 Gb/s operation as well as most of the 10 Gb/s Physical Layer specifications.

Section Five—Includes Clause 56 through Clause 77 and Annex 57A through Annex 76A. Clause 56 through Clause 67 and Clause 75 through Clause 77, as well as associated annexes, specify subscriber

access and other Physical Layers and sublayers for operation from 512 kb/s to 10 Gb/s, and defines services and protocol elements that enable the exchange of IEEE Std 802.3 format frames between stations in a subscriber access network. Clause 68 specifies a 10 Gb/s Physical Layer specification. Clause 69 through Clause 74 and associated annexes specify Ethernet operation over electrical backplanes at speeds of 1000 Mb/s and 10 Gb/s.

Section Six—Includes Clause 78 through Clause 95 and Annex 83A through Annex 93C. Clause 78 specifies Energy-Efficient Ethernet. Clause 79 specifies IEEE 802.3 Organizationally Specific Link Layer Discovery Protocol (LLDP) type, length, and value (TLV) information elements. Clause 80 through Clause 95 and associated annexes includes general information on 40 Gb/s and 100 Gb/s operation as well the 40 Gb/s and 100 Gb/s Physical Layer specifications. Clause 90 specifies Ethernet support for time synchronization protocols.

IEEE Std 802.3bw™-2015

Amendment 1—This amendment includes changes to IEEE Std 802.3-2015 and adds Clause 96. This amendment adds 100 Mb/s Physical Layer (PHY) specifications and management parameters for operation on a single balanced twisted-pair copper cable.

IEEE Std 802.3by™-2016

Amendment 2—This amendment includes changes to IEEE Std 802.3-2015 and adds Clause 105 through Clause 112, Annex 109A, Annex 109B, Annex 110A, Annex 110B, and Annex 110C. This amendment adds MAC parameters, Physical Layers, and management parameters for the transfer of IEEE 802.3 format frames at 25 Gb/s.

IEEE Std 802.3bq™-2016

Amendment 3—This amendment includes changes to IEEE Std 802.3-2015 and adds Clause 113 and Annex 113A. This amendment adds new Physical Layers for 25 Gb/s and 40 Gb/s operation over balanced twisted-pair structured cabling systems.

IEEE Std 802.3bp™-2016

Amendment 4—This amendment includes changes to IEEE Std 802.3-2015 and adds Clause 97 and Clause 98. This amendment adds point-to-point 1 Gb/s Physical Layer (PHY) specifications and management parameters for operation on a single balanced twisted-pair copper cable in automotive and other applications not utilizing the structured wiring plant.

IEEE Std 802.3br™-2016

Amendment 5—This amendment includes changes to IEEE Std 802.3-2015 and adds Clause 99. This amendment adds a MAC Merge sublayer and a MAC Merge Service Interface to support for Interspersing Express Traffic over a single link.

IEEE Std 802.3bn™-2016

Amendment 6—This amendment adds the Physical Layer specifications and management parameters for symmetric and/or asymmetric operation of up to 10 Gb/s on point-to-multipoint Radio Frequency (RF) distribution plants comprising either amplified or passive coaxial media. It also extends the operation of Ethernet Passive Optical Networks (EPON) protocols, such as Multipoint Control Protocol (MPCP) and Operation Administration and Management (OAM).

IEEE Std 802.3bz™-2016

Amendment 7—This amendment includes changes to IEEE Std 802.3-2015 and adds Clause 125 and Clause 126. This amendment adds new rates of 2.5 Gb/s and 5 Gb/s and new Physical Layers for operation at 2.5 Gb/s and 5 Gb/s over balanced twisted-pair structured cabling systems.

IEEE Std 802.3bu™-2016

Amendment 8—This amendment includes changes to IEEE Std 802.3-2015 to define a methodology for the provision of power via a single twisted pair to connected Data Terminal Equipment (DTE) with IEEE 802.3 single twisted-pair interfaces.

IEEE Std 802.3bv-2017

Amendment 9—This amendment includes changes to IEEE Std 802.3-2015 and adds Clause 115 and Annex 115A. This amendment adds point-to-point 1000 Mb/s Physical Layer (PHY) specifications and management parameters for operation on duplex plastic optical fiber (POF) targeting use in automotive, industrial, home-network, and other applications.

A companion document IEEE Std 802.3.1 describes Ethernet management information base (MIB) modules for use with the Simple Network Management Protocol (SNMP). IEEE Std 802.3.1 is updated to add management capability for enhancements to IEEE Std 802.3 after approval of the enhancements.

IEEE Std 802.3 will continue to evolve. New Ethernet capabilities are anticipated to be added within the next few years as amendments to this standard.

Contents

1. Introduction.....	18
1.3 Normative references.....	18
1.4 Definitions	18
1.5 Abbreviations.....	20
30. Management.....	21
30.3.2.1.2 aPhyType.....	21
30.3.2.1.3 aPhyTypeList.....	21
30.5.1.1.2 aMAUType.....	21
30.5.1.1.4 aMediaAvailable.....	21
45. Management Data Input/Output (MDIO) Interface.....	22
45.2 MDIO Interface Registers.....	22
45.2.1 PMA/PMD registers	22
45.2.1.6 PMA/PMD control 2 register (Register 1.7).....	23
45.2.1.10 PMA/PMD extended ability register (Register 1.11)	23
45.2.1.10.aaaa BASE-H extended abilities (1.11.15)	23
45.2.1.14d BASE-H PMA/PMD extended ability register (Register 1.22).....	24
45.2.1.117a BASE-H PMA/PMD control register (Register 1.900).....	24
45.2.1.117a.1 Type selection (1.900.3:0).....	24
45.2.3 PCS registers.....	25
45.2.3.47a 1000BASE-H OAM transmit registers (Registers 3.500 through 3.508).....	25
45.2.3.47a.1 TXO_REQ (3.500.15).....	25
45.2.3.47a.2 TXO_PHYT (3.500.14).....	26
45.2.3.47a.3 TXO_MERT (3.500.13)	26
45.2.3.47a.4 TXO_MSGT (3.500.12)	26
45.2.3.47a.5 TXO_DATAx (Bits 3.500.11:0 and Registers 3.501 through 3.508).....	26
45.2.3.47b 1000BASE-H OAM receive registers (Registers 3.509 through 3.517).....	27
45.2.3.47b.1 RXO_VAL (3.509.15).....	27
45.2.3.47b.2 RXO_MSGT (3.509.12).....	28
45.2.3.47b.3 RXO_DATAx (Bits 3.509.11:0 and Registers 3.510 through 3.517).....	28
45.2.3.47c 1000BASE-H PCS control register (Register 3.518).....	28
45.2.3.47c.1 Operation mode (3.518.15:13).....	28
45.2.3.47c.2 Loopback mode (3.518.12:10).....	28
45.2.3.47c.3 1000BASE-H OAM enable (3.518.1).....	29
45.2.3.47c.4 EEE enable (3.518.0).....	29
45.2.3.47d 1000BASE-H PCS status 1 register (Register 3.519).....	29
45.2.3.47d.1 Local receiver status (3.519.15).....	30
45.2.3.47d.2 Remote receiver status (3.519.14)	30
45.2.3.47d.3 Link status (3.519.13)	30
45.2.3.47d.4 Local PHD reception status (3.519.12).....	30
45.2.3.47d.5 Remote PHD reception status (3.519.11)	30
45.2.3.47d.6 PHD lock status (3.519.10).....	30
45.2.3.47d.7 THP lock status (3.519.9).....	30
45.2.3.47d.8 Tx Assert LPI received (3.519.8).....	31
45.2.3.47d.9 Rx Assert LPI generated (3.519.7)	31
45.2.3.47d.10 Tx LPI indication (3.519.6)	31
45.2.3.47d.11 Rx LPI indication (3.519.5).....	31

45.2.3.47d.12	Remote 1000BASE-H OAM ability (3.519.3)	31
45.2.3.47d.13	Remote EEE ability (3.519.2)	31
45.2.3.47d.14	1000BASE-H OAM ability (3.519.1)	31
45.2.3.47d.15	EEE ability (3.519.0)	32
45.2.3.47e	1000BASE-H PCS status 2 register (Register 3.520)	32
45.2.3.47e.1	Local link margin (3.520.7:0)	32
45.2.3.47f	1000BASE-H PCS status 3 register (Register 3.521)	32
45.2.3.47f.1	Remote link margin (3.521.7:0)	32
45.2.3.47g	1000BASE-H PCS status 4 register (Register 3.522)	32
45.5	Protocol implementation conformance statement (PICS) proforma for Clause 45, Management Data Input/Output (MDIO) interface	34
45.5.3	PICS proforma tables for the Management Data Input Output (MDIO) interface	34
45.5.3.2	PMA/PMD MMD options	34
45.5.3.3	PMA/PMD management functions	34
45.5.3.6	PCS options	35
45.5.3.7	PCS management functions	35
78.	Energy-Efficient Ethernet (EEE)	37
78.1.4	PHY types optionally supporting EEE	37
78.2	LPI mode timing parameters descriptions	37
78.5	Communication link access latency	37
115.	Physical Coding Sublayer (PCS), Physical Medium Attachment (PMA) sublayer, and Physical Medium Dependent (PMD) sublayer, types 1000BASE-RHA, 1000BASE-RHB, and 1000BASE- RHC	38
115.1	Overview	38
115.1.1	Features	38
115.1.2	Conventions	38
115.1.3	Relationship of 1000BASE-RHx to other standards	38
115.1.4	Relationship to other Gigabit Ethernet PHY types	39
115.1.5	Operation of 1000BASE-RHx	39
115.1.6	Functional block diagram	41
115.2	Physical Coding Sublayer (PCS)	42
115.2.1	Transmit Block	42
115.2.2	Pilots data path	44
115.2.2.1	Pilot S1 generator	44
115.2.2.2	Pilot S2 generator	45
115.2.3	Physical header encoding and scrambling	46
115.2.3.1	Physical header CRC16	46
115.2.3.2	Physical header binary scrambler	47
115.2.3.3	Physical header BCH encoder	47
115.2.3.4	Physical header modulation	47
115.2.3.5	Physical header ordering	48
115.2.4	Payload data encoding and scrambling	48
115.2.4.1	GMII data stream encoding	48
115.2.4.1.1	64B/65B encoding	48
115.2.4.1.2	64B/65B encoding formal definition	51
115.2.4.1.3	PDB alignment with Transmit Block	52
115.2.4.2	Payload data binary scrambler	52
115.2.4.3	PAM16 encoder	53
115.2.4.3.1	MLCC demultiplexer	54
115.2.4.3.2	Payload BCH encoder	54

115.2.4.3.3	QAM16 mapper	55
115.2.4.3.4	QAM8 mapper	56
115.2.4.3.5	First lattice transformation	56
115.2.4.3.6	Lattice addition	56
115.2.4.3.7	Second lattice transformation	57
115.2.4.3.8	QAM to PAM multiplexer	57
115.2.4.4	Payload data symbol scrambler	57
115.2.5	PCS receive function	58
115.3	Physical Medium Attachment (PMA) sublayer	60
115.3.1	PMA transmit function	60
115.3.1.1	Payload data Tomlinson-Harashima precoding	60
115.3.1.2	Transmit power scaling	61
115.3.2	PMA receive function	61
115.3.3	Interface to the PMD	62
115.3.3.1	Signals transmitted to the PMD	62
115.3.3.2	Signals received from PMD	62
115.3.4	Physical Header Data (PHD)	63
115.3.5	PHY control	66
115.3.5.1	PHY control state variables	66
115.3.5.2	PHY TX control state diagram	68
115.3.5.3	PHY RX control state diagram	69
115.3.5.4	Link monitor state diagram	71
115.3.5.5	PHD monitor state diagrams	72
115.3.6	Adaptive THP protocol	74
115.3.6.1	Adaptive THP state variables	74
115.3.6.2	Adaptive THP TX state diagram	75
115.3.6.3	Adaptive THP REQ state diagram	77
115.3.7	PHY quality monitor	78
115.3.7.1	PHY quality criterion	78
115.3.7.2	PHY quality assessment	78
115.3.7.3	PHY quality monitor state variables	79
115.3.7.4	PHY quality monitor state diagram	79
115.3.8	Fixed-point format formal definition	81
115.3.8.1	Fixed-point encoding	81
115.3.8.2	Fixed-point decoding	81
115.4	Energy-Efficient Ethernet (EEE)	81
115.4.1	LPI mode transmit operation	83
115.4.2	LPI mode receive operation	83
115.4.3	PMD power control state variables	84
115.4.4	PMD power control state diagrams	84
115.5	Test modes	86
115.5.1	Test mode 1	87
115.5.2	Test mode 2	87
115.5.3	Test mode 3	87
115.5.4	Test mode 4	87
115.5.5	Test mode 5	87
115.5.6	Test mode 6	87
115.6	Physical Medium Dependent (PMD) sublayer	89
115.6.1	PMD service interface	89
115.6.1.1	PMD_COMSIGNAL.request	89
115.6.1.1.1	Semantics of the primitive	89
115.6.1.1.2	When generated	89
115.6.1.1.3	Effect of receipt	89
115.6.1.2	PMD_COMSIGNAL.indication	89

115.6.1.2.1	Semantics of the primitive	89
115.6.1.2.2	When generated	90
115.6.1.2.3	Effect of receipt	90
115.6.1.3	PMD_TXPWR.request	90
115.6.1.3.1	Semantics of the primitive	90
115.6.1.3.2	When generated	90
115.6.1.3.3	Effect of receipt	90
115.6.1.4	PMD_RXPWR.request	90
115.6.1.4.1	Semantics of the primitive	90
115.6.1.4.2	When generated	91
115.6.1.4.3	Effect of receipt	91
115.6.1.5	PMD_RXDETECT.indication	91
115.6.1.5.1	Semantics of the primitive	91
115.6.1.5.2	When generated	91
115.6.1.5.3	Effect of receipt	91
115.6.1.6	PMD_SDINH.request	91
115.6.1.6.1	Semantics of the primitive	92
115.6.1.6.2	When generated	92
115.6.1.6.3	Effect of receipt	92
115.6.2	PMD functional specifications	92
115.6.2.1	PMD block diagram	92
115.6.2.2	PMD transmit function	93
115.6.2.3	PMD receive function	93
115.6.2.4	PMD signal detect function	93
115.6.3	PMD to MDI optical specifications	94
115.6.3.1	Transmitter optical specifications	94
115.6.3.2	Transmit clock frequency	96
115.6.3.3	Receiver optical specifications	96
115.6.3.4	Receiver boundary condition tests	97
115.6.3.4.1	Receiver minimum AOP test	97
115.6.3.4.2	Receiver maximum AOP test	97
115.6.4	Optical measurement requirements	98
115.6.4.1	Center wavelength measurement	98
115.6.4.2	Spectral width measurement	98
115.6.4.3	Average Optical Power (AOP) measurement	99
115.6.4.4	Transmitter rise and fall time measurements	99
115.6.4.5	Transmitter extinction ratio (ER) measurement	99
115.6.4.6	Transmitter overshoot measurements	99
115.6.4.7	Transmitter output droop measurements	100
115.6.4.8	Transmitter distortion measurement	100
115.6.4.9	Transmitter timing jitter measurement	103
115.6.4.10	Transmitter relative intensity noise (RIN) measurement	103
115.6.4.11	Transmitter modal power distribution measurement	104
115.7	Characteristics of the fiber optic cabling (channel)	104
115.7.1	Transfer function of fiber optic channel type I	106
115.7.2	Transfer function of fiber optic channel type II	107
115.7.3	Transfer function of fiber optic channel type III	108
115.7.4	Fiber optic channel insertion loss measurement	109
115.7.5	Fiber optic channel transfer function measurement	109
115.7.6	Worst-case 1000BASE-RHx link power budget	109
115.8	Medium Dependent Interface (MDI)	109
115.8.1	MDI mechanical interface for 1000BASE-RHA	109
115.9	1000BASE-H Operations, Administration, and Maintenance (1000BASE-H OAM) channel	111

115.9.1	1000BASE-H OAM message transmission protocol.....	111
115.9.2	1000BASE-H OAM channel status	112
115.9.3	1000BASE-H OAM message reception protocol	113
115.9.4	1000BASE-H OAM channel state diagrams descriptions	114
115.9.4.1	1000BASE-H OAM control state variables.....	114
115.9.4.2	1000BASE-H OAM transmit control state diagram	116
115.9.4.3	1000BASE-H OAM receive control state diagram	116
115.10	Loopback modes	119
115.11	Management interface.....	119
115.12	Environmental specifications.....	119
115.12.1	Temperature classes	119
115.12.2	General safety	120
115.12.3	Environmental safety	120
115.12.4	Electromagnetic compatibility	121
115.12.5	Optical safety	121
115.13	Delay constraints.....	121
115.14	Protocol implementation conformance statement (PICS) proforma for Clause 115, Physical Coding Sublayer (PCS), Physical Medium Attachment (PMA) sublayer, and Physical Medium Dependent (PMD) sublayer, types 1000BASE-RHA, 1000BASE-RHB, and 1000BASE-RHC	122
115.14.1	Introduction.....	122
115.14.2	Identification.....	122
115.14.2.1	Implementation identification.....	122
115.14.2.2	Protocol summary	122
115.14.3	Major capabilities/options.....	123
115.14.4	Physical Coding Sublayer (PCS)	124
115.14.5	Physical Medium Attachment (PMA)	126
115.14.6	Energy-Efficient Ethernet (EEE)	128
115.14.7	Test modes	129
115.14.8	Physical Medium Dependent (PMD).....	130
115.14.9	PMD to MDI optical specifications	131
115.14.10	Optical measurement requirements	132
115.14.11	Characteristics of the fiber optic cabling (channel)	133
115.14.12	Medium dependent interface (MDI)	133
115.14.13	1000BASE-H Operations, Administration, and Maintenance (1000BASE-H OAM) channel	134
115.14.14	Loopback modes	135
115.14.15	Management Interface	135
115.14.16	Environmental specifications	135
115.14.17	Delay constraints.....	136
Annex 115A (informative) BCH codeword examples		137
115A.1	Output of the BCH(896, 720) encoder.....	137
115A.2	Output of the BCH(1976, 1668) encoder.....	137

IEEE Standard for Ethernet

Amendment 9: Physical Layer Specifications and Management Parameters for 1000 Mb/s Operation Over Plastic Optical Fiber

1. Introduction

1.3 Normative references

Insert the following references in alphanumeric order:

IEC 60793-1-41:2010, Optical fibres—Part 1-41: Measurement methods and test procedures—Bandwidth.

IEC 60793-2-40:2009, Optical fibres—Part 2-40: Product specifications—Sectional specification for category A4 multimode fibres.

IEC 61300-2-4, Fibre optic interconnecting devices and passive components—Basic test and measurement procedures—Part 2-4: Tests—Fibre/cable retention.

IEC 61300-3-53, Fibre optic interconnecting devices and passive components—Basic test and measurement procedures—Part 3-53: Examinations and measurements—Encircled angular flux (EAF) measurement method based on two-dimensional far field data from step index multimode waveguide (including fibre).

ISO/IEC 14763-3:2014, Information technology—Implementation and operation of customer premises cabling—Part 3: Testing of optical fibre cabling.

1.4 Definitions

Insert the following new definition after 1.4.22 “1000BASE-CX”:

1.4.22a 1000BASE-H: IEEE 802.3 PCS and PMA sublayers for 1000 Mb/s Ethernet that support PMDs using duplex plastic optical fiber. (See IEEE Std 802.3, Clause 115.)