

IEEE Standard for Adoption of OpenFog Reference Architecture for Fog Computing

IEEE Communications Society

Sponsored by the
Edge, Fog, Cloud Communications with IOT and Big Data Standards Committee

IEEE Standard for Adoption of OpenFog Reference Architecture for Fog Computing

Sponsor

**Edge, Fog, Cloud Communications with IOT and Big Data Standards Committee
of the
IEEE Communications Society**

Approved 14 June 2018

IEEE-SA Standards Board

Abstract: OpenFog Consortium—OpenFog Reference Architecture for Fog Computing is adopted by this standard. OpenFog Reference Architecture [OPFRA001.020817] is a structural and functional prescription of an open, interoperable, horizontal system architecture for distributing computing, storage, control and networking functions closer to the users along a cloud-to-thing continuum of communicating, computing, sensing and actuating entities. It encompasses various approaches to disperse Information Technology (IT), Communication Technology (CT) and Operational Technology (OT) Services through information messaging infrastructure as well as legacy and emerging multi-access networking technologies.

Keywords: adoption, communication technology IEEE 1934™, information technology, OpenFog™, operational technology

The Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2018 by The Institute of Electrical and Electronics Engineers, Inc.
All rights reserved. Published 2 August 2018. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-5017-1 STD23185
Print: ISBN 978-1-5044-5018-8 STDPD23185

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.” They can also be obtained on request from IEEE or viewed at <http://standards.ieee.org/IPR/disclaimers.html>.

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (“IEEE-SA”) Standards Board. IEEE (“the Institute”) develops its standards through a consensus development process, approved by the American National Standards Institute (“ANSI”), which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards are documents developed through scientific, academic, and industry-based technical working groups. Volunteers in IEEE working groups are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under U.S. and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every ten years. When a document is more than ten years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Xplore at <http://ieeexplore.ieee.org/> or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE-SA Website at <http://standards.ieee.org>.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: <http://standards.ieee.org/findstds/errata/index.html>. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at <http://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this IEEE standard was completed, the Fog Computing and Networking Architecture Framework Working Group had the following membership:

John K. Zao, *Chair*
Tao Zhang and **Jingyi Zhou**, *Vice Chairs*

Wilbert (Chuck) Adams
Donald Banks
San Bhattarai
Charles (Chuck) Byers
Gaurav Chawla
Robinson Do
Jeff Fedders
Maria A. Gorlatova
Ken Hatano

Alfred Ho
Felix Huang
Hank Ching-Yao Huang
Meiqing Huang
Srikanth Kambhatla
Hong Liu
Tetsushi Matsuda
Jing-Ru Su
Norikatsu Takaura
Frank Chee-Da Tsai

Akihisa Ushirokawa
Hung-Yu Wei
James (Jim) White
Makoto Yasuda
Raymond Yeung
Ron Zahavi
Chi Zhang
Jun Zhou
Mingtuo Zhou

The following members of the entity balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

ARM, Ltd.
BII Group Holdings Ltd.
China Electronics
Standardization Institute
Cisco Systems, Inc.
Dell
East China Normal University
(ECNU)

Hitachi, Ltd.
Huawei Technologies Co., Ltd
Institute for Information Industry
Microsoft Corporation
Mitsubishi Electric Corporation
National Taiwan University
NXP Semiconductors

OpenFog Consortium
Princeton University
Shanghai Research Center for
Wireless Communications
The Chinese University of Hong
Kong
TOSHIBA Corporation
ZTE Corporation

When the IEEE-SA Standards Board approved this standard on 14 June 2018, it had the following membership:

Jean-Philippe Faure, *Chair*
Gary Hoffman, *Vice Chair*
John D. Kulick, *Past Chair*
Konstantinos Karachalios, *Secretary*

Ted Burse
Guido R. Hiertz
Christel Hunter
Joseph L. Koepfinger*
Thomas Koshy
Hung Ling
Dong Liu

Xiaohui Liu
Kevin Lu
Daleep Mohla
Andrew Myles
Paul Nikolich
Ronald C. Petersen
Annette D. Reilly

Robby Robson
Dorothy Stanley
Mehmet Ulema
Phil Wennblom
Philip Winston
Howard Wolfman
Jingyi Zhou

*Member Emeritus

Introduction

This introduction is not part of IEEE Std 1934-2018, IEEE Standard for Adoption of OpenFog Reference Architecture for Fog Computing.

This IEEE standard adopts OpenFog Consortium™—OpenFog Reference Architecture for Fog Computing [ID: OPFRA001.020817].

That document offers a structural and functional prescription of an open, interoperable, horizontal system architecture for distributing computing, storage, control, and networking functions closer to the users along a cloud-to-thing continuum of communicating, computing, sensing, and actuating entities. It encompasses various approaches to disperse Information Technology (IT), Communication Technology (CT), and Operational Technology (OT) Services through a unifying information messaging infrastructure as well as legacy and emerging multi-access networking technologies.

The adoption of this OpenFog™ document will help to lay down a foundation for the Fog Computing and Networking Architecture Framework, which will be developed in this working group.

IEEE is adopting this document “as is” and in its entirety with the acknowledgement of an error in Line 18 on Page 106 in Section 7.1.3.1. Users should update the sentence as follows: “we push both the ~~both the~~ topology and the corresponding weights to target ~~or~~-classification system.” Additional changes to this standard have been included in Annex A.

Contents

OpenFog Reference Architecture for Fog Computing	1
Annex A (normative) Accepted changes	163



OpenFog Reference Architecture for Fog Computing

Produced by the OpenFog Consortium Architecture Working Group
www.OpenFogConsortium.org

February 2017

Use of this Document

Copyright © 2017 OpenFog Consortium. All rights reserved. Published in the USA.

Published February 2017.

This is an OpenFog Consortium document and is to be used in accordance with the terms and conditions set forth below. The information contained in this document is subject to change without notice.

The information in this publication was developed under the OpenFog Consortium Intellectual Property Rights policy and is provided as is. OpenFog Consortium makes no representations or warranties of any kind with respect to the information in this publication, and specifically disclaims implied warranties of fitness for a particular purpose. This document contains content that is protected by copyright. Copying or distributing the content from this document without permission is prohibited.

OpenFog Consortium and the OpenFog Consortium logo are registered trademarks of OpenFog Consortium in the United States and other countries. All other trademarks used herein are the property of their respective owners.

Acknowledgements

The OpenFog Reference Architecture is the product of the OpenFog Architecture Workgroup, co-chaired by Charles Byers (Cisco) and Robert Swanson (Intel). It represents the collaborative work of the global membership of the OpenFog Consortium. We wish to thank these organizations for contributing to this work and to the advancement of fog computing technology, research and innovation: Aalto University; ABBALab; Arizona State University; ARM; AT&T; Caltech; Cisco; Dell; FogHorn Systems; Fujitsu; GE Digital; Hitachi; Foxconn; Indian Institute of Technology; Industrial Technology Research Institute; Institute for Information Industry; Institute of Network Coding; The Chinese University of Hong Kong; Intel; Internet Initiative Japan Inc.; ITOCHU techno-Solutions Corporation; Kii; LGS Innovations; MARSEC; Microsoft; Mitsubishi Electric Corporation; National Chiao Tung University; National Taiwan University; Nebbiolo Technologies; NEC Corporation; NGD Systems; NTT Communications; OSIsoft; Princeton University; PrismTech; Real-Time Innovations; relayr; SAKURA Internet; Schneider Electric; Shanghai Institute of Microsystem and Information Technology; ShanghaiTech University; Singapore University of Technology and Design; SRC Inc.; Stichting imec Nederland; The Chinese University of Hong Kong; Toshiba; Technische Universität Dresden; TTTech; University of Colorado Boulder; University of Georgia; University of Pisa; University of Southern California; Vanderbilt University; Wayne State University.

OpenFog Overview

Digital innovation from the Internet of Things (IoT), Artificial Intelligence, Virtual Reality, Tactile Internet and 5G applications is transforming the way we work, commute, shop and play. Data from newly-connected factories, homes, communities, cars, hospitals and more is expected to grow from 1.1 zettabytes (or 89 exabytes) per year in 2016 to 2.3 zettabytes (or 194 exabytes) per year by 2020.¹ Current “cloud-only” architectures cannot keep up with the volume and velocity of this data across the network, thereby reducing the value that can be created and captured from these investments.

Fog computing provides the missing link in the cloud-to-thing continuum. Fog architectures selectively move compute, storage, communication, control, and decision making closer to the network edge where data is being generated in order solve the limitations in current infrastructure to enable mission-critical, data-dense use cases.

Fog computing is a:

A horizontal, system-level architecture that distributes computing, storage, control and networking functions closer to the users along a cloud-to-thing continuum.

Fog computing is an extension of the traditional cloud-based computing model where implementations of the architecture can reside in multiple layers of a network’s topology. However, all the benefits of cloud should be preserved with these extensions to fog, including containerization, virtualization, orchestration, manageability, and efficiency. In many cases, fog computing works with cloud. Pillars, which are common themes of the OpenFog reference architecture include security, scalability, openness, autonomy, RAS (reliability, availability and serviceability), agility, hierarchy, and programmability. In addition to the pillars, we describe the roles of each stakeholder in the fog value chain from silicon creator to the Operating System and application developer through a composite architectural description

Fog computing also is often erroneously called edge computing, but there are key differences. Fog works with the cloud, whereas edge is defined by the exclusion of cloud. Fog is hierarchical, where edge tends to be limited to a small number of layers. In addition to computation, fog also addresses networking, storage, control and acceleration.

The OpenFog Consortium was formed on the principle that an open fog computing architecture is necessary in today's increasingly connected world. Through an independently run open membership ecosystem of industry, end users and universities, we can apply a broad coalition of knowledge to these technical and market challenges. We believe that proprietary or single vendor solutions can limit supplier diversity and ecosystems, resulting in a detrimental impact on market adoption, system cost, quality and innovation. It is our intent to ensure the OpenFog reference architecture results in fully interoperable and secure systems, supported by a vibrant supplier ecosystem.

Contents

- Use of this Document 2
- Acknowledgements 2
- OpenFog Overview 3
- 1 About Fog Computing and the Consortium 9
 - 1.1 OpenFog Reference Architecture Overview 9
- 2 Areas of Opportunity 10
 - 2.1 OpenFog Reference Architecture Content 10
 - 2.2 The Internet of Things, Cloud and the OpenFog RA 10
 - 2.3 OpenFog and Other Consortia 12
- 3 Use Cases for Fog 13
 - 3.1 Transportation Scenario: Smart Cars and Traffic Control 14
 - 3.2 Visual Security and Surveillance Scenario 17
 - 3.3 Smart Cities Scenario 19
 - 3.3.1 Smart Buildings 20
 - 3.4 Additional Use Cases 21
- 4 Pillars of OpenFog RA 22
 - 4.1 Security Pillar 23
 - 4.2 Scalability Pillar 24
 - 4.3 Openness Pillar 26
 - 4.4 Autonomy Pillar 27
 - 4.5 Programmability Pillar 29
 - 4.6 Reliability, Availability, and Serviceability (RAS) Pillar 29
 - 4.7 Agility Pillar 31
 - 4.8 Hierarchy Pillar 31
 - 4.8.1 Hierarchical Fog Deployment Models 34
- 5 Reference Architecture Overview 38
 - 5.1 Functional Viewpoint 38
 - 5.2 Deployment Viewpoint 39
 - 5.2.1 OpenFog Deployment Types 39
 - 5.2.2 N-Tier Fog Deployment 39

5.3	OpenFog Architecture Description.....	43
5.4	Perspectives (Cross Cutting Concerns).....	46
5.4.1	Performance and Scale Perspective.....	46
5.4.2	Security Perspective.....	47
5.4.3	Manageability Perspective.....	51
5.4.4	Data, Analytics, and Control.....	54
5.4.5	IT Business and Cross-fog Applications.....	56
5.5	Node View.....	56
5.5.1	Network.....	58
5.5.2	Accelerators.....	65
5.5.3	Compute.....	66
5.5.4	Storage.....	67
5.5.5	OpenFog Node Management.....	68
5.5.6	OpenFog Node Security.....	69
5.6	System Architecture View.....	73
5.6.1	Hardware Platform Infrastructure.....	74
5.6.2	Hardware Virtualization and Containers.....	77
5.7	Software Architecture View.....	77
5.7.1	Software View Layers.....	77
6	Adherence to OpenFog Reference Architecture.....	89
7	An End-to-End Deployment Use Case.....	91
7.1	Airport Visual Security.....	91
7.1.1	Cloud and Edge Approaches.....	92
7.1.2	Fog Computing Approach.....	93
7.1.3	Application to Airport Visual Security.....	103
8	Additional Opportunities.....	120
9	Summary and Next Steps.....	121
10	Appendix – Deeper Security Analysis.....	122
10.1	Security Aspects.....	122
10.1.1	Cryptographic Functions.....	122
10.1.2	Node Security Aspect.....	127

10.1.3 Network Security Aspect.....	130
10.1.4 Data Security Aspect	137
11 Glossary	143
References	159

Figures

Figure 1 Unfettered Cloud Computing.....	11
Figure 2 OpenFog Consortium and Other Consortia	12
Figure 3 OpenFog Transportation: Smart Car and Traffic Control System ..	15
Figure 4 Opportunities for Smart Cities.....	19
Figure 5 Pillars of OpenFog	22
Figure 6 Layered Architecture View of an IoT System	32
Figure 7 IoT System Deployment Models	34
Figure 8 Fog Hierarchy Example	36
Figure 9 Fog Hierarchical Deployment Model	36
Figure 10 Multi-Tier Deployment	39
Figure 11 Intelligence from data.....	41
Figure 12 Fog Node East/West Communication.....	43
Figure 13 Architecture Description with Perspectives	44
Figure 14 OpenFog Architecture Perspectives	46
Figure 15 OpenFog Security Layers.....	48
Figure 16 Example Threats and Attacks.....	49
Figure 17 Management Lifecycle.....	52
Figure 18 Management Layer.....	54
Figure 19 Business Intelligence	55
Figure 20 Cross Fog Application.....	56
Figure 21 Node View.....	57
Figure 22 System Architecture View.....	74
Figure 23 Software Architecture View.....	78
Figure 24 Application Support	82
Figure 25 Containerization for Application Support	82
Figure 26 Application Services Layer	85
Figure 27 Containerization for Application Support	86
Figure 44 OpenFog Technology Ready	89
Figure 43 OpenFog Ready	89
Figure 28 Airport Scenario	91
Figure 29 Key pillars of the OpenFog Architecture	93
Figure 30 OpenFog Architecture Description.....	94

Figure 31 Node view for Visual Security	95
Figure 32 OpenFog Approach to Visual Security Scenario	104
Figure 33 OpenFog realized for Visual Security	105
Figure 34 Training and Classification system for Machine Vision	106
Figure 35 Airport License Plate Capture	107
Figure 36 Integrated Air Travel Infrastructure - Assumptions.....	108
Figure 37 Garage Gate Entrance.....	109
Figure 38 Central System Analytics.....	110
Figure 39 Terminal Entrance	111
Figure 40 Baggage flow.....	113
Figure 41 Departure Gate.....	116
Figure 42 Arrival Gate.....	117
Figure 50 OpenFog Node Security Architecture	127
Figure 45 OpenFog Security Functional Layers and Operational Planes	131
Figure 46 OpenFog Secure Communication Pathways	132
Figure 47 Protocol Suites for Secure Node-to-Node Communications	133
Figure 48 Protocol Suites for Secure Node-to-Node Communications	133
Figure 49 Protocol Suites for Secure Node-to-Device Communications	135

1 **About Fog Computing and the Consortium**

1.1 OpenFog Reference Architecture Overview

The OpenFog Consortium was founded by ARM, Cisco, Dell, Intel, Microsoft and Princeton University in November 2015. Through its global membership of leading technology & networking players, fog computing entrepreneurs and university researchers, the Consortium is helping to enable game-changing innovation enabled by fog computing through an open architectural framework.

We are guided by the OpenFog Board of Directors and the OpenFog Technical Committee. The technical committee is the technical governing body of all of the working groups of the Consortium. The chair of this group is elected by a vote of the OpenFog Board of Directors and reports directly to the board.

The OpenFog Reference Architecture (OpenFog RA) is intended to help business leaders, software developers, silicon architects, and system designers create and maintain the hardware, software and system elements necessary for fog computing.

Many different technical workgroups in the Consortium are responsible for the different aspects of this reference architecture, including: Communications, Software-Infrastructure and Security. The Architecture Framework workgroup is tasked with the creation and maintenance of this document and other technical publications of the Consortium. All new technical topics requiring investigation are assigned to this group. The charter of each group is managed and approved by the technical committee and Board of Directors.

For further information on these groups or how to participate, please reference www.openfogconsortium.org.