

# ASTM Volume 08.02, June 2018

## Plastics (II): D3222–D5083

### Table of Contents

D3222-05(2015) Standard Specification for Unmodified Poly(Vinylidene Fluoride) (PVDF) Molding Extrusion and Coating Materials

D3275-08(2013) Standard Classification System for E-CTFE-Fluoroplastic Molding, Extrusion, and Coating Materials

D3291-11(2016)e1 Standard Practice for Compatibility of Plasticizers in Poly(Vinyl Chloride) Plastics Under Compression

D3294-15 Standard Specification for Polytetrafluoroethylene (PTFE) Resin Molded Sheet and Molded Basic Shapes

D3295-15 Standard Specification for PTFE Tubing, Miniature Beading and Spiral Cut Tubing

D3296-14a Standard Specification for FEP-Fluorocarbon Tube

D3307-16 Standard Specification for Perfluoroalkoxy (PFA) Resin Molding and Extrusion Materials

D3308-12(2017) Standard Specification for PTFE Resin Skived Tape

D3350-14 Standard Specification for Polyethylene Plastics Pipe and Fittings Materials

D3354-15 Standard Test Method for Blocking Load of Plastic Film by the Parallel Plate Method

D3364-99(2011) Standard Test Method for Flow Rates for Poly(Vinyl Chloride) with Molecular Structural Implications

D3367-13 Standard Test Method for Plasticizer Sorption of Poly(Vinyl Chloride) Resins Under Applied Centrifugal Force

D3368-17 Standard Specification for FEP Sheet and Film

D3418-15 Standard Test Method for Transition Temperatures and Enthalpies of Fusion and Crystallization of Polymers by Differential Scanning Calorimetry

D3419-12 Standard Practice for In-Line Screw-Injection Molding Test Specimens

From Thermosetting Compounds

D3420-14 Standard Test Method for Pendulum Impact Resistance of Plastic Film

D3453-12 Standard Specification for Flexible Cellular Materials—Urethane for Furniture and Automotive Cushioning, Bedding, and Similar Applications

D3465-14 Standard Test Method for Purity of Monomeric Plasticizers by Gas Chromatography

D3489-17 Standard Test Methods for Microcellular Urethane Materials

D3574-17 Standard Test Methods for Flexible Cellular Materials—Slab, Bonded, and Molded Urethane Foams

D3575-14 Standard Test Methods for Flexible Cellular Materials Made From Olefin Polymers

D3576-15 Standard Test Method for Cell Size of Rigid Cellular Plastics

D3591-17 Standard Test Method for Determining Logarithmic Viscosity Number of Poly(Vinyl Chloride) (PVC) in Formulated Compounds

D3594-93(2013) Standard Test Method for Copolymerized Ethyl Acrylate In Ethylene-Ethyl Acrylate Copolymers

D3595-14 Standard Specification for Polychlorotrifluoroethylene (PCTFE) Extruded Plastic Sheet and Film

D3596-14 Standard Practice for Determination of Gels (Fisheyes) In General-Purpose Poly(Vinyl Chloride) (PVC) Resins

D3641-15 Standard Practice for Injection Molding Test Specimens of Thermoplastic Molding and Extrusion Materials

D3647-16 Standard Practice for Classifying Reinforced Plastic Pultruded Shapes According to Composition

D3675-17 Standard Test Method for Surface Flammability of Flexible Cellular Materials Using a Radiant Heat Energy Source

D3676-13 Standard Specification for Rubber Cellular Cushion Used for Carpet or Rug Underlay

D3748-14 Standard Practice for Evaluating High-Density Rigid Cellular Plastics

D3749-13 Standard Test Method for Residual Vinyl Chloride Monomer in

Poly(Vinyl Chloride) Resins by Gas Chromatographic Headspace Technique

D3763-15 Standard Test Method for High Speed Puncture Properties of Plastics Using Load and Displacement Sensors

D3768-16 Standard Test Method for Microcellular Urethanes—Flexural Recovery

D3769-15 Standard Test Method for Microcellular Urethanes—High-Temperature Sag

D3795-00a(2012) Standard Test Method for Thermal Flow, Cure, and Behavior Properties of Pourable Thermosetting Materials by Torque Rheometer

D3801-10 Standard Test Method for Measuring the Comparative Burning Characteristics of Solid Plastics in a Vertical Position

D3826-98(2013) Standard Practice for Determining Degradation End Point in Degradable Polyethylene and Polypropylene Using a Tensile Test

D3835-16 Standard Test Method for Determination of Properties of Polymeric Materials by Means of a Capillary Rheometer

D3846-08(2015) Standard Test Method for In-Plane Shear Strength of Reinforced Plastics

D3851-17 Standard Specification for Microcellular Polyurethane Shoe Soling Materials

D3892-15 Standard Practice for Packaging/Packing of Plastics

D3895-14 Standard Test Method for Oxidative-Induction Time of Polyolefins by Differential Scanning Calorimetry

D3914-02(2016) Standard Test Method for In-Plane Shear Strength of Pultruded Glass-Reinforced Plastic Rod

D3916-08(2016) Standard Test Method for Tensile Properties of Pultruded Glass-Fiber-Reinforced Plastic Rod

D3917-15a Standard Specification for Dimensional Tolerance of Thermosetting Glass-Reinforced Plastic Pultruded Shapes

D3918-11 Standard Terminology Relating to Reinforced Plastic Pultruded Products

D3935-15 Standard Classification System and Basis for Specification for Polycarbonate (PC) Unfilled and Reinforced Material

D3965-16 Standard Classification System and Basis for Specifications for Rigid Acrylonitrile-Butadiene-Styrene (ABS) Materials for Pipe and Fittings

D3981-09a(2016) Standard Specification for Polyethylene Films Made from Medium-Density Polyethylene for General Use and Packaging Applications

D4000-16 Standard Classification System for Specifying Plastic Materials

D4001-13 Standard Test Method for Determination of Weight-Average Molecular Weight of Polymers By Light Scattering

D4020-11 Standard Specification for Ultra-High-Molecular-Weight Polyethylene Molding and Extrusion Materials

D4065-12 Standard Practice for Plastics: Dynamic Mechanical Properties: Determination and Report of Procedures

D4066-13 Standard Classification System for Nylon Injection and Extrusion Materials (PA)

D4067-16 Standard Classification System and Basis for Specification for Reinforced and Filled Poly(Phenylene Sulfide) (PPS) Injection Molding and Extrusion Materials Using ASTM Methods

D4092-07(2013) Standard Terminology for Plastics: Dynamic Mechanical Properties

D4093-95(2014) Standard Test Method for Photoelastic Measurements of Birefringence and Residual Strains in Transparent or Translucent Plastic Materials

D4101-17 Standard Classification System and Basis for Specification for Polypropylene Injection and Extrusion Materials

D4203-17 Standard Specification for and Basis for Specifications for Styrene-Acrylonitrile (SAN) Injection and Extrusion Materials

D4204-16 Standard Practice for Preparing Plastic Film Specimens for a Round-Robin Study

D4216-17 Standard Specification for Rigid Poly(Vinyl Chloride) (PVC) and Related PVC and Chlorinated Poly(Vinyl Chloride) (CPVC) Building Products Compounds

D4218-15 Standard Test Method for Determination of Carbon Black Content in Polyethylene Compounds By the Muffle-Furnace Technique

D4272/D4272M-15 Standard Test Method for Total Energy Impact of Plastic Films by Dart Drop

D4273-11 Standard Test Method for Polyurethane Raw Materials: Determination of Primary Hydroxyl Content of Polyether Polyols

D4274-16 Standard Test Methods for Testing Polyurethane Raw Materials: Determination of Hydroxyl Numbers of Polyols

D4275-17 Standard Test Method for Determination of Butylated Hydroxy Toluene (BHT) in Polymers of Ethylene and Ethylene–Vinyl Acetate (EVA) Copolymers by Gas Chromatography

D4321-15 Standard Test Method for Package Yield of Plastic Film

D4329-13 Standard Practice for Fluorescent Ultraviolet (UV) Lamp Apparatus Exposure of Plastics

D4349-16 Classification System and Basis for Specification for Polyphenylene Ether (PPE) Materials

D4350-16 Standard Test Method for Corrosivity Index of Plastics and Fillers

D4364-13 Standard Practice for Performing Outdoor Accelerated Weathering Tests of Plastics Using Concentrated Sunlight

D4385-13 Standard Practice for Classifying Visual Defects in Thermosetting Reinforced Plastic Pultruded Products

D4396-15 Standard Specification for Rigid Poly(Vinyl Chloride) (PVC) and Chlorinated Poly(Vinyl Chloride) (CPVC) Compounds for Plastic Pipe and Fittings Used in Nonpressure Applications

D4397-16 Standard Specification for Polyethylene Sheeting for Construction, Industrial, and Agricultural Applications

D4440-15 Standard Test Method for Plastics: Dynamic Mechanical Properties Melt Rheology

D4441-15 Standard Specification for Aqueous Dispersions of Polytetrafluoroethylene

D4443-13 Standard Test Method for Determining Residual Vinyl Chloride Monomer Content in PPB Range in Vinyl Chloride Homo- and Co-Polymers by Headspace Gas Chromatography

D4459-12 Standard Practice for Xenon-Arc Exposure of Plastics Intended for Indoor Applications

D4473-08(2016) Standard Test Method for Plastics: Dynamic Mechanical Properties: Cure Behavior

D4475-02(2016) Standard Test Method for Apparent Horizontal Shear Strength of Pultruded Reinforced Plastic Rods By the Short-Beam Method

D4476/D4476M-14 Standard Test Method for Flexural Properties of Fiber Reinforced Pultruded Plastic Rods

D4526-12 Standard Practice for Determination of Volatiles in Polymers by Static Headspace Gas Chromatography

D4549-15 Standard Classification System and Basis for Specification for Polystyrene and Rubber-Modified Polystyrene Molding and Extrusion Materials (PS)

D4591-17 Standard Test Method for Determining Temperatures and Heats of Transitions of Fluoropolymers by Differential Scanning Calorimetry

D4603-03(2011)e1 Standard Test Method for Determining Inherent Viscosity of Poly(Ethylene Terephthalate) (PET) by Glass Capillary Viscometer

D4634-16 Standard Classification System and Basis for Specification for Styrene-Maleic Anhydride Molding and Extrusion Materials (S/MA)

D4635-16 Standard Specification for Plastic Films Made from Low-Density Polyethylene and Linear Low-Density Polyethylene for General Use and Packaging Applications

D4659-14 Standard Test Methods for Polyurethane Raw Materials: Determination of Specific Gravity of Isocyanates

D4660-18 Standard Test Methods for Polyurethane Raw Materials: Determination of the Isomer Content of Toluenediisocyanate

D4661-13 Standard Test Methods for Polyurethane Raw Materials: Determination of Total Chlorine in Isocyanates

D4662-15 Standard Test Methods for Polyurethane Raw Materials: Determination of Acid and Alkalinity Numbers of Polyols

D4663-15 Standard Test Method for Polyurethane Raw Materials: Determination of Hydrolyzable Chlorine of Isocyanates

D4669-18 Standard Test Method for Polyurethane Raw Materials: Determination of Specific Gravity of Polyols

D4670-17 Standard Test Method for Polyurethane Raw Materials: Determination of Suspended Matter in Polyols

D4671-16 Standard Test Method for Polyurethane Raw Materials: Determination of Unsaturation of Polyols

D4672-18 Standard Test Method for Polyurethane Raw Materials: Determination of Water Content of Polyols

D4673-16 Standard Classification System for and Basis for Specification for Acrylonitrile–Butadiene–Styrene (ABS) Plastics and Alloys Molding and Extrusion Materials

D4674-02a(2010) Standard Practice for Accelerated Testing for Color Stability of Plastics Exposed to Indoor Office Environments

D4703-16 Standard Practice for Compression Molding Thermoplastic Materials into Test Specimens, Plaques, or Sheets

D4745-14 Standard Classification System and Basis for Specification for Filled Polytetrafluoroethylene (PTFE) Molding and Extrusion Materials Using ASTM Methods

D4754-11 Standard Test Method for Two-Sided Liquid Extraction of Plastic Materials Using FDA Migration Cell

D4801-08(2016) Standard Specification for Polyethylene Sheeting in Thickness of 0.25 mm (0.010 in.) and Greater

D4802-16 Standard Specification for Poly(Methyl Methacrylate) Acrylic Plastic Sheet

D4804-14 Standard Test Method for Determining the Flammability Characteristics of Nonrigid Solid Plastics

D4812-11 Standard Test Method for Unnotched Cantilever Beam Impact Resistance of Plastics

D4819-13 Standard Specification for Flexible Cellular Materials Made From Polyolefin Plastics

D4875-11 Standard Test Methods of Polyurethane Raw Materials: Determination of the Polymerized Ethylene Oxide Content of Polyether Polyols

D4877-14 Standard Test Method for Polyurethane Raw Materials: Determination of APHA Color in Isocyanates

D4878-15 Standard Test Methods for Polyurethane Raw Materials: Determination of Viscosity of Polyols

D4889-15 Standard Test Methods for Polyurethane Raw Materials: Determination of Viscosity of Crude or Modified Isocyanates

D4890-13 Standard Test Methods for Polyurethane Raw Materials: Determination of Gardner and APHA Color of Polyols

D4894-15 Standard Specification for Polytetrafluoroethylene (PTFE) Granular Molding and Ram Extrusion Materials

D4895-16 Standard Specification for Polytetrafluoroethylene (PTFE) Resin Produced From Dispersion

D4968-17 Standard Practice for Annual Review of Test Methods and Specifications for Plastics

D4969-17 Standard Specification for Polytetrafluoroethylene–(PTFE) Coated Glass Fabric

D4976-12a Standard Specification for Polyethylene Plastics Molding and Extrusion Materials

D4986-10 Standard Test Method for Horizontal Burning Characteristics of Cellular Polymeric Materials

D5017-17 Standard Test Method for Determination of Linear Low Density Polyethylene (LLDPE) Composition by Carbon-13 Nuclear Magnetic Resonance

D5023-15 Standard Test Method for Plastics: Dynamic Mechanical Properties: In Flexure (Three-Point Bending)

D5024-15 Standard Test Method for Plastics: Dynamic Mechanical Properties: In Compression

D5025-12e1 Standard Specification for Laboratory Burner Used for Small-Scale Burning Tests on Plastic Materials

D5026-15 Standard Test Method for Plastics: Dynamic Mechanical Properties: In Tension

D5028-17 Standard Test Method for Curing Properties of Pultrusion Resins by

## Thermal Analysis

D5045-14 Standard Test Methods for Plane-Strain Fracture Toughness and Strain Energy Release Rate of Plastic Materials

D5047-17 Standard Specification for Polyethylene Terephthalate Film and Sheeting

D5048-14 Standard Test Method for Measuring the Comparative Burning Characteristics and Resistance to Burn-Through of Solid Plastics Using a 125-mm Flame

D5071-06(2013) Standard Practice for Exposure of Photodegradable Plastics in a Xenon Arc Apparatus

D5083-17 Standard Test Method for Tensile Properties of Reinforced Thermosetting Plastics Using Straight-Sided Specimens