

INTERNATIONAL STANDARD



**Printed electronics –
Part 202-3: Materials – Conductive ink – Measurement of sheet resistance of
conductive films – Contactless method**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.



IEC 62899-202-3

Edition 1.0 2019-01

INTERNATIONAL STANDARD



**Printed electronics –
Part 202-3: Materials – Conductive ink – Measurement of sheet resistance of
conductive films – Contactless method**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 31.180; 87.080

ISBN 978-2-8322-6411-9

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	6
4 Background to the eddy-current method	7
5 Specimen	8
5.1 Specimen.....	8
5.2 Substrate	8
5.3 Defects	8
5.4 Size	8
6 Apparatus.....	8
6.1 General.....	8
6.2 Sample stage.....	9
6.3 Gap	10
7 Test conditions	10
8 Measurement procedure	11
9 Report of the results	11
9.1 General.....	11
9.2 Test environment	11
9.3 Test apparatus.....	11
9.4 Test condition	11
9.5 Test results	11
Annex A (informative) Comparison between data from eddy-current probe and 4-point probe measurements	12
Annex B (informative) Effects of the probe position near the specimen edge.....	14
Annex C (informative) Effects of the film thickness.....	15
Bibliography.....	16
Figure 1 – Schematic diagram of eddy-current probe apparatus (left: dual, right: single).....	9
Figure 2 – Apparatus on a stand table (single probe type)	10
Figure A.1 – Measurement positions	12
Figure A.2 – Comparison between contactless and 4-point methods	13
Figure B.1 – Measurement positions	14
Table 1 – Comparison between dual and single probes.....	9
Table A.1 – Results of sheet resistance measurement	12
Table C.1 – Thickness effects.....	15

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRINTED ELECTRONICS –

Part 202-3: Materials – Conductive ink – Measurement of sheet resistance of conductive films – Contactless method

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62899-202-3 has been prepared by IEC technical committee 119: Printed Electronics.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
119/240/FDIS	119/246/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62899 series, published under the general title *Printed electronics*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Conductive films, transparent or non-transparent, are a key element for electronic products. A widespread method used for the measurement of the sheet resistance of conductive films is the 4-point probe measurement. Nevertheless, making an electrical contact with the probes is sometimes critical for the measurement. For some devices or films which are covered with an insulating layer or composed of micro-/nano-structures, establishing an electrical contact is difficult, which makes the 4-point probe method not suitable for the measurement of sheet resistance (see Table A.1 and Figures A.1 and A.2 in Annex A). The 4-point probe method is also sensitive to contact force and layer thickness. The eddy-current-based measurement method, which does not require electrical contact, is widely used for this purpose in the industry. This document specifies a standard method for measurement of sheet resistance using a contactless eddy-current method.

PRINTED ELECTRONICS –

Part 202-3: Materials – Conductive ink – Measurement of sheet resistance of conductive films – Contactless method

1 Scope

This part of IEC 62899 defines terms and specifies a standard method for the measurement of the sheet resistance of printed conductive films using a contactless eddy-current method.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62899-202, *Printed electronics – Materials – Part 202: Conductive ink*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

sheet resistance

R_s

electrical resistance of a thin film material measured across the opposite ends of a square area

Note 1 to entry: The unit of sheet resistance is expressed in ohms (Ω). However, for the purpose of this procedure, it represents the unit of ohms per square with the thickness of the film.

[SOURCE: IEC TS 61836:2016, 3.4.81, modified – the second sentence of the note has been added.]

3.2

eddy current

electric current induced within conductors by a time-varying magnetic field in the conductor

3.3

4-probe measurement

method to measure the resistance of a material whose measured value is independent on the probe resistance

Note 1 to entry: In this method, 4 probes contact the test sample in a linear arrangement. A voltage drop is measured between the two inner probes while a current source supplies current through the outer probes. The resistance of the sample can be calculated by Ohm's law. Furthermore, the resistivity of the sample can be obtained by consideration of the geometric factors of the sample.