

AS 2417.3—1980
ISO 3555: 1977

Australian Standard[®]

**Pumps—The international
acceptance test codes**

Part 3: ISO 3555—Class B tests

The following scientific, industrial and governmental organizations and departments were officially represented on the committee entrusted with the preparation of this standard:

Association of Consulting Engineers Australia
Australian Pump Manufacturers Association Ltd
Bureau of Steel Manufacturers of Australia
Department of Public Works, N.S.W.
Engineering and Water Supply Department, S.A.
Melbourne and Metropolitan Board of Works
Metropolitan Water Sewerage and Drainage Board, N.S.W.
Snowy Mountains Hydro-Electric Authority
State Electricity Commission of Victoria
State Rivers and Water Supply Commission of Victoria

This standard, prepared by Committee ME/30, Pumps was approved on behalf of the Council of the Standards Association of Australia on 13 September 1980, and was published on 31 December 1980.

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This standard was issued in draft form for public review as DR 79157.

Australian Standard[®]

**Pumps—The international
acceptance test codes**

Part 3: ISO 3555—Class B tests

First published 1980

PREFACE

This standard was prepared by the Association's Committee on Pumps as one of the series of Parts to supersede AS CB9—1968. It is complementary to AS 2417, Part 1 and should be read in conjunction with it.

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

CONTENTS	Page
0 Introduction	1
1 Scope and field of application	1
2 Symbols	2
2.1 List of symbols used in the test code	2
2.2 Alphabetical lists of basic letters and subscripts	3
3 Definitions	4
3.1 General definitions	4
3.2 Definitions peculiar to the test code	4
4 Guarantees	6
4.1 Subjects of guarantees	6
4.2 Other conditions of guarantee	6
4.3 Fulfilment of guarantee	6
5 Tests	6
5.1 Organization of tests	6
5.2 Test arrangements	7
5.3 Test conditions	9
5.4 Accuracy of measurement	11
6 Procedure for measurement of rate of flow, head, speed of rotation and power input	11
6.1 Measurement of flow rate	11
6.2 Measurement of head	12
6.3 Measurement of the speed of rotation	18
6.4 Measurement of pump power input	18
6.5 Measurement of pumping unit overall efficiency	19
7 Cavitation testing	19
7.1 General	19
7.2 Determination of (NPSH) required by the pump	20
7.3 Limits of error in determination of (NPSH)	20
7.4 Measurement of pump head, outlet flow rate, speed of rotation, power input (if necessary) and vapour pressure	20

8	Tests on pumps for liquids other than clean cold water	24
8.1	Characteristics of “clean cold water”	24
8.2	Characteristics of liquids for which clean cold water tests are acceptable	24
9	Analysis of tests	24
9.1	Test data required for the analysis	24
9.2	Translation of the test results to the guarantee basis	24
9.3	Measuring inaccuracies	25
9.4	Verification of guarantee	25
9.5	Test report	26
Annexes		
A	Effect of pre-swirl induced by the pump	27
B	Pumping installation under non-standard conditions.	28
C	Friction losses	28
D	Costs and repetition of tests	32
E	List of reference documents	33
F	Conversion to SI units	34
G	Check lists	35
H	Pump test sheet	36

STANDARDS ASSOCIATION OF AUSTRALIA

Australian Standard

PUMPS—THE INTERNATIONAL ACCEPTANCE TEST CODES

PART 3—ISO 3555—CLASS B TESTS

WARNING—Terms used in this International Standard like “guarantee” or “acceptance” shall be understood in a technical but not in a legal sense. The term “guarantee”, therefore, specifies values for checking purposes determined in the contract, but does not say anything about the rights or duties arising, if these values are not reached or fulfilled. The term “acceptance” does not have any legal meaning here, either. Therefore, an acceptance test carried out successfully alone does not represent an “acceptance” in the legal sense.

0 INTRODUCTION

This International Standard is the second of a set of three dealing with acceptance tests of centrifugal, mixed flow and axial pumps¹⁾; they correspond to three classes of tests A, B and C²⁾; class A is the most accurate and class C is the least accurate; the use of classes A and B is restricted to special cases when there is need to have the pump performance more precisely defined.

Attention is drawn to the fact that class B and A tests require more accurate apparatus and methods, which increase the cost of such tests.

The standard arrangements and procedures described are those to be employed for testing a pump individually, without reference to its final installation conditions or the effect upon it of any associated fittings, these being the usual conditions in which a pump is tested at the manufacturer’s works.

Pump performance may be affected by conditions of the final site installation, and procedures are described for carrying out “standard tests” on certain types of installations of which an overall performance is required.

The conditions in which pumps are finally installed, however, often do not permit reliable tests measurements, and recommendations are made concerning the procedure to be adopted where the layout precludes tests in conformity with the standards, or where the tests cover the pump and the plant ancillary to the pump itself.

In this test code, all formulae are given in coherent units.

1 SCOPE AND FIELD OF APPLICATION

This International Standard constitutes a code for acceptance testing of pumps, defining the terms and quantities that are used, establishing the methods of testing and the ways of measuring the quantities involved according to class B so as to ascertain the performances of the pump and to compare them with the manufacturer’s guarantee.

In general this code applies to any sizes of pumps tested with clean cold water and other liquids behaving as clean cold water such as defined in clause 8.

This code is not concerned with the structural details of the pump nor with the mechanical properties of their components.

1) In the rest of the text these types of pumps will be simply designated as “pumps”.

2) ISO 2548.