

Australian Standard™

**Underground mining—Winding
suspension equipment**

Part 5: Rope swivels and swivel hooks

This Australian Standard was prepared by Committee ME-018, Mining Equipment. It was approved on behalf of the Council of Standards Australia on 21 April 2005. This Standard was published on 15 June 2005.

The following are represented on Committee ME-018:

Australasian Institute of Mining and Metallurgy
Australian Chamber of Commerce and Industry
Australian Coal Association
Australian Industry Group
Department of Industry and Resources WA
Department of Labour New Zealand
Department of Natural Resources and Mines (Qld)
Department of Primary Industries, Mine Safety (NSW)
Engineers Australia
South Australian Chamber of Mines and Energy

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Web Shop at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

Australian Standards™ and other products and services developed by Standards Australia are published and distributed under contract by SAI Global, which operates the Standards Web Shop.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to the Chief Executive, Standards Australia, GPO Box 5420, Sydney, NSW 2001.

This Standard was issued in draft form for comment as DR 04540.

STANDARDS AUSTRALIA

RECONFIRMATION

OF

AS 3637.5—2005

**Underground mining—Winding suspension equipment
Part 5: Rope swivels and swivel hooks**

RECONFIRMATION NOTICE

Technical Committee ME-018 has reviewed the content of this publication and in accordance with Standards Australia procedures for reconfirmation, it has been determined that the publication is still valid and does not require change.

Certain documents referenced in the publication may have been amended since the original date of publication. Users are advised to ensure that they are using the latest versions of such documents as appropriate, unless advised otherwise in this Reconfirmation Notice.

Approved for reconfirmation in accordance with Standards Australia procedures for reconfirmation on 26 February 2017.

The following are represented on Technical Committee ME-018:

Australasian Institute of Mining and Metallurgy
Australian Chamber of Commerce and Industry
Australian Industry Group
Construction and Mining Equipment Industry Group
Department of Industry, Skills and Regional Development (NSW)
Department of Mines and Petroleum (WA)
Department of Natural Resources and Mines (QLD)
Engineers Australia
Minerals Council of Australia
Mining Electrical and Mining Mechanical Engineering Society
Solid Energy New Zealand
Straterra

NOTES

Australian Standard™

**Underground mining—Winding
suspension equipment**

Part 5: Rope swivels and swivel hooks

First published as AS 3637.5—1989.
Second edition 2005.

COPYRIGHT

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 6778 8

PREFACE

This Standard was prepared by the Standards Australia Committee ME-018, Mining Equipment to supersede AS 3637.5—1989.

The objective of this Standard is to provide requirements for the safe and effective operation of rope swivels and swivel hooks for reference by manufacturers, users and regulators.

This Standard is one of a series of Standards on underground mine winding suspension equipment, as follows:

AS

- 3637 Underground mining—Winding suspension equipment
- 3637.1 Part 1: General requirements
- 3637.2 Part 2: Detaching hooks
- 3637.3 Part 3: Rope cappings
- 3637.4 Part 4: Drawbars and connecting links
- 3637.5 Part 5: Rope swivels and swivel hooks (this Standard)
- 3637.6 Part 6: Shackles and chains

Reference was made to the British Coal document, *Design Guide for Cage Suspension Gear*, in the preparation of Appendix A.

The terms ‘normative’ and ‘informative’ have been used in this Standard to define the application of the appendix to which they apply. A ‘normative’ appendix is an integral part of a Standard, whereas an ‘informative’ appendix is only for information and guidance.

CONTENTS

	<i>Page</i>
1 SCOPE.....	4
2 REFERENCED DOCUMENT.....	4
3 DEFINITIONS.....	4
4 SIZE DESIGNATION	4
5 MATERIALS.....	4
6 DESIGN.....	5
7 MANUFACTURE	5
8 TESTING.....	5
9 TEST CERTIFICATES.....	5
10 MARKING	5
 APPENDICES	
A DESIGN GUIDELINES FOR THREADED COMPONENTS.....	11
B PERMISSIBLE IMPERFECTIONS FOR MAGNETIC PARTICLE INSPECTION .	14

STANDARDS AUSTRALIA**Australian Standard****Underground mining—Winding suspension equipment****Part 5: Rope swivels and swivel hooks****1 SCOPE**

This Standard specifies requirements for the design and manufacture of rope swivels and swivel hooks for use in the suspension of conveyances in underground vertical mine shafts.

General requirements are specified in AS 3637.1.

NOTES:

- 1 Guidelines for the design of threaded components are given in Appendix A.
- 2 The use of hooks may require approval of the statutory authorities.

2 REFERENCED DOCUMENT

The following document is referred to in this Standard:

AS

3637 Underground mining—Winding suspension equipment
3637.1 Part 1: General requirements

3 DEFINITIONS

For the purpose of this Standard, the definitions below apply.

3.1 Rope swivel

A rope suspension assembly that allows rotation between a rope and its attachment (see Figures 1 to 3).

3.2 Swivel hook

A rope suspension assembly that allows rotation between a rope and its attachment containing a hook for suspending a load (see Figures 4 and 5).

3.3 Working load limit

The maximum static load permitted to be carried by the suspension equipment.

4 SIZE DESIGNATION

The size designation for rope swivels and swivel hooks shall be the working load limit in tonnes. Rope swivels and swivel hooks should be manufactured to the following size designations:

3, 5, 10, 15 and 20 tonnes.

5 MATERIALS**5.1 Component type designation**

The components of each of the various types of rope swivels and swivel hooks (see Figures 1 to 5) shall be designated Type A or Type B in accordance with Table 1. Components not listed in Table 1 shall be designated Type B (except shear pins).